LLCHD HS000236

Lincoln-Lancaster County Health Department
Environmental Public Health Division
3140 N Street • Lincoln NE 68510-1514
Phone: 402-441-8022

JUN 09 2009 SCANNED

HOT item

A

Permit Number
H8000236

Onsite Wastewater Treatment System
Request for Site Clearance and Permit

Include Form B and C. Submit correct fee with this Application

3 acres or more required for: ☐ Septic System ☒ Lagoon ☐ Other (Refer to Form C)

The undersigned hereby requests site clearance and permit to construct a Wastewater Treatment System in conformance with appropriate regulations.

PLEASE PRINT OR TYPE

A. Onsite System Location

Address 18855 High Prairie Place (no rural route) City Roca, NE Zip 68430

Legal Description 25 8N 6E High Prairie Est. 1 2
(1/4 1/4 Section Township Range Subdivison Addition Block Lot)

Geographical Location (if known): Longitude: _____ Latitude: _____

☒ Check if system mail address is not the same as the owner's address Total Acres: _____

B. Owner

Name Darren Sperling Signature _____

Address 1621 SW 36 City/State/Zip Lincoln, NE 68522

☐ Check if owner designed system Home Phone 610-2575 Work Phone _____

C. Contractor

Name: Brad Southwick Company Name Southwick Sewer & Drain

Address P.O. Box 191 105 Locust City/State/Zip Hickman, NE 68372

☒ Check if contractor designed system Work Phone 430-7606

D. Engineer/Installer ☐ Check and complete if engineer designed system

Designer Name _____ Firm _____ Work Phone _____

E. This system will serve a

☒ Residential Dwelling Number of Bedrooms 3 Is there a Whirlpool Bathtub? ☐ Yes ☒ No

☐ Commercial Establishment/Other Facility Specify _____ Design flow in gallons per day _____

Type of Wastewater ☐ Domestic ☐ Non-Domestic Well Permit Applied for ☐ Yes ☐ No ☐ Not Applicable

DO NOT WRITE BELOW THIS LINE

Approval Process ☐ Municipal Code 24.38 ☐ County Resolution No. 02-30

1. Health Department
Site visits _____
Date rec'd _____ Date frwd _____
ACTION ☐ Approved ☐ Disapproved
Signature _____

2. Supt. Bldg. Insp. or Village Clerk
Comments _____
Date rec'd _____ Date frwd _____
ACTION ☐ Approved ☐ Disapproved
Signature _____

3. City or County Engineer
Comments _____
Date rec'd _____ Date frwd _____
ACTION ☐ Approved ☐ Disapproved
Signature _____

Installation Final Written Approval
By _____
Date _____

Business Office Use Only
Date Received 6/11/09 Amount Paid 315.00
Received By AKV Cash/Check No. 1248

White - Health Department Yellow - Engineer Pink - Building & Safety

Form A Updated: 5-07

6-11-2009 13: 4:46 90% of property has pasture soil

Lincoln-Lancaster County Health Department
Environmental Public Health Division (402) 441-8027
3140 N Street Lincoln, NE 68510-1514

ON-SITE WASTE WATER SYSTEM
CONSTRUCTION - INSTALLATION PERMIT

No. HS000236

System Type:	LAGOON
Situs:	99999 **NO SITUS** ST L
Legal Description:	T08N-R06E-S25-1-Lot 2
Owner:	

Permit Fee:	$315.00
Variance Fee:	$0.00
Extension Fee:	$0.00
Total Fees:	$315.00

Issued:	06/11/2009
Expires:	06/11/2010

Bruce D. Dart, PhD, Health Director

On-site Waste System Permit Holder:

The above document is your permit to construct a new On-site Waste Water System at the location listed. Please contact this office once the sytem is complete in order to schedule a final inspection before use.

Bruce D. Dart, PhD
Health Director

SOUTHWICK SERVICES
PO BOX 191
HICKMAN NE 68372

LLCHD HS000236

Lincoln-Lancaster County Health Department
Environmental Public Health Division
3140 N Street • Lincoln NE 68510-1514
Phone: 402-441-8022

JUN 09 2009

A

HOT item

Permit Number H8000236

Onsite Wastewater Treatment System Request for Site Clearance and Permit

Include Form B and C. Submit correct fee with this Application

3 acres or more required for: ☐ Septic System ☒ Lagoon ☐ Other (Refer to Form C)

The undersigned hereby requests site clearance and permit to construct a Wastewater Treatment System in conformance with appropriate regulations.

PLEASE PRINT OR TYPE

A. Onsite System Location

Address 18855 High Prairie Place (no rural route) City Roca, NE Zip 68430

Legal Description 25 8N 6E High Prairie Est. 1 2
(1/4 | 1/4 | Section | Township | Range | Subdivison | Addition | Block | Lot)

Geographical Location (if known): Longitude: _____ Latitude: _____

☒ Check if system mail address is not the same as the owner's address Total Acres: _____

B. Owner

Name Darren Sperling Signature _____

Address 1621 SW 36 City/State/Zip Lincoln, NE 68522

☐ Check if owner designed system Home Phone 610-2575 Work Phone _____

C. Contractor

Name: Brad Southwick Company Name Southwick Sewer & Drain

Address P.O. Box 191 105 Locust City/State/Zip Hickman, NE 68372

☒ Check if contractor designed system Work Phone 430-7606

D. Engineer/Installer ☐ Check and complete if engineer designed system

Designer Name _____ Firm _____ Work Phone _____

E. This system will serve a

☒ Residential Dwelling Number of Bedrooms 3 Is there a Whirlpool Bathtub? ☐ Yes ☒ No

☐ Commercial Establishment/Other Facility Specify _____ Design flow in gallons per day _____

Type of Wastewater ☐ Domestic ☐ Non-Domestic Well Permit Applied for ☐ Yes ☐ No ☐ Not Applicable

DO NOT WRITE BELOW THIS LINE

Approval Process ☐ Municipal Code 24.38 ☐ County Resolution No. 02-30

1. Health Department
Site visits _____
Date rec'd _____ Date frwd _____
ACTION ☐ Approved ☐ Disapproved
Signature _____

2. Supt. Bldg. Insp. or Village Clerk
Comments _____
Date rec'd _____ Date frwd _____
ACTION ☐ Approved ☐ Disapproved
Signature _____

3. City or County Engineer
Comments _____
Date rec'd _____ Date frwd _____
ACTION ☐ Approved ☐ Disapproved
Signature _____

Installation Final Written Approval
By _____
Date _____

Business Office Use Only
Date Received _____ Amount Paid _____
Received By _____ Cash/Check No. _____

White - Health Department Yellow - Engineer Pink - Building & Safety

Form A Updated: 5-07

6-10-2009 15:50:12 X 90% of property has furrow sod

LLCHD HS000236

Lincoln-Lancaster County Health Department
Environmental Public Health Division
3140 N Street • Lincoln NE 68510-1514
Phone: 402-441-8022

JUN 09 2009

HOT item

A

Permit Number
H8000236

Onsite Wastewater Treatment System
Request for Site Clearance and Permit

Include Form B and C. Submit correct fee with this Application

3 acres or more required for: ☐ Septic System ☒ Lagoon ☐ Other (Refer to Form C)

The undersigned hereby requests site clearance and permit to construct a Wastewater Treatment System in conformance with appropriate regulations.

PLEASE PRINT OR TYPE

A. Onsite System Location

Address 18855 High Prairie Place City Roca, NE Zip 68430
(no rural route)

Legal Description ____ 25 9N 6E High Prairie Est. 1 2
1/4 1/4 Section Township Range Subdivison Addition Block Lot

Geographical Location (if known): Longitude:_____ Latitude:_____

☒ Check if system mail address is not the same as the owner's address Total Acres:_____

B. Owner

Name Darren Sperling Signature_____

Address 1621 SW 36 City/State/Zip Lincoln, NE 68522

☐ Check if owner designed system Home Phone 610-2575 Work Phone_____

C. Contractor

Name: Brad Southwick Company Name Southwick Sewer & Drain

Address PO Box 191 105 Locust City/State/Zip Hickman, NE 68372

☒ Check if contractor designed system Work Phone 430-7606

D. Engineer/Installer ☐ Check and complete if engineer designed system

Designer Name_____ Firm_____ Work Phone_____

E. This system will serve a

☒ Residential Dwelling Number of Bedrooms 3 Is there a Whirlpool Bathtub? ☐ Yes ☒ No

☐ Commercial Establishment/Other Facility Specify_____ Design flow in gallons per day_____

Type of Wastewater ☐ Domestic ☐ Non-Domestic Well Permit Applied for ☐ Yes ☐ No ☐ Not Applicable

DO NOT WRITE BELOW THIS LINE

Approval Process ☐ Municipal Code 24.38 ☑ County Resolution No. 02-30

1. Health Department
Site visits_____
Date rec'd 6/10/09
Date frwd 6/10/09
ACTION ☒ Approved ☐ Disapproved
Signature_____

2. Supt. Bldg. Insp. or Village Clerk
Comments_____
Date rec'd 6/10/09
Date frwd 6/10/09
ACTION ☒ Approved ☐ Disapproved
Signature_____

3. City or County Engineer
Comments_____
Date rec'd 6-10-09
Date frwd 6-10-09
ACTION ☒ Approved ☐ Disapproved
Signature_____

Business Office Use Only
Date Received_____ Amount Paid_____
Received By_____ Cash/Check No._____

Installation Final Written Approval
By_____
Date_____

White - Health Department Yellow - Engineer Pink - Building & Safety

Form A Updated: 5-07

6-10-2009 6:18:55 90% of property has pasture soil

LLCHD HS000236


Lincoln-Lancaster County Health Department
Environmental Health Division
3140 "N" Street • Lincoln, NE 68510-1514
Phone: 402-441-8022

C

Permit Number: HS000236

Sewage Disposal System
Preliminary Plan Specifications

Draw a plot plan showing system location, lines, distribution box, tank and laterals, percolation test hole locations, well, residence, compass direction and property lines. Indicate on drawing if residence and well are existing or proposed.



Approximate Scale: _____ ft. = _____ grid line/s

A. System Location (Indicate correct number and street)

Address (no rural route) 18855 High Prairie City Roca NE, Zip _____

B. Proposed Septic Tank/s

Tank Material: ☐ Concrete ☐ Plastic ☐ Other _____

C. Proposed Absorption System (See Form B for Percolation Information)

Percolation Rate _____ (min. per inch) Soil Type: _____ Land Slope: _____ %

Type of Absorption System: ☐ Trench ☐ Bed ☐ Other _____

Total Square Feet of Field Required: _____ sq. ft.

Type of Lateral: ☐ Half-Moon ☐ Perforated Pipe ☐ Other Lateral Material: _____

Capacity of Septic Tank _____ gals Number of Absorption Beds: _____ Number of Distribution Laterals per Bed _____

Total Length of Laterals _____ ft. Number of Trenches _____ Trench Width _____


D. Setbacks Check the Boxes Below if the Required Setback has been Satisfied

Distance From	Private Well	Public Well	Surface Water	Gound Water	Pressure Water Lines	Property Lines	Foundations Yours	Foundations Neighbors	All Other Setbacks
Tank (ft)	50 ☐	500 ☐	50 ☐	NA ☐	25 ☐	20 ☐	15 ☐	25 ☐	☐
Field (ft)	100 ☐	500 ☐	50 ☐	4 ☐	30 ☐	20 ☐	30 ☐	40 ☐	☐
Lagoon (ft)	100 ☑	500 ☒	50 ☒	N/A ☐	30 ☒	50 ☒	100 ☒	200 ☒	☒

E. Required Signatures

Home Building Contractor _____ Date _____

Installer _____ Date 6/5/09


PAWNEE CLAY LOAM, 7 TO 11 PERCENT SLOPES, ERODED
PAWNEE CLAY LOAM, 7 TO 11 PERCENT SLOPES, ERODED
BURCHARD-NODAWAY COMPLEX, 2 TO 30 PERCENT SLOPES
PAWNEE CLAY LOAM, 2 TO 7 PERCENT SLOPES, ERODED
WYMORE SILTY CLAY, 5 TO 9 PERCENT SLOPES, SEVERELY ERODED
25-08-06
PAWNEE CLAY LOAM, 2 TO 7 PERCENT SLOPES, ERODED
PAWNEE CLAY LOAM, 7 TO 11 PERCENT SLOPES, ERODED
HIGH PRAIRIE
HICKMAN
36-08-06
WYMORE SILTY CLAY, 5 TO 9 PERCENT SLOPES, SEVERELY ERODED