Lincoln-Lancaster County Health Department
Environmental Public Health Division (402) 441-8027
3140 N Street Lincoln, NE 68510-1514

ON-SITE WASTE WATER SYSTEM
REPAIR PERMIT

No. HS000367

System Type: STANDARD

Situs: 5501 WAVERLY RD

Legal Description: T11N-R07E-S17-Lot 34

Owner: RUTT, NORMA J
4130 N 14 ST
LINCOLN NE
68521

Permit Fee: $180.00

Total Fees: $180.00

Issued: 06/09/2010
Expires 06/11/2011

Bruce D. Dart, PhD, Health Director

Dear Applicant:

The above document is your permit to repair an existing On-site Waste Water System at the location listed. Please contact this office once repairs are complete to obtain final approval before use.

Bruce D. Dart, PhD
Health Director

RAYMOND CONTRACTING
13800 NW 70TH
RAYMOND NE 68428

LLCHD HS000367

Application to Alter, Extend or Repair an Onsite Wastewater Treatment System

JUN 04 2010

☐ Municipal Code 24.38 ☐ County Resolution Number 02-30

SCANNED

HS000367

The undersigned hereby applies for a permit to: ☐ **ALTER** ☒ **EXTEND** ☐ **REPAIR** an existing wastewater treatment system, complying with appropriate Ordinance or Resolution, as marked above with drawings attached.

1. **Legal description of property:**
   Township 11 Range 7 1/4 NE 1/4 ____ Section 17
   Block ____ Lot 34 Addition ____
   Parcel ID 18-17-200-010-000 (i.e. 99-99-999-999-999)
   Street Address (no rural route) 5501 Waverly Rd Lincoln, NE 68514

2. **Property use:** ☒ residential ☐ commercial ☐ other use
   Number of bedrooms 3 Describe ____

3. **Type of Present Individual Disposal System** ☒ septic system ☐ lagoon ☐ other

4. **Description of proposed alteration, extension or repair** Add 265' of lateral, new drop box

5. **Work to be done by:** ☐ owner ☒ contractor's name Lloyd Jakoubek, Raymond Contracting, Inc

6. **Estimated project:**
   a. Repair, replace, or minor extension with a cost less than $400 (no fee required).
   b. Total cost is greater than $400 (Return fee with this application)
   c. A permit is required if the use, operation, location, or type of system is changed.

Print Name Rick Ruth Address 5501 Waverly Rd Phone: 402-560-0674

Applicant Signature (owner or lessee) Rick Ruth By Kim Jakoubek

Please contact LLCHD for the permit fee for this application
Fee must be included before the application will be processed. Incomplete information will delay processing

---

HEALTH DEPARTMENT USE ONLY

Date received ____/____/____ REVIEW: ☐ Approved ☐ Disapproved By: ____

Site visits
Date ____/____/____ By ____
Date ____/____/____ By ____
Date ____/____/____ By ____

Installation final written approval
Date ____/____/____ By ____

Return application to:

Lincoln-Lancaster County Health Department
Environmental Public Health Division
3140 "N" Street, Lincoln, NE 68510
Phone: 441-8643

Business Office Use Only

Received: Date: 6/9/10 Amount 180.00 Check No. 7356 Initials BH

Revised 3-09

6-10-2010 15:14:14

LLCHD HS000367

Application to Alter, Extend or Repair an Onsite Wastewater Treatment System

JUN 04 2010

☐ Municipal Code 24.38 ☐ County Resolution Number 02-30

HS000367

The undersigned hereby applies for a permit to: ☐ **ALTER** ☒ **EXTEND** ☐ **REPAIR** an existing wastewater treatment system, complying with appropriate Ordinance or Resolution, as marked above with drawings attached.

1. **Legal description of property:**
   Township 11 Range 7 1/4 NE 1/4 _____ Section 17
   Block _____ Lot 34 Addition _____
   Parcel ID 18 - 17 - 200 - 010 - 000 (i.e. 99-99-999-999-999)
   Street Address (no rural route) 5501 Waverly Rd Lincoln, NE 68514

2. **Property use:** ☒ residential ☐ commercial ☐ other use
   Number of bedrooms 3 Describe _____

3. **Type of Present Individual Disposal System** ☒ septic system ☐ lagoon ☐ other

4. **Description of proposed alteration, extension or repair** Add 265' of lateral, new drop box

5. **Work to be done by:** ☐ owner ☒ contractor's name Lloyd Jakoubek, Raymond Contracting, Inc

6. **Estimated project:** a. Repair, replace, or minor extension with a cost less than $400 (no fee required).
   b. Total cost is greater than $400 (Return fee with this application)
   c. A permit is required if the use, operation, location, or type of system is changed.

Print Name Rick Ruth Address 5501 Waverly Rd Phone: 402-560-0674

Applicant Signature (owner or lessee) Rick Ruth By Lloyd Jakoubek

Please contact LLCHD for the permit fee for this application
Fee must be included before the application will be processed. Incomplete information will delay processing

---

HEALTH DEPARTMENT USE ONLY

Date received ____/____/____ REVIEW: ☐ Approved ☐ Disapproved By: _____

Site visits
Date ____/____/____ By _____
Date ____/____/____ By _____
Date ____/____/____ By _____

Installation final written approval
Date ____/____/____ By _____


Return application to:
Lincoln-Lancaster County Health Department
Environmental Public Health Division
3140 "N" Street, Lincoln, NE 68510
Phone: 441-8643

Business Office Use Only

Received: Date: ____/____/____ Amount _____ Check No. _____ Initials _____

Revised 3-09

6-9-2010 9:53:48


WATER
08-11-07
09-11-07
WAVERLY
SHARPSBURG SILTY CLAY LOAM, 5 TO 9 PERCENT SLOPES
17-11-07
56TH
16-11-07
PAWNEE CLAY LOAM, 7 TO 11 PERCENT SLOPES, ERODED

Application to Alter, Extend or Repair an Onsite Wastewater Treatment System

JUN 04 2010

SCANNED

H5000367

☐ Municipal Code 24.38 ☐ County Resolution Number 02-30

The undersigned hereby applies for a permit to: ☐ **ALTER** ☒ **EXTEND** ☐ **REPAIR** an existing wastewater treatment system, complying with appropriate Ordinance or Resolution, as marked above with drawings attached.

1. **Legal description of property:**
   Township 11 Range 7 1/4 NE 1/4 _____ Section 17
   Block _____ Lot 34 Addition _____
   Parcel ID 18 - 17 - 200 - 010 - 000 (i.e. 99-99-999-999-999)
   Street Address (no rural route) 5501 Waverly Rd Lincoln, NE 68514

2. **Property use:** ☒ residential ☐ commercial ☐ other use
   Number of bedrooms 3 Describe _____

3. **Type of Present Individual Disposal System** ☒ septic system ☐ lagoon ☐ other

4. **Description of proposed alteration, extension or repair** Add 265' of lateral, new drop box

5. **Work to be done by:** ☐ owner ☒ contractor's name Lloyd Jakoubek, Raymond Contracting, Inc

6. **Estimated project:** a. Repair, replace, or minor extension with a cost less than $400 (no fee required).
   b. Total cost is greater than $400 (Return fee with this application)
   c. A permit is required if the use, operation, location, or type of system is changed.

Print Name Rick Rutt Address 5501 Waverly Rd Phone: 402-560-0674

Applicant Signature (owner or lessee) Rick Rutt By Lloyd Jakoubek

Please contact LLCHD for the permit fee for this application
Fee must be included before the application will be processed. Incomplete information will delay processing

---

HEALTH DEPARTMENT USE ONLY

Date received ____/____/____ REVIEW: ☐ Approved ☐ Disapproved By: _____

Site visits
Date 7/6/10 By D.S. partial = one lateral discussed additional siting
Date ____/____/____ By _____
Date ____/____/____ By _____

Installation final written approval
Date 7/12/10 By Doug Jensen

Return application to:
Lincoln-Lancaster County Health Department
Environmental Public Health Division
3140 "N" Street, Lincoln, NE 68510
Phone: 441-8643

Business Office Use Only

Received: Date: ____/____/____ Amount _____ Check No. _____ Initials _____

Revised 3-09

Application to Alter, Extend or Repair an Onsite Wastewater Treatment System

JUN 04 2010

☐ Municipal Code 24.38 ☐ County Resolution Number 02-30

SCANNED

HS000367

The undersigned hereby applies for a permit to: ☐ **ALTER** ☒ **EXTEND** ☐ **REPAIR** an existing wastewater treatment system, complying with appropriate Ordinance or Resolution, as marked above with drawings attached.

1. **Legal description of property:**
   Township 11 Range 7 1/4 NE 1/4 _____ Section 17
   Block _____ Lot 34 Addition _____
   Parcel ID 18 - 17 - 200 - 010 - 000 (i.e. 99-99-999-999-999)

   Street Address (no rural route) 5501 Waverly Rd Lincoln, NE 68514

2. **Property use:** ☒ residential ☐ commercial ☐ other use
   Number of bedrooms 3 Describe _____

3. **Type of Present Individual Disposal System** ☒ septic system ☐ lagoon ☐ other

4. **Description of proposed alteration, extension or repair** add 265' of lateral, new drop box

5. **Work to be done by:** ☐ owner ☒ contractor's name Lloyd Jakoubek, Raymond Contracting, Inc

6. **Estimated project:**
   a. Repair, replace, or minor extension with a cost less than $400 (no fee required).
   b. Total cost is greater than $400 (Return fee with this application)
   c. A permit is required if the use, operation, location, or type of system is changed.

Print Name Rick Ruth Address 5501 Waverly Rd Phone: 402-560-0674

Applicant Signature (owner or lessee) Rick Ruth By Lloyd Jakoubek

Please contact LLCHD for the permit fee for this application
Fee must be included before the application will be processed. Incomplete information will delay processing

---

HEALTH DEPARTMENT USE ONLY

Date received ____/____/____ REVIEW: ☐ Approved ☐ Disapproved By: _____

Site visits
Date ____/____/____ By _____
Date ____/____/____ By _____
Date ____/____/____ By _____

Installation final written approval
Date ____/____/____ By _____

Return application to:
Lincoln-Lancaster County Health Department
Environmental Public Health Division
3140 "N" Street, Lincoln, NE 68510
Phone: 441-8643

SCANNED

Business Office Use Only

Received: Date: 6/9/10 Amount 180.00 Check No. 7356 Initials BH

Revised 3-09

Lincoln-Lancaster County Health Department
Environmental Public Health Division
3140 "N" Street • Lincoln, NE 68510-1514
Phone: 402-441-8022

JUL 12 2010

D

Permit Number: HS 0003607

Onsite Wastewater Treatment System

As Built Plans & Specifications

Date 7-8-10 Legal Description NE 1/4 1/4 17-11-7 Lot 34 Section Township Range

Onsite System Location

Address (no rural route) 5501 Waverly Rd City Lincoln NE, Zip 68514

Owner Rick Butt Address same

A. Sewer Pipe

1. Material: old
   Diameter: _____ in.
2. Distance above basement floor: _____ in.
   or distance below basement floor: _____ in.
3. Distance between dwelling and septic tank: _____ ft.
4. Number of clean-outs: _____
5. Distances to: well or suction line _____ ft.
   stream _____ ft.
   pressure line _____ ft.
   property line _____ ft.

B. Septic Tank

☐ Label with Manufacturer, address and gallon capacity

1. Material: old concrete
   Number of compartments: _____
2. Capacity: 1000 gal.
3. Factory built: ☐ Yes ☐ No
4. Manholes: Over inlet, diameter _____ in.
   Over outlet, diameter _____ in.
   Riser: ☐ above ☐ below grade _____ in.
5. Inlet: ☐ baffle ☐ tee ☐ 6" dia. inspection pipe
6. Outlet: ☐ baffle ☐ tee ☐ 6" dia. inspection pipe
7. Depth to top of tank, below unfinished grade: _____ in.
8. Distances to: Well or suction line _____ ft.
   Stream _____ ft.
   Pressure line _____ ft.
   Property line _____ ft.

C. ☑ Distribution Box ☐ Drop Boxes

(≥ 12" inspection opening) (removable lid to inspect)

1. Material: Plastic
   Number available outlets: 3
2. Factory built: ☑ Yes ☐ No
3. Distance from septic tank: 3' ft.

D. Drainfield Absorption


☑ Trench ☐ Bed ☐ Level Bottom


1. Type: ☐ Half rounds ☐ Perforated pipe ☐ Chambers
   Diameter or width: 12"Tall 34"wide.
   Number of distribution lines in bed _____
   Material: ☐ fiberglass ☐ plastic ☐ concrete
   ☐ other _____
2. Drainfield Laterals: Number 2 New
   Length of each line: 150 ft. 115 ft.
   _____ ft. _____ ft., _____ ft.
3. Drainfield dimensions: Width 40" ft.
   Distribution Pipe Slope FlaT in/100 ft.
   Average depth 24-48 in
4. Filter material: Dirt
   Depth of material 24-48 in.
5. Distances to: Well or suction line 100+ ft.
   Pressure line 100+ ft.
   Property line 20+ ft.
   House or building 100+ ft.
   Lake or Stream 100+ ft.

Complete As-Built drawing on the back fo this form.

Indicate North with Arrow


Onsite Wastewater System Design (Example)





-2010 13:02 LLCHD 402 441 3890 P.01/06

402 441 3890 P.01/06
-2010 13:02 LLCHD



Nov-20-74

SCANNED