Lincoln-Lancaster County Health Department
Environmental Public Health Division
3140 N Street • Lincoln NE 68510-1514
Phone: 402-441-8643

A

Permit Number
HS001252

Onsite Wastewater Treatment System Permit Application

Include Form B and C. Submit correct fee with this Application

☐ Septic System ☑ Lagoon ☐ Other (Refer to Form C)

PLEASE PRINT OR TYPE

A. Onsite System Location

Address* 9877 SW 98th St. SB (no rural route) City Denton, NE Zip 68339

Legal Description SE 28 9N 5E 11

1/4 | 1/4 | Section | Township | Range | Subdivison | Addition | Block | Lot

PID 03284000000 *Approx. Address (If to be determined)

B. Owner

Name Rhonda Hernandez Signature

Address P.O. Box 207 City/State/Zip Denton, NE 68339

Home Phone Work Phone

C. Certified Installer

Name: Scott Mueller Signature

Address 1345 N 26th Rd City/State/Zip Syracuse, NE 68446

Work Phone 402-430-2946

D. Engineer

☐ **Check and complete if engineer designed system** P.E. License Number:

Designer Name Firm Work Phone

E. This system will serve a

☑ Residential Dwelling Number of Bedrooms 2 Whirlpool Bathtub? ☐ Yes ☐ No Total Acres

Garbage Grinder? ☐ Yes ☐ No

☐ Commercial Establishment/Other Facility Specify Design flow in gallons per day

Type of Wastewater ☑ Domestic ☐ Non-Domestic

DO NOT WRITE BELOW THIS LINE

Approval Process

1. Health Department

Site visits Date rec'd **ACTION** ☐ Approved ☐ Disapproved

Date frwd Signature

Comments

2. Supt. Bldg. Insp. or Village Clerk

Comments Date rec'd **ACTION** ☐ Approved ☐ Disapproved

Date frwd Signature

3. City or County Engineer

Comments Date rec'd **ACTION** ☐ Approved ☐ Disapproved

Date frwd Signature

Installation Final Written Approval

By

Date

Business Office Use Only
Date Received 5-10-16 Amount Paid $385
Received By SB Cash/Check No. 9895

White - Health Department Yellow - Engineer Pink - Building & Safety

Lincoln-Lancaster County Health Department
Environmental Public Health Division (402) 441-8027
3140 N Street Lincoln, Nebraska 68510-1514

ON-SITE WASTE WATER SYSTEM
CONSTRUCTION - INSTALLATION PERMIT
No. HS001252

System Type: Lagoon

Situs: No Site Address Specified

Issued: 5/13/2016

Expires: 5/13/2017

Description: S28, T9, R5, 6th Principal Meridian, LOT 11 SE

Owner: HONVLEZ, RHONDA K
PO BOX 207
DENTON, NE 68339

Judith A Halstead
Judith A. Halstead, MS, Health Director

Dear Applicant:

The above document is your permit to construct a new On-site Waste Water System at the location listed. Please contact this office once the sytem is complete in order to schedule a final inspection before use.

Judith A Halstead
Judith A. Halstead, MS
Health Director

MUELLER TRENCHING INC
1345 N 26TH RD
SYRACUSE, NE

Lincoln-Lancaster County Health Department
Environmental Public Health Division
3140 N Street • Lincoln NE 68510-1514
Phone: 402-441-8643

OK per 12/15/16

Exhibit 6

Permit Number: HS001252

Onsite Wastewater Treatment System-Lagoon

Inspection Sheet

Date 12/15/16 Legal Description ¼ ¼ 28/9/5 Lot 11 Section/Township/Range

Onsite System Location

Address (no rural route) 9877 SW 98th City _____

Owner _____ Address _____

Mark One: ☒ Dwelling ☐ Non-dwelling

☒ New System ☐ Repair

☐ Temporary modification (Describe problem causing discharge and reason for temporary modification): _____

Lagoon constructed so not to receive surface water	Yes ✓ No ___
Lagoon floor is level	Yes ✓ No ___
Lagoon is equipped with a depth gage/concrete slab	Yes ✓ No ___
Influent line is at least 4 inches and slopes no less than 1/8 inch	
Clean outs located every 75 feet and one located 1 foot about highest water level	Yes ✓ No ___
Inside slope not steeper than three horizontal to one vertical	Yes ✓ No ___
Minimum width of the top of the dike shall be 4 feet	Yes ✓ No ___
Fence installed	Yes ✓ No ___

Top of the Dike 52' Bottom of Lagoon 16' Design Flow 225

Setbacks (Check the Boxes Below if the Required Setback has been Satisfied):

Surface Water distance from Water Mark	Private Drinking Water Wells	Public Drinking Water Supply Wells		All Other Water Wells	Property Lines	Trees and Brush	Neighbor's Foundation		All Other Setbacks
50 ft ☒	100 ft ☒	Non-Community	100ft ☒	100ft ☐	50ft ☒	50ft ☐	Class 1	200ft ☐	☐
		Community	* ☒				Class 2	200ft ☒	
							Class 3	100ft ☒	

*Evaluated by a professional engineer for potential impact on the well and submitted to Dept. for approval if less than 1000ft.

Geographical Coordinates to 6 Decimals: N/A

Dike North side

Comments:

Inspections prior to Final Approval
Initial _____ Date _____
Follow-Up _____ Date _____
Follow-Up _____ Date _____

Installation Final Written Approval
By Doug Drahn
Date 12/15/16

Nate C. Hartman

From: Todd A. Stutzman
Sent: Wednesday, May 11, 2016 3:01 PM
To: Nate C. Hartman
Subject: 9920 Paris Ct.

9920 Paris Ct. located in West Van Dorn Estates lot 2 block 2 is a buildable lot.

9877 SW 89th St. located in S28, T9, R5 lot 11 SE is a buildable lot.

Todd Stutzman
Plan Examiner II
402-441-7097
555 S 10th Street, Room 203
Lincoln, NE 69508

Lincoln-Lancaster County Health Department
Environmental Public Health Division
3140 N Street • Lincoln NE 68510-1514
Phone: 402-441-8643

SCANNED

A

Permit Number
HS001252

Onsite Wastewater Treatment System Permit Application

Include Form B and C. Submit correct fee with this Application

☐ Septic System ☒ Lagoon ☐ Other (Refer to Form C)

PLEASE PRINT OR TYPE

A. Onsite System Location

Address* 9877 SW 98th St. SB City Denton, NE Zip 68339
(no rural route)

Legal Description SE 28 9N 5E 11
1/4 1/4 Section Township Range Subdivison Addition Block Lot

PID 03284000001000 SB *Approx. Address (If to be determined)

B. Owner

Name Rhonda Henulez Signature

Address P.O. Box 207 City/State/Zip Denton, NE 68339

Home Phone Work Phone

C. Certified Installer

Name: Scott Mueller Signature

Address 1345 N 2649 Rd City/State/Zip Syracuse, NE 68446

Work Phone 402-430-2946

D. Engineer

☐ **Check and complete if engineer designed system** P.E. License Number:

Designer Name Firm Work Phone

E. This system will serve a

☒ Residential Dwelling Number of Bedrooms 2 Whirlpool Bathtub? ☐ Yes ☐ No Total Acres 15
Garbage Grinder? ☐ Yes ☐ No

☐ Commercial Establishment/Other Facility Specify Design flow in gallons per day

Type of Wastewater ☒ Domestic ☐ Non-Domestic

DO NOT WRITE BELOW THIS LINE

Approval Process

1. Health Department
Site visits 12/15/16
Comments
Date rec'd 5/13/16
Date frwd 5/19/16
ACTION ☒ Approved ☐ Disapproved
Signature

2. Supt. Bldg. Insp. or Village Clerk
Comments
Date rec'd
Date frwd
ACTION ☒ Approved ☐ Disapproved
Signature

3. City or County Engineer
Comments
Date rec'd 5-13-16
Date frwd 5-13-16
ACTION ☒ Approved ☐ Disapproved
Signature James Plouzek

Installation Final Written Approval
By
Date 12/15/16

Business Office Use Only
Date Received 5-10-16 Amount Paid $385
Received By SB Cash/Check No. 9895

White - Health Department Yellow - Engineer Pink - Building & Safety

SCANNED

SEP 02 2014

Lincoln-Lancaster County Health Department
Environmental Public Health Division
3140 N Street • Lincoln NE 68510-1514
Phone: 402-441-8643

A

Permit Number HS000962

Onsite Wastewater Treatment System
Request for Site Clearance and Permit

Include Form B and C. Submit correct fee with this Application

3 acres or more required for: ☒ Septic System ☐ Lagoon ☐ Other (Refer to Form C)

The undersigned hereby requests site clearance and permit to construct a Wastewater Treatment System in conformance with appropriate regulations.

PLEASE PRINT OR TYPE

A. Onsite System Location

Address 11020 W Haines Cir (no rural route) City Denton, NE Zip 68336

Legal Description NW 28 9 5 West Yankee Hill Acres 2
(1/4 | 1/4 | Section | Township | Range | Subdivison | Addition | Block | Lot)

PID 03-28-101-002-000

B. Owner

Name Alexander + Marina Titov Signature [signature]

Address 2711 SW 18 th St City/State/Zip Lincoln, NE-68522

Home Phone 402-613-2154 Work Phone

C. Certified Installer

Name: Lloyd Jakoubek, Raymond Contracting Inc Signature [signature] for Lloyd

Address 13800 NW 70th St City/State/Zip Raymond, NE-68428

Work Phone 402-890-6009 or 783-2663

D. Engineer ☐ Check and complete if engineer designed system P.E. License Number:

Designer Name Firm Work Phone

E. This system will serve a

☒ Residential Dwelling Number of Bedrooms 5 Whirlpool Bathtub? ☒ Yes ☐ No Total Acres 3.72

Garbage Grinder? ☒ Yes ☐ No

☐ Commercial Establishment/Other Facility Specify Design flow in gallons per day

Type of Wastewater ☐ Domestic ☐ Non-Domestic

DO NOT WRITE BELOW THIS LINE

Approval Process ☐ Municipal Code 24.38 ☐ County Resolution No. 02-30 ACTION ☒ Approved ☐ Disapproved

1. Health Department
Site visits
Comments
Date rec'd 9/8/14
Date frwd 9/8/14
Signature [signature]

2. Supt. Bldg. Insp. or Village Clerk
Comments
Date rec'd
Date frwd
ACTION ☐ Approved ☐ Disapproved
Signature

3. City or County Engineer
Comments
Date rec'd
Date frwd
ACTION ☐ Approved ☐ Disapproved
Signature

Installation Final Written Approval
By [signature]
Date 11/6/14

Business Office Use Only
Date Received 9-2-14 Amount Paid 365.00
Received By SB Cash/Check No. 8459

White - Health Department Yellow - Engineer Pink - Building & Safety Form A Updated: 1/13

SCANNED

Lincoln-Lancaster County Health Department
Environmental Public Health Division
3140 "N" Street • Lincoln, NE 68510-1514
Phone: 402-441-8022


C

Permit Number: HS000962

Onsite Wastewater Treatment System

Preliminary Plan Specifications

Draw a plot plan showing onsite system sewer lines, drop of distribution boxes, tank, drainfields, percolation test holes, well, residence, direction of groundwater flow, property lines, and reserve area for replacement onsite system.



Approximate Scale: _____ ft. = _____ grid line/s

A. Onsite System Location

Address (no rural route) 11820 W Haines Cir City Denton NE, Zip 68339

B. Proposed Septic Tank/s

Septic Tank Cap. 2,000 gals Tank Material: ☒ Concrete ☐ Plastic ☐ Other _____ ☐ Lagoon (Max. seepage 1/8" per day)

C. Reserve Area for Replacement Onsite System

☐ Drainfield Absorption Area (percolation test required) ☐ Lagoon

D. Drainfield Absorption System

Percolation Rate 100 (min/inch = mpi) No. of Bedrooms 5 Soil Type SCL Land Slope _____ %

☒ Trench ☐ Bed ☐ Non-Standard (engineer designed and NDEQ approved Total Square feet of drainfield 1,760 sq.ft.

Total length of laterals 440' Type of distribution: ☐ Perforated pipe ☐ Half-Round ☒ Chamber ☐ Other

No. of absorption trenches 4 Width 40" No. of drop boxes 4 endcaps Distrubtion Box _____

No. of absorption beds _____ Width _____ No of Distribution lines per bed _____

E. Setbacks Check the Boxes Below if the Required Setback has been Satisfied

Distance From	Private Well	Public Well	Surface Water	Gound Water	Pressure Water Lines	Property Lines	Foundations Yours	Foundations Neighbors	All Other Setbacks
Tank (ft)	50 ☑	500 ☑	50 ☑	NA ☐	25 ☑	20 ☑	15 ☑	25 ☑	☑
Field (ft)	100 ☑	500 ☑	50 ☑	4 ☑	30 ☑	20 ☑	30 ☑	40 ☑	☑
Lagoon (ft)	100 ☐	500 ☐	50 ☐	N/A ☐	30 ☐	50 ☐	100 ☐	200 ☐	☐

F. Required Signatures

Home Building Contractor Superior Construction - [signature] Date 8-28-14

Installer [signature] Date 8/28/14

SCANNED

Lincoln-Lancaster County Health Department
Environmental Public Health Division
3140 "N" Street • Lincoln, NE 68510-1514
Phone: 402-441-8022

D

Permit Number: HS0009662

Onsite Wastewater Treatment System

As Built Plans & Specifications

West Yankee Lake Acres Lot 2

Date November 5, 2014 Legal Description NW 1/4 1/4 28-9N-5E Section Township Range

Onsite System Location

Address (no rural route) 11620 W Haines Cir City Denton NE, Zip 68339

Owner Alexander & Marina Titov Address 2711 SW 18th St Lincoln, NE 68522

A. Sewer Pipe

1. Material: SDR 26
   Diameter: 4 in.
2. Distance above basement floor: _____ in.
   or distance below basement floor: 16 in.
3. Distance between dwelling and septic tank: 169 ft.
4. Number of clean-outs: 3
5. Distances to: well or suction line 50'+ ft.
   stream 100 ft.
   pressure line 100 ft.
   property line 20'+ ft.

B. Septic Tank

☑ Label with Manufacturer, address and gallon capacity

1. Material: Concrete
   Number of compartments: one
2. Capacity: 2000 gal.
3. Factory built: ☑ Yes ☐ No
4. Manholes: Over inlet, diameter 24 in.
   Over outlet, diameter 24 in.
   Riser: ☐ above ☐ below grade AT in.
5. Inlet: ☑ baffle ☐ tee ☐ 6" dia. inspection pipe
6. Outlet: ☑ baffle ☐ tee ☐ 6" dia. inspection pipe
7. Depth to top of tank, below unfinished grade: 12-18 in.
8. Distances to: Well or suction line 100 ft.
   Stream 100 ft.
   Pressure line 100 ft.
   Property line 7' ft.

C. ☐ Distribution Box ☑ Drop Boxes

(≥ 12" inspection opening) (removable lid to inspect)

1. Material: Switching Box 4-End cap
   Number available outlets: 2 per cap
2. Factory built: ☑ Yes ☐ No
3. Distance from septic tank: 22' + 10+10+12' ft.

D. Drainfield Absorption


☑ Trench ☐ Bed ☐ Level Bottom


1. Type: ☐ Half rounds ☐ Perforated pipe ☐ Chambers
   Diameter or width: _____
   Number of distribution lines in bed _____
   Material: ☐ fiberglass ☑ plastic ☐ concrete
   ☐ other _____
2. Drainfield Laterals: Number 4
   Length of each line: 110 ft. 110 ft.
   110 ft. 110 ft., _____ ft.
3. Drainfield dimensions: Width 40" ft.
   Distribution Pipe Slope FLAT in/100 ft.
   Average depth 24-30 in
4. Filter material: Soil
   Depth of material 24-30 in.
5. Distances to: Well or suction line 100 ft.
   Pressure line 100 ft.
   Property line 7' ft.
   House or building 100 ft.
   Lake or Stream 100 ft.

Complete As-Built drawing on the back fo this form.

Onsite Wastewater System Design (Example)

Indicate North with Arrow





Lancaster County/City of Lincoln GIS Map


Alexander Titvo, 11020 W Haines Cir, Denton, NE 68339

N
W E
S

Printed: Nov 08, 2014

DISCLAIMER: The information is presented on a best-efforts basis, and should not be relied upon for making financial, survey, legal or other commitments. If you have questions or comments regarding the data displayed on this map, please email ags@lincoln.ne.gov and you will be directed to the appropriate department.

SEC. 28 (9-5)


W Yankee Hill Rd
COUNTY ROAD #356
2681.9
2682.69
450.00
624.17
179°49'30"
719.22
489.50
LOT 29
5.00 ± Ac.
#94-10465
#94-10466
LOT 17
10.48 ± Ac. Total
10.01 ± Ac. Net
#94-10687
WEST
S.W. 112th ST.
SW 112th St.
763.42
744.75
484
731
860
449.97
213.19
287.83
623
OUTLOT 'A'
1433.86
590
365.56
473.42
84.28
670.75
OUTLOT 'D'
189
11020 W. Haines Cir
295
550
1
2
3
4
5
6
7
8
575
595.94
OUTLOT 'B'
YANKEE
38.88
25.90
21.30
W. HAINES CIRCLE
2640.09
2640.12
PRIVATE ROAD
75'
1239.41
1203.98
1196.23
209.46
200.0
847.26
846.74
13.11 ± Ac.
1309.4
297.13
202.5
P.S. 3498+45.
SΔ 3°18'
B.C. 3449+45.9
2°12' C
Δ 4°41'
EC 3501+58.8
SΔ 3°18'
P.T. 3504+58.8
3610+80
1059.47
1061.66
HILL
ACRES
OUT