Lincoln-Lancaster County Health Department
Environmental Public Health Division
3140 N Street • Lincoln NE 68510-1514
Phone: 402-441-8643

A

Permit Number
H3001572

Onsite Wastewater Treatment System Permit Application

Include Form B and C. Submit correct fee with this Application

☑ Septic System ☐ Lagoon ☐ Other (Refer to Form C)

PLEASE PRINT OR TYPE

A. Onsite System Location

Address* 6301 Agnew Rd. City Ceresco, NE Zip 68017
(no rural route)

Legal Description 16 T12 R7
1/4 1/4 Section Township Range Subdivison Addition Block Lot

PID 19-16-100-003-000 *Approx. Address (If to be determined)

B. Owner

Name Tim Hand Signature

Address 1201 Scenic In. City/State/Zip Lincoln, NE, 68505

Home Phone 402-314-6493 Work Phone 402-314-6493

C. Certified Installer

Name: Scott Muhlbach Signature

Address 8345 N 26th Rd City/State/Zip Syracuse NE 68446

Work Phone 402-430-2946

D. Engineer

☐ **Check and complete if engineer designed system** P.E. License Number:

Designer Name Firm Work Phone

E. This system will serve a

☑ Residential Dwelling Number of Bedrooms 5 Whirlpool Bathtub? ☐ Yes ☑ No Total Acres 20+
Garbage Grinder? ☑ Yes ☐ No

☐ Commercial Establishment/Other Facility Specify Design flow in gallons per day

Type of Wastewater ☒ Domestic ☐ Non-Domestic

DO NOT WRITE BELOW THIS LINE

Approval Process

1. Health Department
Site visits Date rec'd ACTION ☐ Approved ☐ Disapproved
Date frwd Signature
Comments

2. Supt. Bldg. Insp. or Village Clerk
Comments Date rec'd ACTION ☐ Approved ☐ Disapproved
Date frwd Signature

3. City or County Engineer
Comments Date rec'd ACTION ☐ Approved ☐ Disapproved
Date frwd Signature

Installation Final Written Approval
By
Date

Business Office Use Only
Date Received 11-20-17 Amount Paid 405.00
Received By LC Cash/Check No. 256

2666
2418

White - Health Department Yellow - Engineer Pink - Building & Safety

19.120 ord / - Todd Stutzman

Form A Updated: 4/15

Lincoln-Lancaster County Health Department (LLCHD)
Environmental Public Health Division
3140 "N" Street • Lincoln, NE 68510-1514
Phone: 402-441-8022

B

Permit Number:

Onsite Wastewater Treatment System

Soil Evaluation Report

PLEASE PRINT OR TYPE

Onsite System Location

Address _____ (no rural route) City _____ NE, Zip _____

Owner _____ Address _____

Date of Tests 7-25 to 7-26 Weather: Precipitation NA Temperature 80's

Percolation Test Data Table

A.	B.	C. D. E. F. Saturation/Swelling Time				G. H. I. J. K. Water Level Drop Last 30 mins of 4 hr or last 10 mins of 1 hr					L. M. N. Results		
		Start		End		Start		Initial	End				
Hole No.	Hole Depth (in)	Date (Mo/Da)	Time (Hr/Min)	Date (Mo/Da)	Time (Hr/Min)	Date (Mo/Da)	Time (Hr/Min)	Water Lev (in.)	Date (Mo/Da)	Time (Hr/Min)	Elapsed Time Interval	Water Level Drop (in)	Percolation Rates (Min/in = mpi)
1	36	7-25	11:00	7-26	9:00	7-26	9:00	6	7-26	9:30	30	3/4	45
2	36	"	"	"	"	"	"	6	"	"	"	3/4	45
3	36	"	"	"	"	"	"	6	"	"	"	5/8	53
								6					
								6					
								6					
								6					
								6					

Person Conducting Percolation Test

Name: Scott Mueller

Phone: 402-430-2946

Address Syracuse, NE 68446

Sum of Percolation Rates: 143

Average of Rates: 48

Rate Used for Calculation: 60 mpi

Soil type (NRCS Maps/Other) _____

Groundwater Depth + 12

DO NOT WRITE BELOW THIS LINE

Reviewing Action

Comments (Soil type, groundwater, floodplain, etc.) _____

Signature of Reviewing Official _____ Date _____

Lincoln-Lancaster County Health Department
Environmental Public Health Division (402) 441-8027
3140 N Street Lincoln, Nebraska 68510-1514

ON-SITE WASTE WATER SYSTEM
CONSTRUCTION - INSTALLATION PERMIT
No. HS001572

System Type: Standard

Situs: 6301 AGNEW RD, RURAL, NE

Issued: 11/21/2017

Expires: 11/21/2018

Description: S16, T12, R7, 6th Principal Meridian, SE NW & NE SW

Owner: TUCKER, LAURIE E
8207 N WILLOW VIEW DR
TUCSON, AZ 85741

Shavonna M. Lausterer, MPH, CPH, Health Director

Dear Applicant:

The above document is your permit to construct a new On-site Waste Water System at the location listed. Please contact this office once the sytem is complete in order to schedule a final inspection before use.

Shavonna M. Lausterer, MPH, CPH
Health Director

TIM HAND
1201 SCENIC LN
LINCOLN, NE 68505

Lincoln-Lancaster County Health Department
Environmental Public Health Division
3140 N Street • Lincoln NE 68510-1514
Phone: 402-441-8643

SCANNED

A

Permit Number
H3001572

Onsite Wastewater Treatment System Permit Application

Include Form B and C. Submit correct fee with this Application

☑ Septic System ☐ Lagoon ☐ Other (Refer to Form C)

PLEASE PRINT OR TYPE

A. Onsite System Location

Address* 6301 Agnew Rd. (no rural route) City Ceresco, NE Zip 68017

Legal Description 16 T12 R7
1/4 1/4 Section Township Range Subdivison Addition Block Lot

PID 19-16-00-003-000 *Approx. Address (If to be determined)

B. Owner

Name Tim Hand Signature

Address 1201 Scenic Ln. City/State/Zip Lincoln, NE, 68505

Home Phone 402-314-6493 Work Phone 402-314-6493

C. Certified Installer

Name: Scott Mueller Signature

Address 1345 N 26th Rd City/State/Zip Syracuse NE 68446

Work Phone 402-430-2946

D. Engineer

☐ **Check and complete if engineer designed system** P.E. License Number:

Designer Name Firm Work Phone

E. This system will serve a

☒ Residential Dwelling Number of Bedrooms 5 Whirlpool Bathtub? ☐ Yes ☒ No Total Acres 20+
Garbage Grinder? ☒ Yes ☐ No

☐ Commercial Establishment/Other Facility Specify Design flow in gallons per day

Type of Wastewater ☒ Domestic ☐ Non-Domestic

DO NOT WRITE BELOW THIS LINE

Approval Process

1. Health Department
Site visits
Comments
Date rec'd 11/21/17
Date frwd 11/21/17
ACTION ☒ Approved ☐ Disapproved
Signature

2. Supt. Bldg. Insp. or Village Clerk
Comments
Date rec'd
Date frwd
ACTION ☒ Approved ☐ Disapproved
Signature

3. City or County Engineer
Comments
Date rec'd
Date frwd
ACTION ☒ Approved ☐ Disapproved
Signature

Installation Final Written Approval
By
Date 2/13/18

Business Office Use Only
Date Received 11-20-17 Amount Paid 405.00
Received By LC Cash/Check No. 256

7666
7418


White - Health Department Yellow - Engineer Pink - Building & Safety

19,28 over / - Tobacco Statutes

Form A Updated: 4/15

Nate C. Hartman

From: Madison Mueller <madison.mueller2@icloud.com>
Sent: Wednesday, December 12, 2018 7:16 AM
To: Nate C. Hartman
Subject: Tim Hamm d sheet




Sent from my iPhone

Nate C. Hartman

From: Ken D. Schroeder
Sent: Monday, November 20, 2017 5:09 PM
To: Nate C. Hartman
Cc: Pamela L. Dingman
Subject: Sewage disposal system for PID #19 16 100 003 000 (6301 Agnew Road)
Attachments: part of sec 16-12-7.pdf

Nate,
Lancaster County Engineering Department indicates approval for a sewage disposal system for subject PID parcel being the SE ¼, NW ¼ and the NE ¼, SW ¼ of Section 16, T12N, R7E of the 6th P.M., Lancaster County, Nebraska. *(see attached part of sec.16-12-7)*
As always, subject to confirmation of and compliance with any floodplain elevation requirements prior to construction.
Ken

Kenneth D. Schroeder, RLS
Lancaster County Surveyor
444 Cherrycreek Road, Bldg. "C"
Lincoln, Nebraska 68528
kschroeder@lancaster.ne.gov
Phone (402) 441-7681
Fax (402) 441-8692


Sec. 16 (12-7)
Agnew Rd
N
U.S. HIGHWAY #77
LOT 21
68.07 ± Ac. Total
66.40 ± Ac. Net
Part of W 1/2, NE 1/4
0.48 ± Ac. Total
0.45 ± Ac. Net
LOT 28
6.70 ± Ac. Total
6.62 ± Ac. Net
LOT 26
5.22 ± Ac
LOT 27
28.34 ± Ac.
SE 1/4, NW 1/4
39.65 ± Ac.
LOT 25
34.94 ± Ac.
NE 1/4, SW 1/4
40.00 ± Ac.
U.S. HIGHWAY #77
LOT 18
19.96 ± Ac. Total
19.51 ± Ac. Net
LOT 24
34.84 ± Ac. Total
34.11 ± Ac. Net
LOT 23
14.43 ± Ac. Total
14.12 ± Ac. Net
N 56th St
Rock Creek Rd
LOT 33
8.39 ± Ac.


AGNEW RD
N
1 inch = 400 feet
LOT
88.07 ± Ac.
88.40 ± Ac. N
LOT 27
U.S. HIGHWAY #77
U.S. HIGHWAY #77
LOT 24
34.84 ± Ac. Total
34.11 ± Ac. Net
N 56TH ST
ROCK CREEK RD

Nate C. Hartman

From: Todd A. Stutzman
Sent: Monday, November 20, 2017 1:27 PM
To: Nate C. Hartman
Subject: 6301 Agnew Rd.

Nate,

The lot located in S16, T12, R7, 6th PM, SE NW & NE SW is a buildable lot.

Todd Stutzman
Plan Examiner II
402-441-7097
555 S 10th Street, Room 203
Lincoln, NE 69508

Lincoln-Lancaster County Health Department
Environmental Public Health Division
3140 N Street • Lincoln NE 68510-1514
Phone: 402-441-8643

SCANNED

SCANNED

A

Permit Number
HS001572

Onsite Wastewater Treatment System Permit Application

Include Form B and C. Submit correct fee with this Application

☑ Septic System ☐ Lagoon ☐ Other (Refer to Form C)

PLEASE PRINT OR TYPE

A. Onsite System Location

Address* 6301 Agnew Rd. (no rural route) City Ceresco, NE Zip 68017

Legal Description 16 T12 R7 H+H Farms Add 1

1/4 | 1/4 | Section | Township | Range | Subdivison | Addition | Block | Lot

PID 19-16-101-001-000 19-16-100-003-000 *Approx. Address (If to be determined)

B. Owner

Name Tim Hand Signature

Address 1201 Scenic Ln. City/State/Zip Lincoln, NE, 68505

Home Phone 402-314-6493 Work Phone 402-314-6493

C. Certified Installer

Name: Scott Mueller Signature

Address 1345 N 26th Rd City/State/Zip Syracuse NE 68446

Work Phone 402-430-2946

D. Engineer

☐ Check and complete if engineer designed system P.E. License Number:

Designer Name Firm Work Phone

E. This system will serve a

☒ Residential Dwelling Number of Bedrooms 5 Whirlpool Bathtub? ☐ Yes ☒ No Total Acres 20+

Garbage Grinder? ☒ Yes ☐ No

☐ Commercial Establishment/Other Facility Specify Design flow in gallons per day

Type of Wastewater ☒ Domestic ☐ Non-Domestic

DO NOT WRITE BELOW THIS LINE

Approval Process

1. Health Department
Site visits
Comments
Date rec'd 11/21/17
Date frwd 11/21/17
ACTION ☒ Approved ☐ Disapproved
Signature

2. Supt. Bldg. Insp. or Village Clerk
Comments
Date rec'd
Date frwd
ACTION ☒ Approved ☐ Disapproved
Signature

3. City or County Engineer
Comments
Date rec'd
Date frwd
ACTION ☒ Approved ☐ Disapproved
Signature

Installation Final Written Approval
By
Date 12/13/18

Business Office Use Only
Date Received 11-20-17 Amount Paid 405.00
Received By LC Cash/Check No. 256

7666
7418

79.20 ovrs

- Todd Stutzman


White - Health Department Yellow - Engineer Pink - Building & Safety

Form A Updated: 4/15

SCANNED

Nate C. Hartman

From: Madison Mueller <madison.mueller2@icloud.com>
Sent: Wednesday, December 12, 2018 7:16 AM
To: Nate C. Hartman
Subject: Tim Hamm d sheet



Sent from my iPhone

Onsite Wastewater Treatment System
As-Built Description and Drawing

e of Onsite Wastewater System: ☐ Lagoon (Skip to Back Page) ☒ Subsurface Septic ☐ Mound

Onsite Wastewater System Location

Address or Legal Description or Parcel Identification Number (PID): _____

Owner: Tim Hanna Address: Agnew Rd

A. Wastewater Piping

1. Material: PVC Diameter: 4 in.
2. Distance between dwelling and septic tank: 65 ft.

B. Septic Tank

1. Material: Concrete
2. Capacity: 2000
3. Depth to top of tank, below unfinished grade: 18 in.
4. Distance to:
   Well 180 ft.
   Pressure line 130 ft.
   Property Line 100 ft.
   Foundation 95 ft.

C. Distribution Box or Drop Box

[illegible] 5 x 10

D. Drainfield/Absorption Field

☐ Trench ☐ Bed

1. Type: ☐ Perforated Pipe ☒ Chamberless ☐ Other
   Material brand and inside width of Chamberless: Arc 36
2. Number of Laterals: 4
3. Length of each lateral (linear): ft 130 ft 130 ft 130 ft 95
4. Drainfield size: 2[illegible]758.[illegible] ft
5. Distance to:
   Well 200 ft.
   Pressure line 300 ft.
   Property line 50 ft.
   Depth of Groundwater 12

(1650 Reqd)

Was the Onsite Wastewater System approved prior to LLCHD inspection? ☒ Yes ☐ No

If Yes, the Owner/Installer shall sign below for final approval:

I certify that the Onsite Wastewater System was installed in accordance with Lincoln Municipal Code (LMC) 24.38 and/or County Resolution [illegible] and that the statements in and documentation submitted are true and accurate.

Certified Professional Signature: _____ Date: 12/2/18


Complete the As-Built drawing on the back of this form.

Updated 4/15

NH Inspected after ✓

SCANNED

SCANNED


AGNEW RD
COUNTY ROAD #425
U.S. HIGHWAY #77
N
1 inch = 400 feet
LOT 21
68.07 ± Ac. Total
66.40 ± Ac. Net
Part of W 1/2, NE 1/4
0.48 ± Ac. Total
0.45 ± Ac. Net
LOT 28
STATE OF NEBRASKA, DEPARTMENT OF ROADS
LOT 26
LOT 27
28.34 ± Ac.
SE 1/4, NW 1/4
39.65 ± Ac.
LOT 25
34.94 ± Ac.
NE 1/4, SW 1/4
40.00 ± Ac.
LOT 18
19.96 ± Ac. Total
19.51 ± Ac. Net
LOT 24
34.84 ± Ac. Total
34.11 ± Ac. Net
LOT 23
14.43 ± Ac. Total
14.12 ± Ac. Net
LOT 22
N 56TH ST
ROCK CREEK RD
COUNTY ROAD #326
Lincoln/Lancaster, NE GIS