Lincoln-Lancaster County Health Department
Environmental Public Health Division (402) 441-8027
3131 O Street Lincoln, Nebraska 68510-1514

ON-SITE WASTE WATER SYSTEM
CONSTRUCT/ INSTALL EXTENSION PERMIT
No. HS001611

System Type: Standard

Situs: 600 PENNSYLVANIA AVE, LINCOLN, NE 68521

Issued: 3/9/2019

Expires: 9/8/2019

Description: CUMBERLAND HEIGHTS, Lot 15

Owner: HENDRICKSON, ROD L & BELINDA M
600 PENNSYLVANIA AVE
LINCOLN, NE 68521

Shavonna M. Lausterer, MPH, CPH, Health Director

Dear Applicant:

The above document is your permit to construct a new On-site Waste Water System at the location listed. Please contact this office once the sytem is complete in order to schedule a final inspection before use.

Shavonna M. Lausterer, MPH, CPH
Health Director

RAYMOND CONTRACTING
13800 NW 70TH ST
RAYMOND, NE 68428

HS001611

Application to Alter or Repair an Onsite Wastewater Treatment System

The applicant is applying for a permit to: ☒ALTER ☐REPAIR an existing Onsite Wastewater Treatment System, and agrees to comply with LMC 24.38 or County Resolution 02-0030.

1. **Street Address (No Rural Route):** 600 Pennsylvania Ave, Lincoln, NE 68521

   Legal Description of Property: Township: 11N Range: 6E Section: 35-SW

   Block _____ Lot 15 SubDivsion Cumberland Heights Add: _____

   ***Parcel ID** 12 - 35 - 300 - 010 - 000 (i.e. 99-99-999-999-999)

2. **Property use:** ☒ Residential ☐ Commercial ☐ Other use (Describe: _____)
   Number of bedrooms 3 Does the system have a: ☒ Garbage Grinder ☐Large Capacity Tub

3. **Type of Present Individual Disposal System** ☒ septic system ☐ lagoon ☐ other

4. **Description of proposed alteration or repair:** Add 98sqft of drainfield (30' of EZFlow 1203H Bundles) to bring system into compliance for a 3 Bedroom home with a percolation rate of 14mpi.

5. **Current Type of Lateral-** half moons w/gravel **Current Linear Ft. Of Lateral -** 152'

   Current Tank Gallonage- 1,500

6. Print Name Rod Hendrickson Address 600 Pennsylvania Ave Lincoln, NE 68521 Phone: 402-430-9717

   Applicant Signature: Terri L-Jakoubek Terri L-Jakoubek

Please contact LLCHD for the current permit fee for this application
Fee must be included before the application will be processed. Incomplete information will delay processing.

HEALTH DEPARTMENT USE ONLY

☒Municipal Code 24.38 ☐County Resolution Number 02-30

Date received 3/8/18 REVIEW: ☒ Approved ☐ Disapproved By: _____

Comments (if any): _____

Site visits
Date ___/___/19 By _____
Date ___/___/19 By _____

Installation final written approval
Date 9/9/19 By _____

Return application to: Lincoln-Lancaster County Health Department
Environmental Public Health Division
3140 "N" Street, Lincoln, NE 68510
Phone: (402) 441-8643

Contractor Raymond Construction 3/14/19 DH

Business Office Use Only
Received: Date: 03/08/18 Amount $220.00 Check No CC 7152 Initials JAD

Revised 4/8/13

Look TW 9/8/19

Lincoln-Lancaster County Health Department
Environmental Public Health Division
3140 N Street • Lincoln NE 68510-1514
Phone: 402-441-8643

D Exhibit 4

Permit Number: HS001611

Onsite Wastewater Treatment System
As-Built Description and Drawing

Type of Onsite Wastewater System: ☐ Lagoon (Skip to Back Page) ☒ Subsurface Septic ☐ Mound

Onsite Wastewater System Location PID = 12-35-300-010-000

Address or Legal Description or Parcel Identification Number (PID) 600 Pennsylvania Ave, Lincoln, NE 68521

Owner: Rod Hendrickson Address Same

A. Wastewater Piping Existing

1. Material: _____ Diameter: _____ in.
2. Distance between dwelling and septic tank: 45 ft.

B. Septic Tank Exisitng

1. Material Concrete
2. Capacity: 1,500
3. Depth to top of tank, below unfinished grade: 72 in.
4. Distance to:
   - Well 100 ft.+
   - Pressure line N/A ft
   - Property Line 100 ft.+
   - Foundation 45 ft.+

C Distribution Box or Drop Box

Distance and Direction from septic tank: 8 ft. NE

D. Drainfield/Absorption Field

☒ Trench ☐ Bed

1. Type: ☐ Perforated Pipe ☐ Chamberless ☒ Other

   Material brand and inside width of Chamberless:
   1/2 rounds with gravel (existing) & EZFlow 1203H Bundles (new)
2. Number of Laterals: 3 (2 existing, 1 new)
3. Length of each lateral (linear): ft. 64 ft. 88 (Existing) ft. 30 ft. _____ (New)
4. Drainfield size: 743 sq. ft.
5. Distance to:
   - Well 100 ft.+
   - Pressure line N/A ft.
   - Property line 100 ft.+
   - Depth of Groundwater >10'

Was the Onsite Wastewater System covered prior to LLCHD inspection? ☒ Yes ☐ No

If Yes, the Certified Professional must sign below for final approval:


I swear and affirm that the system complies with Lincoln Municipal Code (LMC) 24.38 and/or County Resolution R-13-0062 requirements and that the information and documentation submitted are true and accurate.

Certified Professional Signature: _____ Date: 9/6/19

Pre-approval granted - unable to get there prior to cover pit

Complete As-Built drawing on the back of this form.

Rod Hendrickson
600 Pennsylvania Ave
Lincoln, NE 68521
402-430-9719
RHendrickson@Lincoln.ne.gov
3/6/18



old Laterals
4B" x 152' = 608 ft
old Tank
1500g.

3 Bed Room House 1 Lamp I Needs 630 ft
Yes. Garbage
No DIS Tub

Raymond Contracting, Inc.
Lloyd J Jakoubek
13800 NW 70th St
Raymond, NE 68428
402-783-2663

9/6/2019

Nate C. Hartman


From: Terri Jakoubek <jakoubek63@windstream.net>
Sent: Monday, September 09, 2019 10:47 AM
To: Nate C. Hartman
Cc: Doug R. Smith
Subject: 600 Pennsylvania Ave D-Sheet
Attachments: 600 Pennsylvania Ave D-Sheet.pdf

HS001611 is attached.

Thanks,

Terri Jakoubek
Raymond Contracting, Inc.
13800 NW 70th St
Raymond, NE 68428
402-783-2663 (Office)
402-783-2341 (Fax)
402-890-3870 (Mobile)
jakoubek63@windstream.net

Rod Hendrickson
600 Pennsylvania Ave
Lincoln, NE 68521
402-430-9719
RHendrickson@lincoln.ne.gov
3/6/18



old Laterals
3'6" x 152' = 532 sq ft
old Tank
1500g.

3 Bed Room House 1 Lmpt Needs 630 sq ft
Yes Garbage
No Tub.

630
- 532
102 sq ft ÷ 4.5 = (22.6' of EZ Flow)

EZ Flow come in 10'
we will add 30' of Lateral