Lincoln-Lancaster County Health Department
Environmental Public Health Division
3140 N Street • Lincoln NE 68510-1514
Phone: 402-441-8643

A

Permit Number 1HS001899

Onsite Wastewater Treatment System Permit Application

Include Form B and C. Submit correct fee with this Application

☑ Septic System ☐ Lagoon ☐ Other (Refer to Form C)

PLEASE PRINT OR TYPE

A. Onsite System Location

Address* 15610 Williams (no rural route) City Wavrly, NE Zip 68462

Legal Description 15 11 8

1/4 1/4 Section Township Range Subdivison Addition Block Lot

PID 24-15-100-009-000 *Approx. Address (If to be determined)

B. Owner

Name Axel Rohe Signature

Address PO Box 234 City/State/Zip Wavrly Ne

Home Phone 402-310-3392 Work Phone 402-310-3392

C. Certified Installer

Name: Loftus Septic Signature Douglas Loftus

Address 410 Co Rd C City/State/Zip Ashland Ne 68003

Work Phone 402-944-7636

D. Engineer

☐ **Check and complete if engineer designed system** P.E. License Number:

Designer Name Firm Work Phone

E. This system will serve a

☑ Residential Dwelling Number of Bedrooms 2 Whirlpool Bathtub? ☐ Yes ☒ No Total Acres 2.5 +/-

Garbage Grinder? ☐ Yes ☒ No

☐ Commercial Establishment/Other Facility Specify Design flow in gallons per day 300

Type of Wastewater ☐ Domestic ☐ Non-Domestic

DO NOT WRITE BELOW THIS LINE

Approval Process

1. Health Department

Site visits Date rec'd ACTION ☐ Approved ☐ Disapproved

Date frwd Signature

Comments

2. Supt. Bldg. Insp. or Village Clerk

Comments Date rec'd ACTION ☐ Approved ☐ Disapproved

Date frwd Signature

3. City or County Engineer

Comments Date rec'd ACTION ☐ Approved ☐ Disapproved

Date frwd Signature

Installation Final Written Approval

By

Date

Business Office Use Only

Date Received 9-2019 Amount Paid $430.00

Received By JRO Cash/Check No. 10769

White - Health Department Yellow - Engineer Pink - Building & Safety

Form A Updated: 4/15

Lincoln-Lancaster County Health Department (LLCHD)
Environmental Public Health Division
3140 "N" Street • Lincoln, NE 68510-1514
Phone: 402-441-8022

B

Permit Number:

Onsite Wastewater Treatment System

Soil Evaluation Report

PLEASE PRINT OR TYPE

Onsite System Location

Address 15610 Williams ST (no rural route) City WAVERLY NE, Zip 68462

Owner AXEL Rohe Address P.O Box 236 WAVERLY NE

Date of Tests 8-19 to 8-20-19 Weather: Precipitation 0 Temperature 80's

Percolation Test Data Table

A.	B.	C. D. E. F. Saturation/Swelling Time				G. H. I. J. K. Water Level Drop Last 30 mins of 4 hr or last 10 mins of 1 hr					L. M. N. Results		
		Start		End		Start		Initial Water Lev (in.)	End		Elapsed Time Interval	Water Level Drop (in)	Percolation Rates (Min/in = mpi)
Hole No.	Hole Depth (in)	Date (Mo/Da)	Time (Hr/Min)	Date (Mo/Da)	Time (Hr/Min)	Date (Mo/Da)	Time (Hr/Min)		Date (Mo/Da)	Time (Hr/Min)			
1	36	8-19	8:00	8-19	12:00	8-20	10:50 AM	6	8-20	11:20	30	.75	40
2	36	8-19	8:01	8-19	12:01	8-20	10:51	6	8-20	11:21	30	.75	40
3	36	8-19	8:02	8-19	12:02	8-20	10:52	6	8-20	11:22	30	.6875	44
4	36	8-19	8:03	8-19	12:03	8-20	10:53	6	8-20	11:23	30	.6875	44
5	36	8-19	8:04	8-19	12:04	8-20	10:54	6	8-20	11:24	30	.75	40
6	36	8-19	8:05	8-19	12:05	8-20	10:55	6	8-20	11:25	30	.6875	44
								6					
								6					

Person Conducting Percolation Test

Name: Loftus Septic - Doug Loftus

Phone: 402-944-7636

Address 410 ORD C

Ashland NE 68003

Sum of Percolation Rates: 252

Average of Rates:

Rate Used for Calculation: 42

Soil type (NRCS Maps/Other)

Groundwater Depth 20 FT

DO NOT WRITE BELOW THIS LINE

Reviewing Action

Comments (Soil type, groundwater, floodplain, etc.)

Signature of Reviewing Official Date

Lincoln-Lancaster County Health Department
Environmental Public Health Division
3140 "N" Street • Lincoln, NE 68510-1514
Phone: 402-441-8022


C

Permit Number:

Onsite Wastewater Treatment System

Preliminary Plan Specifications

Draw a plot plan showing onsite system sewer lines, drop of distribution boxes, tank, drainfields, percolation test holes, well, residence, direction of groundwater flow, property lines, and reserve area for replacement onsite system.



Approximate Scale: _____ ft. = _____ grid line/s

A. Onsite System Location

Address (no rural route) 15610 Williams City Wahoo NE, Zip 68462

B. Proposed Septic Tank/s

Septic Tank Cap. 1500 gals Tank Material: ☑ Concrete ☐ Plastic ☐ Other_____ ☐ Lagoon (Max. seepage 1/8" per day)

C. Reserve Area for Replacement Onsite System

☐ Drainfield Absorption Area (percoloation test required) ☐ Lagoon

D. Drainfield Absorption System

Percolation Rate 42 (min/inch = mpi) No. of Bedrooms 2 Soil Type Loam - Clay Land Slope_____%

☑ Trench ☐ Bed ☐ Non-Standard (engineer designed and NDEQ approved Total Square feet of drainfield 660 sq.ft.

Total length of laterals 176 Type of distribution: ☐ Perforated pipe ☐ Half-Round ☑ Chamber ☐ Other

No. of absorption trenches 3 Width 4FT No. of drop boxes NO Distrubtion Box ✓ speed dial on other holes

No. of absorption beds_____ Width_____ No of Distribution lines per bed_____

E. Setbacks Check the Boxes Below if the Required Setback has been Satisfied

Distance From	Private Well	Public Well	Surface Water	Gound Water	Pressure Water Lines	Property Lines	Foundations Yours	Foundations Neighbors	All Other Setbacks
Tank (ft)	50 ☑	500 ☑	50 ☑	NA ☑	25 ☑	20 ☑	15 ☑	25 ☑	☐
Field (ft)	100 ☑	500 ☑	50 ☑	4 ☑	30 ☐	20 ☑	30 ☑	40 ☑	☐
Lagoon (ft)	100 ☐	500 ☐	50 ☐	N/A ☐	30 ☐	50 ☐	100 ☐	200 ☐	☐

F. Required Signatures

Home Building Contractor_____ Date_____

Installer Douglas A Lofton Lofton Septic Date 8-24-2019

Lincoln-Lancaster County Health Department
Environmental Public Health Division
3140 N Street • Lincoln NE 68510-1514
Phone: 402-441-8643

D Exhibit 4

Permit Number:

Onsite Wastewater Treatment System
As-Built Description and Drawing

Type of Onsite Wastewater System: ☐ Lagoon (Skip to Back Page) ☑ Subsurface Septic ☐ Mound

Onsite Wastewater System Location

Address or Legal Description or Parcel Identification Number (PID) 15610 Williams ST

Owner: Axel Rohe Address

A. Wastewater Piping

1. Material: Sch 40 PVC Diameter: 4 in.
2. Distance between dwelling and septic tank: 50 ft.

B. Septic Tank

1. Material concrete
2. Capacity: 1500
3. Depth to top of tank, below unfinished grade: 24 in.
4. Distance to:
   Well 150 ft.
   Pressure line NONE ft Well Line 35 FT
   Property Line 80 ft.
   Foundation 50 ft.

C Distribution Box or Drop Box

Distance **and** Direction from septic tank: 30 ft.

D. Drainfield/Absorption Field

Gravel on top of laterals

☑ Trench ☐ Bed

1. Type: ☐ Perforated Pipe ☑ Chamberless ☐ Other
   Material brand and inside width of Chamberless: Infiltrators 34 inches
2. Number of Laterals: 176 FT
3. Length of each lateral (linear): 1st ft. 68 ft. 2nd 68 ft. 3rd ft. 40 ft.
4. Drainfield size: 660 sq. ft.
5. Distance to:
   Well 100 ft.
   Pressure line None ft. Well Line 35 FT
   Property line 80 ft.
   Depth of Groundwater 20

Was the Onsite Wastewater System covered prior to LLCHD inspection? ☑ Yes ☐ No


If Yes, the Certified Professional must sign below for final approval:

I swear and affirm that the system complies with Lincoln Municipal Code (LMC) 24.38 and/or County Resolution R-13-0062 requirements and that the information and documentation submitted are true and accurate.

Certified Professional Signature: Douglas A Lofton Date: 8-24-19

Complete As-Built drawing on the back of this form.

101 FT AWAY Well to Laterals



Gravel over All Laterals

Landscaping fabric on top of Gravel

covered with dirt

Gravel Landscaping Gravel 45 tons

All 3 Trenches 4FT wide

Lincoln-Lancaster County Health Department
Environmental Public Health Division (402) 441-8027
3131 O Street Lincoln, Nebraska 68510-1514

ON-SITE WASTE WATER SYSTEM
CONSTRUCTION - INSTALLATION PERMIT
No. HS001899

System Type: Standard

Situs: 15610 US HIGHWAY 6, WAVERLY, NE 68462

Issued: 9/23/2019

Expires: 9/23/2020

Description: S15, T11, R8, 6th Principal Meridian, LOT 42 NW

Owner: ROHE, AXEL E
PO BOX 236
WAVERLY, NE 68462

Patricia D. Lopez

Patricia D. Lopez, RN, MSN, Interim Health Director

Dear Applicant:

The above document is your permit to construct a new On-site Waste Water System at the location listed. Please contact this office once the sytem is complete in order to schedule a final inspection before use.

Patricia D. Lopez

Patricia D. Lopez, RN, MSN
Interim Health Director

LOFTUS SEPTIC PUMPING & CONST.
410 COUNTY ROAD C
ASHLAND, NE 68003

Lincoln-Lancaster County Health Department
Environmental Public Health Division
3140 N Street • Lincoln NE 68510-1514
Phone: 402-441-8643

A

Permit Number HS001899

Onsite Wastewater Treatment System Permit Application

Include Form B and C. Submit correct fee with this Application

☑ Septic System ☐ Lagoon ☐ Other (Refer to Form C)

PLEASE PRINT OR TYPE

A. Onsite System Location

Address* 15610 Williams (no rural route) City Waverly, NE Zip 68462

Legal Description 15 11 8 42 80

1/4	1/4	Section	Township	Range	Subdivison	Addition	Block	Lot

PID 24-15100-009-000 *Approx. Address (If to be determined)

B. Owner

Name Axel Rohe Signature

Address PO Box 234 City/State/Zip Waverly Ne

Home Phone 402-310-3392 Work Phone 402-310-3392

C. Certified Installer

Name: Loftus Septic Signature Douglas J Loftus

Address 410 Co Rd C City/State/Zip Ashland Ne 68003

Work Phone 402-944-7636

D. Engineer

☐ Check and complete if engineer designed system P.E. License Number:

Designer Name Firm Work Phone

E. This system will serve a

☑ Residential Dwelling Number of Bedrooms 2 Whirlpool Bathtub? ☐ Yes ☒ No Total Acres 1.5 +80

Garbage Grinder? ☐ Yes ☒ No

☐ Commercial Establishment/Other Facility Specify Design flow in gallons per day 300

Type of Wastewater ☑ Domestic ☐ Non-Domestic

DO NOT WRITE BELOW THIS LINE

Approval Process

1. Health Department
Site visits
Comments
Date rec'd 9/23/19
Date frwd 9/23/19
ACTION ☒ Approved ☐ Disapproved
Signature

2. Supt. Bldg. Insp. or Village Clerk
Comments
Date rec'd
Date frwd
ACTION ☐ Approved ☐ Disapproved
Signature

3. City or County Engineer
Comments
Date rec'd
Date frwd
ACTION ☐ Approved ☐ Disapproved
Signature

Installation Final Written Approval
By
Date 9/23/19

Business Office Use Only
Date Received 9-20-19 Amount Paid $430.00
Received By JAO Cash/Check No. 10969

White - Health Department Yellow - Engineer Pink - Building & Safety

Form A Updated: 4/15

* System cannot proceed to installation - NA see notes & sketch

Windstream Webmail **arohe@windstream.net**

sewer service for property outside of city limits

From : City of Waverly Administrator <stephanief@citywaverly.com>

Mon, Aug 12, 2019 10:53 AM

4 attachments

Subject : sewer service for property outside of city limits

To : arohe@windstream.net

Axel,

Attached are some of the City Ordinances pertaining to the sewer system, particularly the ones on the subjects you asked about. I highlighted the portions I felt would answer your questions.

- You can keep your private septic system and there is no mandate that you hook-up to the City sewer system. I do not know what guidelines/permits would be required for you to put in a new septic if you wanted to increase the capacity.
- There is a $4,000 tap fee to hook-up to the City sewer line that now runs in front of your property.
- The monthly sewer rate is double the rate since your property is not in the City limits.

Let me know what additional questions you have.

Stephanie

Stephanie A Fisher
City Administrator
Waverly, NE 68462
402-786-2312 Office
402-613-8710 Cell

Waverly
A Great Place to Grow

- **Sewer Rate for Non-Resident Users.pdf**
  104 KB
- **Septic Systems.pdf**
  182 KB
- **Sewer Tap Fee.pdf**
  182 KB

§3-220 MUNICIPAL SEWER DEPARTMENT; ALTERATION OR USE OF PUBLIC SEWER; PERMIT REQUIRED. No unauthorized person shall uncover, make any connections with or opening into, use, alter, or disturb any public sewer or appurtenance thereof without first obtaining a written permit from the Sewer Department. *(Amended by Ord. No. 01-08, 7/2/01)*

§3-221 MUNICIPAL SEWER DEPARTMENT; CLASSIFICATION; PERMIT APPLICATION, FEE. . There shall be two (2) classes of building sewer permits:

A. For ordinary residential and ordinary commercial service, and

B. For service to industrial users and other users discharging industrial wastes.

In either case, the owner or his or her agent shall make application on a special form furnished by the Municipality. The permit application shall be supplemented by any plans, specifications, or other information considered pertinent in the judgment of the Sewer Department. Users discharging "industrial wastes" shall, in every case, file a "pre-treatment questionnaire" as a part of the application form.

All permits shall be approved by the Sewer Department.

A permit and inspection fee shall be paid to the Municipality at the time the application is filed. The following fees shall apply:

For each connection:

1. Residential users $25.00
2. Commercial users.....$25.00
3. Industrial users $50.00
4. Users of any class discharging industrial wastes $50.00

(Amended by Ord. No. 01-08, 7/2/01)

§3-222 MUNICIPAL SEWER DEPARTMENT; INSTALLATION PROCEDURE; EXCAVATIONS; INSPECTIONS; TAP FEES. All tapping of the mains shall be done by a licensed plumber under the direction of sewer department personnel. Taps shall be made on the top of the main and no nearer than twenty-four inches (24") from the end of the main, from a pipe joint or from another tap.

Building Sewers between the main and dwelling or other building may not be covered until inspected by authorized City personnel and approved by the same.

Backfill of trenches for service pipe shall consist of common subsoil fill from 6" above top of pipe compacted to the extent necessary to prevent future settlement. Backfill of trenches under roadways shall consist of select backfill from 6" above top of pipe to sub grade elevation, compacted to 95%. Compaction is expressed as a percentage of maximum density and optimum moisture in comparison with American National Standards Institute/American Society for Testing and Materials 0698. The City may require compaction tests of any backfill under the roadway surfacing.

No person shall have any excavation made in the street, alley, or highways open at any time without barricades, and during the night warning lights must be maintained at such excavations. No person shall make any excavation in any street, alley, or highway where the ground is frozen, or dig up or uncover so as to expose to frost any water pipes or sewer of the City, except under the directions of the responsible municipal employee.

If the excavation in any street, alley, or sidewalk is left open or unfinished for a period of twenty-four (24) hours or more, the City shall have the duty to finish or correct the work, and all expenses so incurred shall be charged to the customer. All installations or repairs of pipe shall require inspection by City personnel. Such inspection shall be made when repairs or connections are complete and before pipes are covered. It is the customer's responsibility to notify the City at the time the work is ready for inspection.

Building sewer pipe shall be Polyvinyl Chloride Pipe meeting the requirements of American Society for Testing and Materials D1785, Schedule 40. Pipe shall be laid to a minimum grade of 1/8" per foot. All pipe shall be properly bedded.

All installation shall be done under the supervision and strictly in accordance with the rules, regulations, and specifications prescribed for such installation by the Sewer Department; provided, that the said rules, regulations, and specifications have been reviewed and approved by the Governing Body.

The fee for all sewer taps in areas not covered under a subdivision agreement shall be $4,000.00*(Amended by Ord. No. 01-08, 7/2/01; 05-10, 7/18/05; 06-14, 8/7/06; 14-01, 2/4/14)*

§3-223 BUILDING SEWER INSTALLATION; CONSTRUCTION CODES.

A. The size, slope, alignment, materials of construction of a building sewer, and the methods to be used in excavating, placing of the pipe, jointing, testing and backfilling the trench,

B. shall all conform to the requirements of the building and plumbing code or other applicable rules and regulations of the Municipality. In the absence of code provisions or in amplification thereof, the materials and procedures set forth in appropriate specifications of the American Society for Testing and Materials and Recommended Standards for Wastewater Facilities shall apply.

C. Whenever possible, the building sewer shall be brought to the building at an elevation below the basement floor. In all buildings in which any building drain is too low to permit gravity flow to the public sewer, sanitary sewage carried by such building drain shall be lifted by an approved means and discharged to the building sewer.

D. The connection of the building sewer into the public sewer shall conform to the requirements of the building and plumbing code or other applicable rules and regulations of the

E. Municipality, or the procedures set forth in the appropriate specifications of the American Society for Testing and Materials and the Recommended Standards for Wastewater Facilities. All such connections shall be made gastight and watertight, and verified by proper testing. Any deviation from the prescribed procedures and materials must be approved by the Sewer Department before installation. *(Amended by Ord. No. 01-08, 7/2/01)*

or failure of the company to maintain safe conditions as required hereunder. *(Amended by Ord. No. 01-08, 7/2/01)*

§3-239 **MUNICIPAL SEWER DEPARTMENT; COMPLIANCE WITH ARTICLE; INSPECTIONS; EASEMENTS.** The Waste Water Operator, other duly authorized employees of the Municipality; and/or agents for the Municipality bearing proper credentials and identification shall be permitted to enter all private properties through which the Municipality holds a duly negotiated easement for the purposes of, but not limited to, inspection, observation, measurement, sampling, repair, and maintenance of any portion of the waste water system lying within said easement. All entry and subsequent work, if any, on said easement, shall be done in full accordance with the terms of the duly negotiated easement pertaining to the private property involved. *(Amended by Ord. No. 01-08, 7/2/01)*

§3-240 **MUNICIPAL SEWER DEPARTMENT: BASE RATES**. Except for the Municipality, all customers of the Municipal Sewer department shall be charged a base rate to be set by ordinance of the Governing Body. The sewer base rates shall be as follows for:

A.

Meter Size	Costs of Service Charge
5/8"	$34.93
¾"	$34.93
1"	**$34.93**
1.5"	$46.21
2"	$53.59
3"	$69.99
4"	109.37

Both multiple housing units and multiple commercial units on a single water meter for use of the waste water system shall be charged the base rate for each separate unit served by said meter.

B. **Non-Resident Users**

Wastewater system users located outside the corporate limits of the Municipality shall be charged double the base rates set for residents of the Municipality under the classification that the non-resident may be placed. ***(Amended by Ord. No. 01-13, 9/4/01; 01-08, 7/2/01; 99-24, 9/7/99; 01-08, 7/2/01; 07-09, 9/17/07; 09-09, 9/21/09; 11-19, 8/16/11; 12-19, 12/18/12; 13-07, 8/6/13; 15-13, 9/8/15)***

§3-241 **MUNICIPAL SEWER DEPARTMENT: SURCHARGE RATES**. Except for the Municipality, all customers of the Municipal Sewer Department for the use of sewer service for volume, high pollutant, or industrial waste discharges shall be charged, in addition to other wastewater system use fees imposed by this Article, a surcharge at rates to be set by ordinance of the Governing Body. In the absence of either separate plumbing systems or flow recording equipment acceptable to the Wastewater Operator sufficient to clearly show the volume of water discharged into the waste water system, all users shall be presumed to discharge into the wastewater system all of the water purchased from the Municipality. The sewer surcharge rates shall be as follows:

from time to time and at any time. Liens shall be filed against the property served; but charges may be collected either from the owner or the person receiving the services.

§3-209 **PUBLIC SEWERS REQUIRED; UNLAWFUL DEPOSIT OF WASTES.** It shall be unlawful for any person to place, deposit, or permit to be deposited on public or private property within the Municipality or in any area under the jurisdiction of said Municipality, any human or animal excrement, garbage, hazardous waste, or materials which are potentially damaging to the environment or human life or otherwise objectionable.

§3-210 **PUBLIC SEWERS REQUIRED; UNLAWFUL DISCHARGE OF UNTREATED SEWAGE.** It shall be unlawful to discharge to any natural outlet within the Municipality, or in any area under the jurisdiction of said Municipality, any sewage, polluted waters, or materials enumerated in §3-209, except where suitable treatment has been provided in accordance with provisions of this Article.

§3-211 **MUNICIPAL SEWER DEPARTMENT; CESSPOOLS, PRIVIES AND SEPTIC TANKS PROHIBITED.** Except as hereinafter provided, it shall be unlawful to construct or maintain any privy, privy vault, septic tank, cesspool, or other facility intended or used for the disposal of sewage within the Municipality.

§3-212 **PUBLIC SEWERS REQUIRED; MANDATORY HOOK-UP.** The owner of all houses, buildings, or properties used for human employment, recreation, or other purposes, situated within the Municipality and abutting on any street, alley, or right-of-way in which there is now located or may in the future be located a public sanitary of the Municipality, is hereby required at his or her expense to install suitable toilet facilities therein, and to connect such facilities directly with the proper public sewer in accordance with the provisions of this Article within ninety (90) days after date of official notice to do so; Provided, that said public sewer is within three hundred (300) feet of the property line. *(Amended by Ord. No. 01-08, 7/2/01)*

§3-213 **MUNICIPAL SEWER DEPARTMENT; PROHIBITION OF PRIVATE SEWAGE DISPOSAL SYSTEMS; WHEN APPLICABLE.** Where a public sanitary is not available under the provisions of Section 3-212, the building sewer shall be connected to a private sewage disposal system complying with the provisions of this Article.

At. such time as a public sewer becomes available to a property served by a private wastewater disposal system, as provided in Section 3-212, a direct connection shall be made to the public sewer within sixty (60) days of such availability in compliance with this Article, and any septic tanks, cesspools, and similar private wastewater disposal facilities shall be cleaned of sludge and filled with suitable material. *(Amended by Ord. No. 01-08, 7/2/01)*

§3-214 **MUNICIPAL SEWER DEPARTMENT; PRIVATE SEWAGE DISPOSAL SYSTEM; PERMIT REQUIRED, FEE.** Before commencement of construction of a private sewage disposal system the owner shall first obtain a written permit signed by the Sewer Department. The application for such permit shall be made on a form furnished by the Municipality, which the applicant shall supplement by any plans, specifications, and other information as are deemed necessary by the Sewer Department. A permit and inspection fee of fifteen dollars ($15.00) shall

be paid to the Municipality at the time such application is filed. *(Amended by Ord. No. 01-08, 7/2/01)*

§3-215 **MUNICIPAL SEWER DEPARTMENT; PRIVATE SEWAGE DISPOSAL SYSTEM; PERMIT, WHEN EFFECTIVE; INSPECTIONS.** A permit for a private sewage disposal system shall not become effective until the installation is completed to the satisfaction of the Sewer Department. He or she shall be allowed to enter the property at any reasonable time to inspect the work at any stage of construction and, in any event, the applicant for the permit shall notify the Sewer Department when the work is ready for final inspection, and before any underground portions are covered. The inspection shall be made within twenty-four (24) hours of the receipt of notice by the Sewer Department. *(Amended by Ord. No. 01-08, 7/2/01)*

§3-216 **MUNICIPAL SEWER DEPARTMENT; PRIVATE SEWAGE DISPOSAL SYSTEMS; SPECIFICATIONS.** The type, capacities, location, and layout of a private sewage disposal system shall comply with all recommendations of the Department of Environmental Quality of the State of Nebraska. No permit shall be issued for any private sewage disposal system employing subsurface soil absorption facilities when the area of the lot is less than ten thousand (10,000) square feet. No septic tank or cesspool shall be permitted to discharge to any natural outlet. *(Amended by Ord. No. 01-08, 7/2/01)*

§3-217 **MUNICIPAL SEWER DEPARTMENT; PRIVATE SEWAGE DISPOSAL SYSTEM; MAINTENANCE.** The owner shall operate and maintain the private sewage disposal facilities in a sanitary manner at all times, at no expense to the Municipality.

§3-218 **MUNICIPAL SEWER DEPARTMENT; PRIVATE SEWAGE DISPOSAL SYSTEM; ADDITIONAL REQUIREMENTS.** No statement contained in Sections 3-213 through 3-217, inclusive, shall be construed to interfere with any additional requirements that may be imposed by the Sewer Department. *(Amended by Ord. No. 01-08, 7/2/01)*

§3-219 **MUNICIPAL SEWER DEPARTMENT; APPLICATION FOR PERMIT; PRETREATMENT QUESTIONNAIRES.** Any person wishing to connect with the Waste Water System shall make an application therefore to the Sewer Department, in accordance with the provisions of this Article. Current industrial waste pre-treatment questionnaires shall be filed with the Sewer Department by all users discharging industrial wastes within thirty (30) days of the effective date of this section and annually thereafter, on or before July 1, of each year. Said questionnaires shall be updated periodically and kept continuously current through amendments filed before changes occur in the character of wastes discharged by each user discharging industrial wastes. Prior to the connection the Clerk shall require applicants to make a service Deposit in an amount consistent with the prevailing policy of the Governing Body. All such permits shall be approved by the Sewer Department. The Department shall not supply sewer service to any person outside the corporate limits without special permission from the Governing Body; Provided, that the entire cost of pipe and other installation charges shall be paid by such consumer. Nothing herein shall be construed to obligate the Municipality to provide sewer service to non-residents. *(Amended by Ord. No. 01-08, 7/2/01) (Ref. 17-149, 192701 RS Neb.)*


08/20/2019 22:02


08/20/2019 22:02


08/20/2019 22:02


08/20/2019 22:02


08/20/2019 22:02


08/20/2019 22:03


DEERE
08/21/2019 00:29


08/21/2019 00:29


08/21/2019 03:45


08/21/2019 03:58

08/21/2019 03:58


08/21/2019 22:18


08/21/2019 22:19


08/21/2019 22:26


08/21/2019 22:30


08/21/2019 22:50


CAT
08/21/2019 22:54


08/22/2019 01:12


08/22/2019 01:24


08/22/2019 01:30