Lincoln-Lancaster County Health Department

A

Permit Number HS001977

New Construction

Onsite Wastewater Treatment System
Request for Site Clearance and Permit

Include Forms B and C Submit payment fee with this Application

PLEASE PRINT OR TYPE

A. Onsite System Location

Address 13411 W Holdrege St City Lincoln Zip 68528

Legal Description NW 19 10N 5E Oak Prairie Estates 4th 1

(Qtr) (Qtr) (Section) (Township) (Range) (Subdivision) (Block) (Lot)

Parcel No. 04-19-104-001-000

B. Owner

Name Nicholas Peters Signature

Address 9933 Paris Ct (9933 Paris Ct) Dalton, NE 68379

Phone Number 402-416-9614

C. Certified Installer

Name Lloyd Jakoubek, Raymond Contracting Inc Signature

Address 13600 NW 70th St City, State, Zip Raymond, NE 68428

Phone Number 402-890-5009 or 402-783-2883

D. Engineer Check and complete if engineer designed system Registration Number

Engineer Name Phone Number

E. This system will serve a

✓ Residential Dwelling Number of Bedrooms 5 Water Supply ✓ Well Daily Flow 3.28

Other ___ Public

Other ___ Individual

DO NOT WRITE BELOW THIS LINE

Approval Process

1. Health Department

Action Approved Disapproved

Date

Signature

3. Single Family Water Supply Check

Action Approved Disapproved

Date

Signature

2. Other County Department

Action Approved Disapproved

Date

Signature

Installation Permit Will Be Issued

Date

Signature

Submitted Office Use Only

Receipt No. 330-20 $430.00

Receipt Date JAD CC0287

Lincoln-Lancaster County Health Department
Environmental Public Health Division
3140 "N" Street • Lincoln, NE 68510-1514
Phone: 402-441-8022


C

Permit Number:

Onsite Wastewater Treatment System

Preliminary Plan Specifications

Draw a plot plan showing onsite system sewer lines, drop of distribution boxes, tank, drainfields, percolation test holes, well, residence, direction of groundwater flow, property lines, and reserve area for replacement onsite system.



Approximate Scale: _____ft. = _____ grid line/s

A. Onsite System Location

Address (no rural route) 13411 W Holdrege St City Lincoln NE, Zip 68528

B. Proposed Septic Tank/s

Septic Tank Cap._____ gals Tank Material: ☐ Concrete ☐ Plastic ☐ Other_____ ☒ Lagoon(Max. seepage 1/8" per day)

C. Reserve Area for Replacement Onsite System

☐ Drainfield Absorption Area (percolation test required) ☒ Lagoon

D. Drainfield Absorption System

Percolation Rate_____ (min/inch = mpi) No. of Bedrooms_____ Soil Type_____ Land Slope_____%

☐ Trench ☐ Bed ☐ Non-Standard (engineer designed and NDEQ approved Total Square feet of drainfield_____sq.ft.

Total length of laterals_____ Type of distribution: ☐ Perforated pipe ☐ Half-Round ☐ Chamber ☐ Other

No. of absorption trenches_____ Width_____ No. of drop boxes_____ Distrubtion Box_____

No. of absorption beds_____ Width_____ No of Distribution lines per bed_____

E. Setbacks Check the Boxes Below if the Required Setback has been Satisfied

Distance From	Private Well	Public Well	Surface Water	Gound Water	Pressure Water Lines	Property Lines	Foundations Yours	Foundations Neighbors	All Other Setbacks
Tank (ft)	50 ☐	500 ☐	50 ☐	NA ☐	25 ☐	20 ☐	15 ☐	25 ☐	☐
Field (ft)	100 ☐	500 ☐	50 ☐	4 ☐	30 ☐	20 ☐	30 ☐	40 ☐	☐
Lagoon (ft)	100 ☒	500 ☒	50 ☒	N/A ☒	30 ☒	50 ☒	100 ☒	200 ☒	☒

F. Required Signatures


Home Building Contractor Marie Semeral Date 3-24-20

Installer Kevin L. McCulloch Date 3/24/20

Nicholas Perkins 13411 W Holdrege St, Lincoln, NE 68528 Builder Initials mp

GIS Viewer
CITY OF LINCOLN - LANCASTER COUNTY, NE

City of Lincoln\Lancaster County GIS Map



DISCLAIMER: The information is presented on a best-efforts basis, and should not be relied upon for making financial, survey, legal or other commitments. If you have questions or comments regarding the data displayed on this map, please email assessor@lancaster.ne.gov and you will be directed to the appropriate department.

Lincoln-Lancaster County Health Department
Environmental Public Health Division (402) 441-8027
3131 O Street Lincoln, Nebraska 68510-1514

ON-SITE WASTE WATER SYSTEM
CONSTRUCTION - INSTALLATION PERMIT
No. HS001977

System Type: Lagoon

Situs: No Site Address Specified

Issued: 3/30/2020

Expires: 3/30/2021

Description: OAK PRAIRIE ESTATES 4TH ADDITION, Lot 1

Owner: PERKINS, NICHOLAS A & JULIE A
13411 W HOLDREGE ST
LINCOLN, NE 68528

Patricia D. Lopez

Patricia D. Lopez, RN, MSN, Interim Health Director

Dear Applicant:

The above document is your permit to construct a new On-site Waste Water System at the location listed. Please contact this office once the sytem is complete in order to schedule a final inspection before use.

Patricia D. Lopez

Patricia D. Lopez, RN, MSN
Interim Health Director

RAYMOND CONTRACTING INC
13600 NW 70TH ST
RAYMOND, NE 68428

Janet O'Neal HS001977

From: Nate C. Hartman
Sent: Monday, November 30, 2020 8:03 AM
To: Janet O'Neal
Subject: FW: HS001977 Easement

Janet:

Please attach a copy of this email to the Accella Case number provided, and leave a hard-copy of this information on my desk.

Thanks!

Nate Hartman REHS, QCIS, QPSWPPP
Senior Environmental Health Specialist
3131 'O' Street, Lincoln, NE 68510
O: 402-441-8643 F: 402-441-3890

From: Terri Jakoubek <jakoubek63@windstream.net>
Sent: Monday, November 23, 2020 2:10 PM
To: Nate C. Hartman <nhartman@lincoln.ne.gov>
Subject: HS001977 Easement

[CAUTION] This email comes from a sender outside your organization.

Hi Nate, the easement for the lagoon at 13411 W Holdrege St was filed 11/4/20, instrument number is 2020059204. Let me know if you need anything further.

Thanks,

Terri Jakoubek
Raymond Contracting, Inc.
13800 NW 70th St
Raymond, NE 68428
402-783-2663 (Office)
402-890-3870 (Mobile)
jakoubek63@windstream.net