Lincoln-Lancaster County Health Department
Environmental Public Health Division
3140 N Street • Lincoln NE 68510-1514
Phone: 402-441-8643

A

Permit Number HS002533

Onsite Wastewater Treatment System Permit Application

Include Form B and C. Submit correct fee with this Application

☒ Septic System ☐ Lagoon ☐ Other (Refer to Form C)

PLEASE PRINT OR TYPE

A. Onsite System Location

Address* 5300 YANKEE HILL RD City LINCOLN, NE Zip 68516
(no rural route)

Legal Description 20 9 7 6TH PRINCIPAL
1/4 1/4 Section Township Range Subdivison Addition Block Lot

PID 16-20-400-002-000 *Approx. Address (If to be determined)

B. Owner

Name STEVE HOUCHIN Signature

Address 5300 YANKEE HILL RD City/State/Zip LINCOLN, NE 68516

Home Phone 402-421-2638 Work Phone

C. Certified Installer

Name JAIME KUBIK Signature

Address P.O. BOX 191 City/State/Zip HICKMAN, NE 68372

Work Phone 402-475-2462

D. Engineer

☐ **Check and complete if engineer designed system** P.E. License Number:

Designer Name Firm Work Phone

E. This system will serve a

☒ Residential Dwelling Number of Bedrooms 4 Whirlpool Bathtub? ☐ Yes ☒ No Total Acres 3.55
Garbage Grinder? ☐ Yes ☒ No

☐ Commercial Establishment/Other Facility Specify Design flow in gallons per day Type of Wastewater ☐ Domestic ☐ Non-Domestic

DO NOT WRITE BELOW THIS LINE

Approval Process

1. Health Department
Site visits
Comments
Date rec'd
Date frwd
ACTION ☐ Approved ☐ Disapproved
Signature

2. Supt. Bldg. Insp. or Village Clerk
Comments
Date rec'd
Date frwd
ACTION ☐ Approved ☐ Disapproved
Signature

3. City or County Engineer
Comments
Date rec'd
Date frwd
ACTION ☐ Approved ☐ Disapproved
Signature

Installation Final Written Approval
By
Date

Business Office Use Only
Date Received 5-22-23 Amount Paid $460
Received By JAD Cash/Check No. CC 0214

White - Health Department Yellow - Engineer Pink - Building & Safety

Form A Updated: 4/15

Lincoln-Lancaster County Health Department (LLCHD)
Environmental Public Health Division
3140 "N" Street • Lincoln, NE 68510-1514
Phone: 402-441-8643

B

Permit Number:

Onsite Wastewater Treatment System
Soil Evaluation Report

PLEASE PRINT OR TYPE

Onsite System Location

Address 5300 Yankee Hill Road (no rural route) City Lincoln NE, Zip 68516

Owner Steve Houchin Address

Date of Tests April 25, 2023 to April 26, 2023 Weather: Precipitation none Temperature 60 degrees

Percolation Test Data Table

A.	B.	C.	D.	E.	F.	Water Level Drop G.	H.	I.	J.	K.	L.	M.	N.
		Saturation/Swelling Time				Last 30 mins of 4 hr or last 10 mins of 1 hr					Results		
		Start		End		Start		Initial	End				
Hole No.	Hole Depth(in)	Date (Mo/Da)	Time (Hr/Min)	Date (Mo/Da)	Time (Hr/Min)	Date (Mo/Da)	Time (Hr/Min)	Water Lev (in.)	Date (Mo/Da)	Time (Hr/Min)	Elapsed Time Interval	Water Level Drop(in)	Percolation Rates (Min/in = mpi)
1	30 in	4/25	5 pm	4/26	8:00 am	4/26	11:30 am	6	4/26	12:00 pm	30 min	5/8	48
2	30 in	4/25	5 pm	4/26	8:00 am	4/26	11:30 am	6	4/26	12:00 pm	30 min	3/4	40
3	30 in	4/25	5 pm	4/26	8:00 am	4/26	11:30 am	6	4/26	12:00 pm	30 min	5/8	48
4	30 in	4/25	5 pm	4/26	8:00 am	4/26	11:30 am	6	4/26	12:00 pm	30 min	5/8	48
								6					
								6					
								6					
								6					

Person Conducting Percolation Test

Name: Jason Kubik
Phone: 402-475-2462
Address P.O. Box 191
Hickman, NE 68372

Sum of Percolation Rates: 184
Average of Rates: 46
Rate Used for Calculation: 46

Soil type (NRCS Maps/Other) 7207 Askarben
Groundwater Depth +12 ft

DO NOT WRITE BELOW THIS LINE

Reviewing Action

Comments (Soil type, groundwater, floodplain, etc.)

Signature of Reviewing Official Date

Lincoln-Lancaster County Health Department
Environmental Public Health Division (402) 441-8027
3131 O Street Lincoln, Nebraska 68510-1514

ON-SITE WASTE WATER SYSTEM
CONSTRUCTION - INSTALLATION PERMIT
No. HS002533

System Type: Standard

Situs: No Site Address Specified

Issued: 5/9/2023

Expires: 5/9/2024

Description: S20, T9, R7, 6th Principal Meridian, E459.73' LOT 55 SE

Owner: HOUCHIN, STEVEN D REVOCABLE TRUST
5300 YANKEE HILL RD
LINCOLN, NE 68516

Patricia D. Lopez

Patricia D. Lopez, RN, MSN, Health Director

Dear Applicant:

The above document is your permit to construct a new On-site Waste Water System at the location listed. Please contact this office once the sytem is complete in order to schedule a final inspection before use.

Patricia D. Lopez

Patricia D. Lopez, RN, MSN
Health Director

JAIME KUBIK
PO BOX 191
HICKMAN, NE 68372

Lincoln-Lancaster County Health Department
Environmental Public Health Division
3140 N Street • Lincoln NE 68510-1514
Phone: 402-441-8643

SCANNED

A

Permit Number HS007533

Onsite Wastewater Treatment System Permit Application

Include Form B and C. Submit correct fee with this Application

☒ Septic System ☐ Lagoon ☐ Other (Refer to Form C)

PLEASE PRINT OR TYPE

A. Onsite System Location

Address* 5300 YANKEE HILL RD City LINCOLN, NE Zip 68514
(no rural route)

Legal Description 20 9 7 6TH PRINCIPAL 55 & 40
1/4 1/4 Section Township Range Subdivison Addition Block Lot

PID 16-20-400-002-000 *Approx. Address (If to be determined)

B. Owner

Name STEVE HOUCHIN Signature

Address 5300 YANKEE HILL RD City/State/Zip LINCOLN, NE 68514

Home Phone 402-421-2638 Work Phone

C. Certified Installer

Name JAIME KUIK Signature

Address P.O. BOX 191 City/State/Zip HICKMAN, NE 68372

Work Phone 402-475-2462

D. Engineer

☐ **Check and complete if engineer designed system** P.E. License Number:

Designer Name Firm Work Phone

E. This system will serve a

☒ Residential Dwelling Number of Bedrooms 4 Whirlpool Bathtub? ☐ Yes ☒ No Total Acres 3.55
Garbage Grinder? ☐ Yes ☒ No

☐ Commercial Establishment/Other Facility Specify Design flow in gallons per day Type of Wastewater ☐ Domestic ☐ Non-Domestic

DO NOT WRITE BELOW THIS LINE

Approval Process

1. Health Department
Site visits
Comments
Date rec'd 5/9/23
Date frwd 5/9/23
ACTION ☒ Approved ☐ Disapproved
Signature

2. Supt. Bldg. Insp. or Village Clerk
Comments
Date rec'd
Date frwd
ACTION ☐ Approved ☐ Disapproved
Signature

3. City or County Engineer
Comments
Date rec'd
Date frwd
ACTION ☐ Approved ☐ Disapproved
Signature

Installation Final Written Approval
By
Date 6/14/23

Business Office Use Only
Date Received 5-22-23 Amount Paid $460
Received By JAO Cash/Check No. CC 0214

White - Health Department Yellow - Engineer Pink - Building & Safety

Form A Updated: 4/15

* Existing Home.

Lincoln-Lancaster County Health Department
Environmental Public Health Division
3140 N Street • Lincoln NE 68510-1514
Phone: 402-441-8643

D

Permit Number:

Onsite Wastewater Treatment System
As-Built Description and Drawing

Type of Onsite Wastewater System: ☐Lagoon (Skip to Back Page) ☐Subsurface Septic ☐Mound

Onsite Wastewater System Location

Address or Legal Description or Parcel Identification Number (PID) 11-20-400-002-000

Owner: STEVE HOLCHIN Address 5300 YANKEE HILL RD LINCOLN, NE 68516

A. Wastewater Piping

1. Material: SCH 40 Diameter: 4 in.
2. Distance between dwelling and septic tank: 88 ft.

B. Septic Tank

1. Material CEMENT
2. Capacity: 1500 GALLON
3. Depth to top of tank, below unfinished grade: 12 in..
4. Distance to:
   Well +100 ft.
   Pressure line +50 ft
   Property Line +50 ft.
   Foundation 88 ft.

C Distribution Box or Drop Box

Distance and Direction from septic tank: 8 ft. WEST

D. Drainfield/Absorption Field

☒ Trench ☐ Bed

1. Type: ☐ Perforated Pipe ☐Chamberless ☐Other
   Material brand and inside width of Chamberless: EZ Flow
2. Number of Laterals: 3
3. Length of each lateral (linear): ft. 110 ft. 110 ft. 100 ft.
4. Drainfield size: 1440 sq. ft. (1320 Req'd)
5. Distance to:
   Well +100 ft.
   Pressure line +50 ft.
   Property line +50 ft.
   Depth of Groundwater +12

VPH

Was the Onsite Wastewater System covered prior to LLCHD inspection? ☒ Yes ☒ No

If Yes, the Certified Professional must sign below for final approval:

I swear and affirm that the system complies with Lincoln Municipal Code (LMC) 24.38 and/or County Resolution R-13-0062 requirements and that the information and documentation submitted are true and accurate.


Certified Professional Signature: [signature] Date: 4/6/2023

Complete As-Built drawing on the back of this form.

5300 Yankee Hill rd

N
W + E
S

1
71
16
11
11
18
12 7' 4 11



Lincoln-Lancaster County Health Department (LLCHD)
Environmental Public Health Division
3140 "N" Street • Lincoln, NE 68510-1514
Phone: 402-441-8643

B

Permit Number:

Onsite Wastewater Treatment System
Soil Evaluation Report

PLEASE PRINT OR TYPE

Onsite System Location

Address 5300 Yankee Hill Road (no rural route) City Lincoln NE, Zip 68516

Owner Steve Houchin Address

Date of Tests April 25, 2023 to April 26, 2023 Weather: Precipitation none Temperature 60 degrees

Percolation Test Data Table

A.	B.	C. D. E. F. Saturation/Swelling Time				G. H. I. J. K. Last 30 mins of 4 hr or last 10 mins of 1 hr Water Level Drop					L. M. N. Results		
		Start		End		Start		Initial Water Lev (in.)	End		Elapsed Time Interval	Water Level Drop(in)	Percolation Rates (Min/in = mpi)
Hole No.	Hole Depth(in)	Date (Mo/Da)	Time (Hr/Min)	Date (Mo/Da)	Time (Hr/Min)	Date (Mo/Da)	Time (Hr/Min)		Date (Mo/Da)	Time (Hr/Min)			
1	30 in	4/25	5 pm	4/26	8:00 am	4/26	11:30 am	6	4/26	12:00 pm	30 min	5/8	48
2	30 in	4/25	5 pm	4/26	8:00 am	4/26	11:30 am	6	4/26	12:00 pm	30 min	3/4	40
3	30 in	4/25	5 pm	4/26	8:00 am	4/26	11:30 am	6	4/26	12:00 pm	30 min	5/8	48
4	30 in	4/25	5 pm	4/26	8:00 am	4/26	11:30 am	6	4/26	12:00 pm	30 min	5/8	48
								6					
								6					
								6					
								6					

Person Conducting Percolation Test

Name: Jason Kubik
Phone: 402-475-2462
Address P.O. Box 191
Hickman, NE 68372

Sum of Percolation Rates: 184
Average of Rates: 46
Rate Used for Calculation: 46

Soil type (NRCS Maps/Other) 7207 Askarben
Groundwater Depth +12 ft

DO NOT WRITE BELOW THIS LINE

Reviewing Action

Comments (Soil type, groundwater, floodplain, etc.)

Signature of Reviewing Official Date