FORM HD-41(7[illegible]) APPLICATION FOR PERMIT TO ALTER, EXTEND OR REPAIR INDIVIDUAL SEWAGE DISPOSAL SYSTEM

City Ordinance No. 9150 ☐
County Resolution No. 2832 ☒

LINCOLN-LANCASTER COUNTY HEALTH DEPARTMENT
Division of Environmental Health
2200 St. Marys Ave.
Lincoln, Nebraska 68502 (Phone: 471-7800)

FILE NO. 2392-C

TO: Division of Environmental Health
Lincoln-Lancaster County Health Dept.

DATE: 9-9-86

The undersigned hereby applies for a permit to ALTER ☐, EXTEND ☒, or REPAIR ☐ an existing Individual Sewage Disposal System, in conformance with appropriate Ordinance or Resolution, as described in this application and drawings attached hereto.

1. Legal description of property: Twp. 7N ; Range 7E; Section 17 ;
Block _____; Lot _____; Addition _____
Street Address _____

2. Property Use: Residential _____ ☒; Commercial _____ ☐
No. Bedrooms 3
Describe _____
Other Use ☐
Describe _____

3. Type of existing Individual Sewage Disposal System: Septic Tank ☒; Other ☐

4. Description of proposed alteration, extension or repair: extend lateral Field 100' (3 perf pipe)

5. Work to be done by: Owner ☐ ; or Contractor ☒, Southwick Sewer & Drain
Contractor's Name

6. Estimated cost of project:

a. Materials	$	
b. Labor	$	
c. Other	$	
TOTAL	$	900 00

Brad Southwick for Mark Brady
Signature of Applicant (owner or lessee)

701 E 4 Hardin Ave Red Firth Ne 68358
Address

(Do not write below this line)


REVIEWING ACTION

1. Date Rec'd: _____
Filing Fee: $ 30.00

2. Site Visits:
Date: 9/9/86 by: J.C.H.
Date: _____ by: _____
Date: _____ by: _____

3. Date: Approved ☒; Disapproved ☐
by: Jerrold C. Nook

4. INSTALLATION FINAL WRITTEN APPROVAL
Date: 9/10/86 by: J. C. Nook


House
3'
100'
Cleanout
⑤
well
50'
82'
septic tank
Level
100'
100'
Dist. Box
11'
④
④
③
N
9-9-86
100'
Level
100'
Level
100'
6'
③
③

June - 25 - 75

FORM HD-41(73) APPLICATION FOR PERMIT TO ALTER, EXTEND OR REPAIR INDIVIDUAL SEWAGE DISPOSAL SYSTEM

City Ordinance No. 9150 ☐
County Resolution No. 2832 ☒

LINCOLN-LANCASTER COUNTY HEALTH DEPARTMENT
Division of Environmental Health
2200 St. Marys Ave.
Lincoln, Nebraska 68502 (Phone: 471-7800)

FILE NO. 2392-C

TO: Division of Environmental Health
Lincoln-Lancaster County Health Dept.

DATE: 9-9-86

The undersigned hereby applies for a permit to ALTER ☐, EXTEND ☒, or REPAIR ☐ an existing Individual Sewage Disposal System, in conformance with appropriate Ordinance or Resolution, as described in this application and drawings attached hereto.

1. Legal description of property: Twp. 7N ; Range 7E; Section 17 ;
Block _____; Lot _____; Addition _____
Street Address _____

2. Property Use: Residential _____ ☒; Commercial _____ ☐
No. Bedrooms 3
Describe _____
Other Use ☐
Describe _____

3. Type of existing Individual Sewage Disposal System: Septic Tank ☒; Other ☐

4. Description of proposed alteration, extension or repair: extend lateral field 100' (3 perf pipe)

5. Work to be done by: Owner ☐ ; or Contractor ☒, Southwick Sewer & Drain
Contractor's Name

6. Estimated cost of project:

a. Materials	$	
b. Labor	$	
c. Other	$	
TOTAL	$	900 00

Brad Southwick for Mark Brady
Signature of Applicant (owner or lessee)

7016 4 Hwy 8 Rd RFD Firth Ne 68358
Address

(Do not write below this line)

REVIEWING ACTION

1. Date Rec'd: _____
Filing Fee: $ 30.00

2. Site Visits:
Date: 9/9/86 by: J. C. H.
Date: _____ by: _____
Date: _____ by: _____

3. Date: Approved ☒ ; Disapproved ☐
by: Jerrold C. Hood

4. INSTALLATION FINAL WRITTEN APPROVAL
Date: 9/10/86 by: J. C. Hood

FORM HD- 45(73) PLANS & SPECIFICATIONS
SEWAGE DISPOSAL SYSTEM
(Annex to Application)
City Ordinance No. 9150 ☐
County Resolution No. 2832 ☒

LINCOLN-LANCASTER COUNTY HEALTH DEPARTMENT
Division of Environmental Health
2200 St. Marys Avenue
Lincoln, Nebraska 68502 (Phone: 475-6221)

FILE NO. 560-C 2392-C

SPECIFICATIONS

DATE: 11-29-74


A. BUILDING SEWER:
1. Material plastic; Diameter 4 in.
2. Distance above basement floor ___in.; or below basement floor ___in.
3. Distance between dwelling and septic tank ___ft.
4. Number of clean-outs ___.
5. Distances To:
Well or Suction Line 50 ft.;
Stream ___ft.; Pressure Line ___ft.;
Property Line ___ft.

B. SEPTIC TANK (Provide construction drawings.)
1. Material Concrete No. of compartments 1.
2. Capacity 1000 gals.; Liquid depth ___in.
3. Factory Built: Yes ☒ (Company Precast)
No ☐
4. Manholes: Over Inlet; diam. ___in.
Over Outlet; diam. ___in.
Below Grade ___in.
5. Inlet: Baffle ☐; or Tee ☐
6. Outlet: Baffle ☐; or Tee ☐
Depth of outlet below inlet ___in.
7. Depth of top of tank below finished grade 16 in.
8. Distances To:
Well or Suction Line ___ft.;
Stream ___ft.; Pressure Line ___ft.;
Property Line ___ft.


C. DISTRICTION BOX
1. Material Concrete; No. available outlets 6.
2. Factory Built: Yes ☒, (Company Precast) No ☐
3. Dimension: Length ___in.; Width ___in. Depth ___in.
4. Distance from Septic Tank 11 ft.
5. Serial Distribution: Yes ☐, No ☐
(If yes, show detailed plans.)

D. ABSORPTION FIELD: (Provide drawings.)
1. Type: perforated pipe ~~tile half moons~~
2. Lateral Lines: Depth below grade ___in.
Number 3; Length of each line 100 ft
Total length of Laterals 300 ft.; 100 100
Slope ___in/100 ft. Diameter of pipe ___in.; Shape ○
Material: concrete ☐; fiber asbestos ☐; clay ☐; other PVC
Distance between lateral lines ___ft.
3. Trench Dimensions: Depth ___in.; Width ~~48~~ in. 3 ft
4. Filter Material: gravel.
Depth of material from trench bottom 12 in.
5. Distances To:
Well or Suction Line 100+ ft.;
Stream ___ft.; Pressure Line ___ft.
Property Line ___ft.
6. Percolation Rate: ___minutes/inch

TYPICAL SKETCHES



Signature of Applicant


House
3'
100'
Cleanout
5
well
50'
82'
septic tank
Dist. Box
Level
100'
100'+
11'
4
4
3
N
9-9-86
100'
Level
100'
Level
100'
6"
3
3

June-25-75