Lincoln-Lancaster County Health Department

ENVIRONMENTAL PUBLIC HEALTH DIVISION

3140 N STREET · LINCOLN, NE 68510-1514

(402) 441-8000

008110

Permit: SEWAGE INSTALLATION
LAGOON

Permit # 05380307201

Issued 08/15/05
Expires 08/15/06
Revenue Code 3157

Establishment: JUSTIN BAUMAN
T8N R6E SEC 21 QTR SE
N 1/2 OF SE 1/4
SW 14 ST-MARTELL

FEES: $200.00

Permittee: JUSTIN BAUMAN
16905 SW 14 ST
MARTELL NE 68404

TOTAL: $200.00

Bruce D. Dart

Bruce D. Dart, Health Director

EPH COPY

Lincoln-Lancaster County Health Department
Environmental Health Division
3140 "N" Street • Lincoln, NE 68510-1514
Phone: 402-441-8022

A

Permit Number: 05380307201

Sewage Disposal System

Request for Site Clearance and Permit

Include Form B, Form C and Applicable Fees with this Application.

☐ Septic System ☑ Lagoon ☐ Other (Refer to Form C)

The undersigned hereby requests site clearance and permit to construct a Sewage Disposal System in conformance with appropriate resolution or ordinance, as described herein:

PLEASE PRINT OR TYPE

A. System Location (Indicate correct number and street)

Address 17097 SW 14th (no rural route) City Martell NE NE, Zip 68404

Legal Description NE SE 21 8N 6E SEE ATTACHED
1/4 1/4 Section Township Range Subdivision Addition Block Lot

Geographical Location (if known): Longitude _____ Latitude _____

☐ Check if system mail address is not the same as the owner's address

B. Owner

Name Justin Bauman Signature _____

Address _____ City/State/Zip Martell NE 68404

☐ Check if owner designed system Home Phone _____ Work Phone _____

C. Contractor

Name Frey Homes Dennis Frey Company Name Frey Homes

Address _____ City/State/Zip RT 1 Box 88A Hickman NE

☐ Check if contractor designed system Work Phone 560-2211 FAX 792-2798 68322

D. Engineer/Installer ☐ Check and complete if engineer designed system

Designer Name _____ Firm _____ Work Phone _____

E. This System Will Serve a

☑ Residential Dwelling Number of Bedrooms 3 Is there a Whirlpool Bathtub YES (NO)

☐ Commercial Establishment/Other Facility Specify _____

Design flow in gallons per day _____ Type of Wastewater: ☑ Domestic ☐ Non-Domestic.

DO NOT WRITE BELOW THIS LINE

Approval Process ☐ Municipal Code 24.38 ☒ County Resolution No. 2832

1. **Health Department** Date rec'd 8/15/05 Date frwd 8/22/05 ACTION ☒ Approved ☐ Disapproved Signature Gerald C. Hood
2. **Supt. Bldg. Insp. or Village Clerk** Date rec'd 8/26/05 Date frwd _____ ACTION ☑ Approved ☐ Disapproved Signature _____
3. **City or County Engineer** Date rec'd 8/22/05 Date frwd 8/22/05 ACTION ☒ Approved ☐ Disapproved Signature _____

Installation Final Written Approval

By _____

Date 6/23/06

Business Office Use Only

Date Rec'd 8-15-05
Amt Paid $200.00
Rec'd By _____ Cash/Check No. 2796

FORM 23-100 10-96 White - Health Dept. Yellow - Engineer Pink - Bldg. Inspector

Lincoln-Lancaster County Health Department
Environmental Health Division
3140 "N" Street • Lincoln, NE 68510-1514
Phone: 402-441-8022


C

Permit Number: 053803072

Sewage Disposal System

Preliminary Plan Specifications

Draw a plot plan showing system location, lines, distribution box, tank and laterals, percolation test hole locations, well, residence, compass direction and property lines. Indicate on drawing if residence and well are existing or proposed.



Approximate Scale: _____ft. = _____ grid line/s

A. System Location (Indicate correct number and street)

Address (no rural route) _____ City _____ NE, Zip _____

B. Proposed Septic Tank/s

Tank Material: ☐ Concrete ☐ Plastic ☐ Other _____

C. Proposed Absorption System (See Form B for Percolation Information)

Percolation Rate _____ (min. per inch) Soil Type: _____ Land Slope: _____ %

Type of Absorption System: ☐ Trench ☐ Bed ☐ Other _____

Total Square Feet of Field Required: _____ sq. ft.

Type of Lateral: ☐ Half-Moon ☐ Perforated Pipe ☐ Other Lateral Material: _____

Capacity of Septic Tank _____ gals Number of Absorption Beds: _____ Number of Distribution Laterals per Bed _____

Total Length of Laterals _____ ft. Number of Trenches _____ Trench Width _____

D. Setbacks Check the Boxes Below if the Required Setback has been Satisfied

Distance From	Private Well	Public Well	Surface Water	Gound Water	Pressure Water Lines	Property Lines	Foundations Yours	Foundations Neighbors	All Other Setbacks
Tank (ft)	50 ☐	500 ☐	50 ☐	NA ☐	25 ☐	20 ☐	15 ☐	25 ☐	☐
Field (ft)	100 ☐	500 ☐	50 ☐	4 ☐	30 ☐	20 ☐	30 ☐	40 ☐	☐
Lagoon (ft)	100 ☐	500 ☐	50 ☐	N/A ☐	30 ☐	50 ☐	100 ☐	200 ☐	☐

E. Required Signatures

Home Building Contractor _____ Date _____

Installer _____ Date _____


Lincoln-Lancaster County Health Department
Environmental Health Division
3140 "N" Street • Lincoln, NE 68510-1514
Phone: 402-441-8022

C

Permit Number:

Sewage Disposal System
Preliminary Plan Specifications

Draw a plot plan showing system location, lines, distribution box, tank and laterals, percolation test hole locations, well, residence, compass direction and property lines. Indicate on drawing if residence and well are existing or proposed.



Approximate Scale: _____ ft. = _____ grid line/s

A. System Location (Indicate correct number and street)

Address (no rural route) _____ City _____ NE, Zip _____

B. Proposed Septic Tank/s

Tank Material: ☐ Concrete ☐ Plastic ☐ Other _____

C. Proposed Absorption System (See Form B for Percolation Information)

Percolation Rate _____ (min. per inch) Soil Type: _____ Land Slope: _____ %

Type of Absorption System: ☐ Trench ☐ Bed ☐ Other _____

Total Square Feet of Field Required: _____ sq. ft.

Type of Lateral: ☐ Half-Moon ☐ Perforated Pipe ☐ Other Lateral Material: _____

Capacity of Septic Tank _____ gals Number of Absorption Beds: _____ Number of Distribution Laterals per Bed _____

Total Length of Laterals _____ ft. Number of Trenches _____ Trench Width _____

D. Setbacks Check the Boxes Below if the Required Setback has been Satisfied

Distance From	Private Well	Public Well	Surface Water	Gound Water	Pressure Water Lines	Property Lines	Foundations Yours	Foundations Neighbors	All Other Setbacks
Tank (ft)	50 ☐	500 ☐	50 ☐	NA ☐	25 ☐	20 ☐	15 ☐	25 ☐	☐
Field (ft)	100 ☐	500 ☐	50 ☐	4 ☐	30 ☐	20 ☐	30 ☐	40 ☐	☐
Lagoon (ft)	100 ☐	500 ☐	50 ☐	N/A ☐	30 ☐	50 ☐	100 ☐	200 ☐	☐

E. Required Signatures

Home Building Contractor _____ Date 8-15-05


Installer _____ Date 8-18-05


FORM 23-102 10-96

003/003

SURVEY RECORD

PREPARED BY
L & S SURVEYING
PO BOX 354 CRETE, NE 68333
(402) 826-4620 FAX (402) 826-4646





SITUATION SKETCH

LEGEND

- Corners Found
- Corners Found (5/8"Rebar W/LS Cap)
- Corners Set (5/8"Rebar W/LS Cap)
- Survey Marker W/Washer
- Temporary Point
- R Record Distance
- M Measured Distance
- Fence

CAD by RDMC # (05-120A)

CORNER TIES - SECTION 21, T8N, R5E

SE Corner - Found LCSM 2" Aluminum Cap.

82.35' NE to a nail in disk in the NW face of power pole.
75.24' NW to a nail in disk in the SW face of rural water post.
60.91' SW to a nail in disk in the SE face of pedestal post.

E¼ Corner - Found LCSM 2" Aluminum Cap.

60.45' SE to a nail in disk in the west face of power pole.
53.13' West to a nail in disk in the north face of pedestal post.
72.85' SW to a nail in disk in the north face of fence post.

W¼ Corner - Found LCSM 2" Aluminum Cap.

37.10' SE to a nail in disk in the north face of R.R. tie post.
33.53' East to a nail in disk in the north face of corner post.
33.17' West to top center of concrete witness post.

S¼ Corner - Found LCSM 2" Aluminum Cap.

36.87' SW to a nail in disk in top west end of c.m.p.
58.94' NE to a nail in disk in the SE face of power pole.
33.23' North to south face of steel corner post.

LEGAL DESCRIPTION

Part of Lot 36, Irregular Tracts, located in the N½ of the S½ of Section 21, T8N, R5E of the 6th P.M., Lancaster County, Nebraska, described as follows:

Beginning at the SW Corner of Lot 57, Irregular Tracts located in said N½SE¼ of said Section 21; thence S89°11'11"W (Assumed Bearing) on the south line of said N½SE¼, 1326.00 feet; thence N00°00'00"E, 740.70 feet; thence N89°11'11"E parallel with the south line of said N½SE¼, 1000.00 feet; thence S00°00'00"W, 355.70 feet; thence N89°11'11"E parallel with the south line of said N½SE¼, 351.82 feet; thence S00°00'00"W, 59.00 feet to the NW Corner of said Lot 57, Irregular Tracts; thence S04°15'43"W on the west line of said Lot 57, Irregular Tracts, 347.33 feet to the point of beginning. Containing 20.01 acres more or less.

SURVEYOR'S CERTIFICATE

I, Leslie J. Sledschlag, a Registered Land Surveyor in the State of Nebraska, hereby certify that this survey was made under my direct supervision on August 15, 2005 and that all dimensions shown are in feet and decimals of a foot and correct to the best of my knowledge and belief.


NEBRASKA REGISTERED LS-489 LAND SURVEYOR LESLIE J. SLEDSCHLAG

Leslie J. Sledschlag, Nebraska L.S. No. 489

Date of Completion; December 28, 2004

SHEET 1 OF 1

08/19/2005 12:40 FAX 402 792 2798
AUG-19-2005 11:41 AM L&S SURVEYING 402 826 4646 P.01


N
1000'
351.82'
100'
37'
350'
347.33'
Lagoon
1326'