LINCOLN-LANCASTER COUNTY HEALTH DEPARTMENT

ENVIRONMENTAL HEALTH DIVISION

3140 "N" STREET Lincoln, NE 68510-1514 (402) 441-8000

NON TRANSFERABLE

PERMIT

Permit
SEWAGE INSTALLATION

No. 94380122201

Issued 09/26/94
Expires 03/26/95
Revenue Code 18754

Establishment
DENNIS FREY
T8N R7E SEC 4
WHITEROCK ESTATES BLK 1 LOT 4

FEES: $150.00

TOTAL $150.00

Permittee
DENNIS FREY
RR0001
BOX 0088A
HICKMAN NE 68372

Issued By M. Jane Ford
Health Director

THIS LICENSE OR PERMIT IS ISSUED SUBJECT TO REVOCATION AS PROVIDED BY LAW "POST IN A PROMINENT PLACE"

FORM 20103-0477
REQUEST FOR SITE CLEARANCE AND PERMIT
FOR INDIVIDUAL SEWAGE DISPOSAL SYSTEM
City Ordinance No. 9150 ☒
County Resolution No. 2832 ☐

LINCOLN-LANCASTER COUNTY HEALTH DEPARTMENT
Division of Environmental Health
2200 St. Marys Avenue
Lincoln, Nebraska 68502
Phone: 471-7800

A

FILING FEE: $_____

FILE NO._____

DATE:_____

The undersigned hereby requests SITE CLEARANCE and PERMIT to construct an Individual Sewage Disposal System in conformance with appropriate resolution or ordinance, as described herein:

1. Legal description of property: Twp. 8N ; Range 7E ; Section 4 ;
   Block 1 : Lot 4 : Addition Whiterock Estates
   Street Address 11601 WHITEROCK CIRCLE.

2. Property Use: Residential ☑ ; Commercial ☐ Other Use ☐
   No. of Bedrooms 4 . Describe_____

3. Type of Individual Sewage Disposal System: Septic Tank ☑ ; Other ☐

4. Distance to public sewer: _____ft. EXPERIMENTAL SYSTEM

Dennis Troy Pos.
Signature of Applicant (Owner or Lessee)

RT#1 Box 88A Nickman NE 68372
Address

(Do not write below this double line)

1. Health Department: Date Rec'd. 9/26/94. Date Frwd. 9/26/94. ACTION: Approved ☒ Disapproved ☐ Signature: Jerrold C. Hood

2. Supt. Bldg. Insp.: or Village Clerk Date Rec'd. 9/26/94. Date Frwd. 9/26/94. ACTION: Approved ☒ Disapproved ☐ Signature: [signature]

3. City or County Engineer: Date Rec'd. 9-26-94. Date Frwd. 9-26-94. ACTION: Approved ☒ Disapproved ☐ Signature: [signature]

REMARKS OR REASONS FOR DISAPPROVAL_____

Site Visits:
Date: 11/7/94 by: L.C.H. Sewer, tanks, sand in lateral
Date: 11/8/94 by: L.C.H.
Date:_____ by:_____

INSTALLATION FINAL WRITTEN APPROVAL
Date: 6/6/95 By: Jerrold C. Hood

White: Health Dept. Copy
Yellow: Engineers Copy
Pink: Bldg. Inspector's Copy

FORM 23-43

FORM 20104-0477
PLANS & SPECIFICATIONS FOR SEWAGE DISPOSAL SYSTEM (Annex to Application)
City Ordinance No. 9150 ☐
County Resolution No. 2832 ☐

LINCOLN-LANCASTER COUNTY HEALTH DEPARTMENT
Division of Environmental Health
2200 St. Marys Avenue
Lincoln, Nebraska 68502
Phone: 471-7800

D

DATE: _____

FILE NO. _____


SPECIFICATIONS AS BUILT

A. BUILDING SEWER:
1. Material PVC; Diameter 4 in.
2. Distance above basement floor ____ in., or below basement floor 16 in.
3. Distance between dwelling and septic tank 60 ft.
4. Number of clean-outs Found.
5. Distances to: Well or Suction Line NA ft.; Stream NA ft.; Pressure Line 100+ ft.; Property Line 100+ ft.

B. SEPTIC TANK:
1. Material Concrete; No. of compartments 1.
2. Capacity 1250 gals.;
3. Factory Built: Yes ☒ No ☐ (Company Pre-Cast)
4. Manholes: Over Inlet; diam. 8 in. Over Outlet; diam. 10 in. Riser Above ☐ Below ☐ Grade ___ in.
5. Inlet: Baffle ☒ ; or Tee ☐
6. Outlet: Baffle ☒ ; or Tee ☐
7. Depth of top of tank below finished grade 14 in.
8. Distances to: Well or Suction Line NA ft.; Stream NA ft.; Pressure Line 100+ ft.; Property Line 100+ ft.

C. DISTRIBUTION BOX:
1. Material Concrete; Number available outlets 5.
2. Factory Built: Yes ☒ No ☐ (Company Pre-Cast)
3. Distance from Septic Tank 10 ft.

D. ABSORPTION FIELD: (Provide as built drawings on back of this form)
1. Type: Half Rounds ☒ Perforated Pipe ☐ Diameter of Half Round _____ or Perforated Pipe _____. Material: fiberglass ☐ ; plastic ☐ ; concrete ☐ ; other _____.
2. Lateral Lines: Number 3 ; Length of each line 84, 84, 84, ____, ____ ft.; Total length of laterals 252 ft.; Distance between lateral lines 10 ft.
3. Trench dimensions: Width 8 ft.; Slope 2 in/100 ft.; Average Depth 36 in.
4. Filter Material: Sand Gravel Depth of Material 30 in.
5. Distances to: Well or Suction Line NA ft.; Stream NA ft.; Pressure Line 100+ ft.; Property Line 50+ ft.




TYPICAL INDIVIDUAL SEWAGE SYSTEM DESIGN

White Rock Circle
11601

B&F Builders

Installed By Vogt T&T



LINCOLN-LANCASTER COUNTY HEALTH DEPARTMENT

ENVIRONMENTAL HEALTH DIVISION

3140 "N" STREET Lincoln, NE 68510-1514 (402) 441-8000

NON TRANSFERABLE

PERMIT

Permit
SEWAGE INSTALLATION

No. 94380122201

Issued 09/26/94
Expires 03/26/95
Revenue Code 18754

Establishment
DENNIS FREY
T8N R7E SEC 4
WHITEROCK ESTATES BLK 1 LOT 4

FEES: $150.00

TOTAL $150.00

Permittee
DENNIS FREY
RR0001
BOX 0088A
HICKMAN NE 68372

Issued By M. Jane Ford
Health Director

THIS LICENSE OR PERMIT IS ISSUED SUBJECT TO REVOCATION AS PROVIDED BY LAW "POST IN A PROMINENT PLACE"

FORM 20103-0477
REQUEST FOR SITE CLEARANCE AND PERMIT
FOR INDIVIDUAL SEWAGE DISPOSAL SYSTEM
City Ordinance No. 9150 ☒
County Resolution No. 2832 ☐

LINCOLN-LANCASTER COUNTY HEALTH DEPARTMENT
Division of Environmental Health
2200 St. Marys Avenue
Lincoln, Nebraska 68502
Phone: 471-7800

A

FILING FEE: $_____

FILE NO._____

DATE:_____

The undersigned hereby requests SITE CLEARANCE and PERMIT to construct an Individual Sewage Disposal System in conformance with appropriate resolution or ordinance, as described herein:

1. Legal description of property: Twp. 8N ; Range 7E ; Section 4 ;
   Block 1 : Lot 4 : Addition Whiterock Estates
   Street Address 11601 WHITEROCK CIRCLE.

2. Property Use: Residential ☑ ; Commercial ☐ Other Use ☐
   No. of Bedrooms 4 . Describe_____

3. Type of Individual Sewage Disposal System: Septic Tank ☑ ; Other ☐

4. Distance to public sewer: _____ft. EXPERIMENTAL SYSTEM

Dennis Troy Pos.
Signature of Applicant (Owner or Lessee)

RT#1 Box 88A Nickman NE 68372
Address

(Do not write below this double line)

1. Health Department: Date Rec'd. 9/26/94. Date Frwd. 9/26/94. ACTION: Approved ☒ Disapproved ☐ Signature: Jerrold C. Hood

2. Supt. Bldg. Insp.: or Village Clerk Date Rec'd. 9/26/94. Date Frwd. 9/26/94. ACTION: Approved ☒ Disapproved ☐ Signature: [signature]

3. City or County Engineer: Date Rec'd. 9-26-94. Date Frwd. 9-26-94. ACTION: Approved ☒ Disapproved ☐ Signature: [signature]

REMARKS OR REASONS FOR DISAPPROVAL_____

Site Visits:
Date: 11/7/94 by: L.C.H. Sewer, tanks, sand in lateral
Date: 11/8/94 by: L.C.H.
Date:_____ by:_____

INSTALLATION FINAL WRITTEN APPROVAL
Date: 6/6/95 By: Jerrold C. Hood

White: Health Dept. Copy
Yellow: Engineers Copy
Pink: Bldg. Inspector's Copy

FORM 23-43

FORM 20104-0477
PLANS & SPECIFICATIONS FOR SEWAGE DISPOSAL SYSTEM (Annex to Application)
City Ordinance No. 9150 ☐
County Resolution No. 2832 ☐

LINCOLN-LANCASTER COUNTY HEALTH DEPARTMENT
Division of Environmental Health
2200 St. Marys Avenue
Lincoln, Nebraska 68502
Phone: 471-7800

D

DATE: _____

FILE NO. _____


SPECIFICATIONS AS BUILT

A. BUILDING SEWER:
1. Material PVC; Diameter 4 in.
2. Distance above basement floor ____ in., or below basement floor 16 in.
3. Distance between dwelling and septic tank 60 ft.
4. Number of clean-outs Found.
5. Distances to: Well or Suction Line NA ft.; Stream NA ft.; Pressure Line 100+ ft.; Property Line 100+ ft.

B. SEPTIC TANK:
1. Material Concrete; No. of compartments 1.
2. Capacity 1250 gals.;
3. Factory Built: Yes ☒ No ☐ (Company Pre-Cast)
4. Manholes: Over Inlet; diam. 8 in. Over Outlet; diam. 10 in. Riser Above ☐ Below ☐ Grade ___ in.
5. Inlet: Baffle ☒ ; or Tee ☐
6. Outlet: Baffle ☒ ; or Tee ☐
7. Depth of top of tank below finished grade 14 in.
8. Distances to: Well or Suction Line NA ft.; Stream NA ft.; Pressure Line 100+ ft.; Property Line 100+ ft.

C. DISTRIBUTION BOX:
1. Material Concrete; Number available outlets 5.
2. Factory Built: Yes ☒ No ☐ (Company Pre-Cast)
3. Distance from Septic Tank 10 ft.

D. ABSORPTION FIELD: (Provide as built drawings on back of this form)
1. Type: Half Rounds ☒ Perforated Pipe ☐ Diameter of Half Round _____ or Perforated Pipe _____. Material: fiberglass ☐ ; plastic ☐ ; concrete ☐ ; other _____.
2. Lateral Lines: Number 3 ; Length of each line 84, 84, 84, ____, ____ ft.; Total length of laterals 252 ft.; Distance between lateral lines 10 ft.
3. Trench dimensions: Width 8 ft.; Slope 2 in/100 ft.; Average Depth 36 in.
4. Filter Material: Sand Gravel Depth of Material 30 in.
5. Distances to: Well or Suction Line NA ft.; Stream NA ft.; Pressure Line 100+ ft.; Property Line 50+ ft.



TYPICAL INDIVIDUAL SEWAGE SYSTEM DESIGN

White Rock Circle
11601

B&F Builders

Installed By Vogt T&T

