LINCOLN-LANCASTER COUNTY HEALTH DEPARTMENT

ENVIRONMENTAL HEALTH DIVISION

3140 "N" STREET
Lincoln, NE 68510-1514
(402) 441-8000

NON TRANSFERABLE

PERMIT

Permit
SEWAGE INSTALLATION

No. 96380145201

Issued 07/15/96
Expires 01/15/97
Revenue Code 18754

Establishment
STEVE FULTON
T8N R7E SEC 4
WHITE ROCK ESTATES BLK 1 LOT 7

FEES: $150.00

Permittee
STEVE FULTON
4012 S 83 ST
LINCOLN NE 68506

TOTAL $150.00

Issued By M. Jane Ford
Health Director

2362

THIS LICENSE OR PERMIT IS ISSUED SUBJECT TO REVOCATION AS PROVIDED BY LAW "POST IN A PROMINENT PLACE"

FORM 20103-0477
REQUEST FOR SITE CLEARANCE AND PERMIT
FOR INDIVIDUAL SEWAGE DISPOSAL SYSTEM
City Ordinance No. 9150 ☒
County Resolution No. 2832 ☐

LINCOLN-LANCASTER COUNTY HEALTH DEPARTMENT
Division of Environmental Health
3140 N Street
Lincoln NE 68510
(402)-441-8022

A

FILING FEE: $ 150.00

FILE NO. _____

DATE: 7-8-96

The undersigned hereby requests SITE CLEARANCE and PERMIT to construct an Individual Sewage Disposal System in conformance with appropriate resolution or ordinance, as described herein:

1. Legal description of property: Twp. 8N ; Range 7E ; Section 4 ;
   Block 1 : Lot 7 : Addition WHITE ROCK ESTATES
   Street Address N/A (56TH + SALTILLO) 11730 SOUTH 55TH ST.
2. Property Use: Residential ☒ ; Commercial ☐ Other Use ☐
   No. of Bedrooms 3 . Describe RANCH
3. Type of Individual Sewage Disposal System: Septic Tank ☒ ; Other ~~LAGOON~~ ☐
4. Distance to public sewer: N/A ft.

Signature of Applicant (Owner or Lessee)

4012 S 83, Lincoln, NE
Address

430-9979 cell
489-7117 office

(Do not write below this double line)

1. Health Department: Date Rec'd. 7/12/96. Date Frwd. 7/12/96. ACTION: Approved ☒ Disapproved ☐ Signature: Jerrold C. Hood
2. Supt. Bldg. Insp.: or Village Clerk Date Rec'd. 7/12/96. Date Frwd. 7/12/96. ACTION: Approved ☒ Disapproved ☐ Signature: Gary Spier
3. City or County Engineer : Date Rec'd. 7-12-96. Date Frwd. 7-12-96. ACTION: Approved ☐ Disapproved ☐ Signature:

REMARKS OR REASONS FOR DISAPPROVAL RURAL WATER

Site Visits:
Date: 8/21/96 by: L. C. H.
Date: _____ by: _____
Date: _____ by: _____

INSTALLATION FINAL WRITTEN APPROVAL
Date: 8/23/96 By: Jerrold C. Hood

White: Health Dept. Copy
Yellow: Engineers Copy
Pink: Bldg. Inspector's Copy

FORM 23-43

FORM 20102-0477
PRELIMINARY PLANS & SPECIFICATIONS FOR SEWAGE DISPOSAL SYSTEM (Annex to Application)
City Ordinance No. 9150 ☐
County Resolution No. 2832 ☐


LINCOLN-LANCASTER COUNTY HEALTH DEPARTMENT
Division of Environmental Health
3140 N Street
Lincoln NE 68510
(402)-441-8022

C

Sketch of property showing Percolation Test hole locations, well, residence, direction and property line.

FILE NO._____

Indicate on sketch if residence and well are exisiting or proposed.



REVIEWING ACTION

Remarks :_____


Date:_____

Minimum Design Requirement
1. Capacity of Septic Tank 1000 gals.
2. Total Length of Laterals 323 ft.
3. With a Trench Width of 36 in.
4. Total Area of Lateral needed 968 sq.ft.

Jerrold C. Hood
Signature of Reviewing Official

FORM 20102-0477 PRELIMINARY PLANS & SPECIFICATIONS FOR SEWAGE DISPOSAL SYSTEM (Annex to Application) City Ordinance No. 9150 ☐ County Resolution No. 2832 ☐	LINCOLN-LANCASTER COUNTY HEALTH DEPARTMENT Division of Environmental Health **3140 N Street** Lincoln NE 68510 (402)-441-8022 **C**
Sketch of property showing Percolation Test hole locations, well, residence, direction and property line.	FILE NO._____

Indicate on sketch if residence and well are exisiting or proposed.



Block 1, Lot 7, White Rock Estates

REVIEWING ACTION

Remarks:_____

_____

Date:_____

Minimum Design Requirement
1. Capacity of Septic Tank_____gals.
2. Total Length of Laterals_____ft.
3. With a Trench Width of_____in.
4. Total Area of Lateral needed____sq.ft.


_____
Signature of Reviewing Official

8-21-96
Larry Schwarck

WhiteRock Estates
Lot 7 - Blk 7

11730 S. 54th

N



11730 S. 54th

FORM 20104-0477
PLANS & SPECIFICATIONS FOR SEWAGE DISPOSAL SYSTEM (Annex to Application)
City Ordinance No. 9150 ☐
County Resolution No. 2832 ☐

Lincoln-Lancaster County Health Dept.
3140 "N" Street
Lincoln, NE 68510

D

DATE: 8-21-96

FILE NO. _____


SPECIFICATIONS AS BUILT

A. BUILDING SEWER:
1. Material Cbs/160 ; Diameter 4 in.
2. Distance above basement floor _____ in., or below basement floor _____ in.
3. Distance between dwelling and septic tank 100 ft.
4. Number of clean-outs 2 .
5. Distances to:
Well or Suction Line _____ ft.;
Stream _____ ft.; Pressure Line _____ ft.; Property Line _____ ft.

B. SEPTIC TANK:
1. Material Precast ; No. of compartments _____.
2. Capacity 1250 gal gals.;
3. Factory Built: Yes ☒ No ☐
(Company _____)
4. Manholes: Over Inlet; diam. _____ in.
Over Outlet; diam. _____ in.
Riser Above ☐ Below ☐ Grade _____ in.
5. Inlet: Baffle ☐ ; or Tee ☐
6. Outlet: Baffle ☐ ; or Tee ☐
7. Depth of top of tank below finished grade 12" in.
8. Distances to:
Well or Suction Line _____ ft.;
Stream _____ ft.; Pressure Line _____ ft.; Property Line _____ ft.

C. DISTRIBUTION BOX:
1. Material Precast ; Number - available outlets _____.
2. Factory Built: Yes ☒ No ☐
(Company _____)
3. Distance from Septic Tank _____ ft.

D. ABSORPTION FIELD: (Provide as built drawings on back of this form)
1. Type: Half Rounds ☐ Perforated Pipe ☒
Diameter of Half Round _____ or
Perforated Pipe 4 .
Material: fiberglass ☐ ; plastic ☑ ; concrete ☐ ; other _____.
2. Lateral Lines:
Number 4 ; Length of each line 90 , 90 , 80 , 70 , _____ ft.;
Total length of laterals 330 ft.;
Distance between lateral lines 10 ft.
3. Trench dimensions: Width 3 ft.;
Slope — in/100 ft.; Average Depth 38"-16" in.
4. Filter Material: Road Gravel
Depth of Material 14" in.
5. Distances to:
Well or Suction Line _____ ft.;
Stream _____ ft.; Pressure Line _____ ft.; Property Line _____ ft.



TYPICAL INDIVIDUAL SEWAGE SYSTEM DESIGN

JUL-18-96 THU 8:52 N V INC



LOT PLAN

SALE: 1"=50'-0"

LEGAL:

WHITEROCK ESTATES

BLOCK — 1

LOT — 7

NOTE:

BUILDING MAY BE LOCATED ANYWHERE WITHIN LIMITS OF BUILDABLE AREA.

FULTON CONSTRUCTION INC.
4012 SOUTH 83RD
LINCOLN, NE 68506
(402) 489-7117


NEW VENTURES INC.
Custom home design
Lincolnshire Square

8-21-96
Larry Schwarck

WhiteRock Estates
Lot 7- Blk 7

11730 S. 54th

N



LINCOLN-LANCASTER COUNTY HEALTH DEPARTMENT

ENVIRONMENTAL HEALTH DIVISION

3140 "N" STREET
Lincoln, NE 68510-1514
(402) 441-8000

NON TRANSFERABLE

PERMIT

Permit
SEWAGE INSTALLATION

No. 96380145201

Issued 07/15/96
Expires 01/15/97
Revenue Code 18754

Establishment
STEVE FULTON
T8N R7E SEC 4
WHITE ROCK ESTATES BLK 1 LOT 7

FEES: $150.00

Permittee
STEVE FULTON
4012 S 83 ST
LINCOLN NE 68506

TOTAL $150.00

Issued By M. Jane Ford
Health Director

2362

THIS LICENSE OR PERMIT IS ISSUED SUBJECT TO REVOCATION AS PROVIDED BY LAW "POST IN A PROMINENT PLACE"

FORM 20103-0477
REQUEST FOR SITE CLEARANCE AND PERMIT
FOR INDIVIDUAL SEWAGE DISPOSAL SYSTEM
City Ordinance No. 9150 ☒
County Resolution No. 2832 ☐

LINCOLN-LANCASTER COUNTY HEALTH DEPARTMENT
Division of Environmental Health
3140 N Street
Lincoln NE 68510
(402)-441-8022

A

FILING FEE: $ 150.00

FILE NO. _____

DATE: 7-8-96

The undersigned hereby requests SITE CLEARANCE and PERMIT to construct an Individual Sewage Disposal System in conformance with appropriate resolution or ordinance, as described herein:

1. Legal description of property: Twp. 8N ; Range 7E ; Section 4 ;
   Block 1 : Lot 7 : Addition WHITE ROCK ESTATES
   Street Address N/A (56TH + SALTILLO) 11730 SOUTH 55TH ST.
2. Property Use: Residential ☒ ; Commercial ☐ Other Use ☐
   No. of Bedrooms 3 . Describe RANCH
3. Type of Individual Sewage Disposal System: Septic Tank ☒ ; Other ~~LAGOON~~ ☐
4. Distance to public sewer: N/A ft.

Signature of Applicant (Owner or Lessee)

4012 S 83, Lincoln, NE
Address

430-9979 cell
489-7117 office

(Do not write below this double line)

1. Health Department: Date Rec'd. 7/12/96. Date Frwd. 7/12/96. ACTION: Approved ☒ Disapproved ☐ Signature: Jerrold C. Hood
2. Supt. Bldg. Insp.: or Village Clerk Date Rec'd. 7/12/96. Date Frwd. 7/12/96. ACTION: Approved ☒ Disapproved ☐ Signature: Gary Spier
3. City or County Engineer : Date Rec'd. 7-12-96. Date Frwd. 7-12-96. ACTION: Approved ☐ Disapproved ☐ Signature:

REMARKS OR REASONS FOR DISAPPROVAL RURAL WATER

Site Visits:
Date: 8/21/96 by: L. C. H.
Date: _____ by: _____
Date: _____ by: _____

INSTALLATION FINAL WRITTEN APPROVAL
Date: 8/23/96 By: Jerrold C. Hood

White: Health Dept. Copy
Yellow: Engineers Copy
Pink: Bldg. Inspector's Copy

FORM 23-43

FORM 20102-0477
PRELIMINARY PLANS & SPECIFICATIONS FOR SEWAGE DISPOSAL SYSTEM (Annex to Application)
City Ordinance No. 9150 ☐
County Resolution No. 2832 ☐


LINCOLN-LANCASTER COUNTY HEALTH DEPARTMENT
Division of Environmental Health
3140 N Street
Lincoln NE 68510
(402)-441-8022

C

Sketch of property showing Percolation Test hole locations, well, residence, direction and property line.

FILE NO._____

Indicate on sketch if residence and well are exisiting or proposed.



REVIEWING ACTION

Remarks :_____


Date:_____

Minimum Design Requirement
1. Capacity of Septic Tank 1000 gals.
2. Total Length of Laterals 323 ft.
3. With a Trench Width of 36 in.
4. Total Area of Lateral needed 968 sq.ft.

Jerrold C. Hood
Signature of Reviewing Official

FORM 20102-0477 PRELIMINARY PLANS & SPECIFICATIONS FOR SEWAGE DISPOSAL SYSTEM (Annex to Application) City Ordinance No. 9150 ☐ County Resolution No. 2832 ☐	LINCOLN-LANCASTER COUNTY HEALTH DEPARTMENT Division of Environmental Health **3140 N Street** Lincoln NE 68510 (402)-441-8022 **C**
Sketch of property showing Percolation Test hole locations, well, residence, direction and property line.	FILE NO._____

Indicate on sketch if residence and well are exisiting or proposed.



Block 1, Lot 7, White Rock Estates

REVIEWING ACTION

Remarks:_____

_____

Date:_____

Minimum Design Requirement
1. Capacity of Septic Tank_____gals.
2. Total Length of Laterals_____ft.
3. With a Trench Width of_____in.
4. Total Area of Lateral needed____sq.ft.


_____
Signature of Reviewing Official

8-21-96
Larry Schwarck

WhiteRock Estates
Lot 7 - Blk 7

11730 S. 54th

N



11730 S. 54th

FORM 20104-0477
PLANS & SPECIFICATIONS FOR SEWAGE DISPOSAL SYSTEM (Annex to Application)
City Ordinance No. 9150 ☐
County Resolution No. 2832 ☐

Lincoln-Lancaster County Health Dept.
3140 "N" Street
Lincoln, NE 68510

D

DATE: 8-21-96

FILE NO. _____


SPECIFICATIONS AS BUILT

A. BUILDING SEWER:
1. Material Cbs/160 ; Diameter 4 in.
2. Distance above basement floor _____ in., or below basement floor _____ in.
3. Distance between dwelling and septic tank 100 ft.
4. Number of clean-outs 2 .
5. Distances to:
Well or Suction Line _____ ft.;
Stream _____ ft.; Pressure Line _____ ft.; Property Line _____ ft.

B. SEPTIC TANK:
1. Material Precast ; No. of compartments _____.
2. Capacity 1250 gal gals.;
3. Factory Built: Yes ☒ No ☐
(Company _____)
4. Manholes: Over Inlet; diam. _____ in.
Over Outlet; diam. _____ in.
Riser Above ☐ Below ☐ Grade _____ in.
5. Inlet: Baffle ☐ ; or Tee ☐
6. Outlet: Baffle ☐ ; or Tee ☐
7. Depth of top of tank below finished grade 12" in.
8. Distances to:
Well or Suction Line _____ ft.;
Stream _____ ft.; Pressure Line _____ ft.; Property Line _____ ft.

C. DISTRIBUTION BOX:
1. Material Precast ; Number - available outlets _____.
2. Factory Built: Yes ☒ No ☐
(Company _____)
3. Distance from Septic Tank _____ ft.

D. ABSORPTION FIELD: (Provide as built drawings on back of this form)
1. Type: Half Rounds ☐ Perforated Pipe ☒
Diameter of Half Round _____ or
Perforated Pipe 4 .
Material: fiberglass ☐ ; plastic ☑ ; concrete ☐ ; other _____.
2. Lateral Lines:
Number 4 ; Length of each line 90 , 90 , 80 , 70 , _____ ft.;
Total length of laterals 330 ft.;
Distance between lateral lines 10 ft.
3. Trench dimensions: Width 3 ft.;
Slope — in/100 ft.; Average Depth 38"-16" in.
4. Filter Material: Road Gravel
Depth of Material 14" in.
5. Distances to:
Well or Suction Line _____ ft.;
Stream _____ ft.; Pressure Line _____ ft.; Property Line _____ ft.



TYPICAL INDIVIDUAL SEWAGE SYSTEM DESIGN

JUL-18-96 THU 8:52 N V INC



LOT PLAN

SALE: 1"=50'-0"

LEGAL:

WHITEROCK ESTATES

BLOCK — 1

LOT — 7

NOTE:

BUILDING MAY BE LOCATED ANYWHERE WITHIN LIMITS OF BUILDABLE AREA.

FULTON CONSTRUCTION INC.
4012 SOUTH 83RD
LINCOLN, NE 68506
(402) 489-7117

NEW VENTURES INC.
Custom home design
Lincolnshire Square

8-21-96
Larry Schwarck

WhiteRock Estates
Lot 7- Blk 7

11730 S. 54th

N

