LINCOLN-LANCASTER COUNTY HEALTH DEPARTMENT

FILE NO. 1579-C

INDIVIDUAL SEWAGE SYSTEM CONSTRUCTION — TYPE OF PERMIT

February 8, 1980 — THIS PERMIT EXPIRES

Larry Seeman — ISSUED TO

1742 South 14 Street, Lincoln, NE 68502 — ADDRESS

T8N, R8E, Section 3 NE¼, Lot 49 I.T. — LEGAL DESCRIPTION

REMARKS: NON-TRANSFERABLE

PERMIT	INSPECTION FEE	OCCUPATION TAX	TOTAL
$ 60.00	$	$	$ 60.00
ACCOUNTING NO.	ACCOUNTING NO.	ACCOUNTING NO.	CODE
	110.16	148.14	6-2

RECEIPTED BY — DATE — AMOUNT

VALID RECEIPT ONLY IF RECEIPTED IN THIS SPACE

HEALTH — ISSUING OFFICER

THIS PERMIT IS ISSUED AS PROVIDED BY COUNTY RESOLUTION NO. 2832

20109-0977

FORM 20103-0477
REQUEST FOR SITE CLEARANCE AND PERMIT
FOR INDIVIDUAL SEWAGE DISPOSAL SYSTEM
City Ordinance No. 9150 ☐
County Resolution No. 2832 ☒

LINCOLN-LANCASTER COUNTY HEALTH DEPARTMENT
Division of Environmental Health
2200 St. Marys Avenue
Lincoln, Nebraska 68502
Phone: 474-1541

A

FILING FEE: $ 60.00

FILE NO. 1579-C

DATE: August 6, 1979

The undersigned hereby requests SITE CLEARANCE and PERMIT to construct an Individual Sewage Disposal System in conformance with appropriate resolution or ordinance, as described herein:

1. Legal description of property: Twp. 8 North; Range 8 East; Section 3 NE¼
   Block _____: Lot 49 I.T.: Addition _____
   Street Address _____

2. Property Use: Residential ☒ ; Commercial ☐ Other Use ☐
   No. of Bedrooms 2. Describe _____

3. Type of Individual Sewage Disposal System: Septic Tank ☒ ; Other ☐

4. Distance to public sewer: _____ ft.

Savy Seeman
Signature of Applicant (Owner or Lessee)

1742 South 14th, Lincoln, NE 68502
Address

(Do not write below this double line)

1. Health Department: Date Rec'd. 8/7/79. Date Frwd. 8/8/79. ACTION: Approved ☒ Disapproved ☐ Signature: Jerrold C. Hood

2. Supt. Bldg. Insp.: or Village Clerk: Date Rec'd. _____. Date Frwd. 8-7-79. ACTION: Approved ☒ Disapproved ☐ Signature: Wayne Hagaman

3. City or County Engineer: Date Rec'd. 8-8-79. Date Frwd. 8-8-79. ACTION: Approved ☑ Disapproved ☐ Signature: Henry Graff

REMARKS OR REASONS FOR DISAPPROVAL _____

Site Visits:
Date: 5-2-80 by: RM
Date: _____ by: _____
Date: _____ by: _____

White: Health Dept. Copy
Yellow: Engineers Copy
Pink: Bldg. Inspector's Copy

INSTALLATION FINAL WRITTEN APPROVAL
Date: 5-2-80 By: Ron Maynard

approved by Village Board Minutes, Tech. 8-6-79 Wayne Hagaman, clerk

FORM 20105-0477
SOIL ABSORPTION TEST DATA REPORT
(Annex to Application)
(Reference: City Ordinance No. 9150 and County Resolution No. 2832)

LINCOLN-LANCASTER COUNTY HEALTH DEPARTMENT
Division of Environmental Health
2200 St. Marys Avenue
Lincoln, Nebraska 68502
Phone: 474-1541

B

FILE NO. 1579-C

PROPERTY WHERE SOIL TESTED:

Location: Township 8 North; Range 8 East; Section & ¼ Section 3 NE¼
Property Dimensions: 596 ft. x 432 ft. Area: 5.9 acres. (Attach Sheet C with sketch of property).
Soil Type: Silty Clay ☐ ; Silty Clay Loam ☑ ; Sandy Loam ☐ ; Silt Loam ☐ ; Clay Loam ☐ .
Dates of Tests: Aug 2 to Aug 3. Weather: Precip. _____ Temp. _____.

OWNER: Larry L. + Susan E. Seeman
Address: 1742 So. 14th St. Lincoln, NE

PERCOLATION TEST DATA TABLE

a.	b.	c.	d.	e.	f.	g.	h.	i.	j.	k.	l.	m.	n.
		Pre-Saturation Period				Percolation Readings						Results	
		Start		End		Start			End				
Hold No.	Hole Depth (in.)	Date (Mo./ Day)	Time (Hr./ Min.)	Date (Mo./ Day)	Time (Hr./ Min.)	Date (Mo./ Day)	Time (Hr./ Min.)	Water Level (in.)	Time (Hr./ Day)	Water Level (in.)	Elapsed Time (Min.)	Water Level Drop (in.)	Percolation Rates (Min./in.)
1	30"	8/2	4:00	8/3	4:00	8/3	5:30	6"	6:00	5¼	30	¼"	
2	"	"	"	"	"	"	"	"	"	3¼	"	2¾"	
3	"	"	"	"	"	"	"	"	"	5¼	"	¼	
4	"	"	"	"	"	"	"	"	"	5	"	¼	
5	"	"	"	"	"	"	"	"	"	5½	"	½	
6	"	"	"	"	"	"	"	"	"	5½	"	½	

John Strohmyer
Signature of Person Conducting Test

Address 4401 No. 27th Lincoln Phone 467-1627

Sum of Percolation Rates: _____
Average of Rates: _____
Mean of Rates: _____

(Do not write below this line)

REVIEWING ACTION

Remarks: _____
Soil Type (SCS): Wymore Silty Clay Loam
Date: August 7, 1978

Approved Percolation Rate (a)
A. 32 min./inch
B. _____ min./inch
C. _____ min./inch

Jerrold C. Hood
Signature of Reviewing Official

FORM 20102-0477
PRELIMINARY PLANS & SPECIFICATIONS FOR SEWAGE DISPOSAL SYSTEM (Annex to Application)
City Ordinance No. 9150 ☐
County Resolution No. 2832 ☐


LINCOLN-LANCASTER COUNTY HEALTH DEPARTMENT
Division of Environmental Health
2200 St. Marys Avenue
Lincoln, Nebraska 68502
Phone: 474-1541

C

Sketch of property showing Percolation Test hole locations, well, residence, direction and property line.

FILE NO. 1579-C

Indicate on sketch if residence and well are exisiting or proposed.



REVIEWING ACTION


Remarks: _____

Date: August 7, 1979

Minimum Design Requirement
1. Capacity of Septic Tank 1000 gals.
2. Total Length of Laterals 129 ft.
3. With a Trench Width of 4 in.
4. Total Area of Lateral needed 516 sq.ft.

Gerald C. Hood
Signature of Reviewing Official

Larry Seaman
Bennett



N

93

Lincoln-Lancaster County Health Department

2200 St. Mary's Avenue, Lincoln, Nebraska 68502 Phone: 441-8022

REAL ESTATE TRANSFER/LOAN APPROVAL FORM

This form must be completed and returned to request a real estate transfer inspection.

MAKE CHECK PAYABLE TO: Lincoln-Lancaster County Health Department or LLCHD

☐ Enclosed is $150.00. Allow two weeks for processing. Incomplete information will delay processing.

☐ Evaluation of the Individual Water System ☑ Evaluation of the Sewage Disposal System

Legal Description of Property: Street Address 11750 So. 158th BENNET

Twp 8N Range 8E Section 3 1/4 ___ 1/4 NE Block ___ Lot 49 Addition ___

Directions to Property HIGHWAY 2 TO HIGHWAY 43, 5 1/2 MILES

Location of Well Rural Water | Tap Location: Inside ☐ Outside ☐

Location of Sewage System SEE ATTACHED Year Installed 1980

	NAME	ADDRESS	PHONE
Present Owner:	LARRY & SHEAN SEAMAN	11750 S. 158th BENNET NE	782-8939
Tenant/Buyer:	SHERI LYMAN & PAUL KRAUS	3844 S. 20th LINCOLN NE 68502	423-0182
Return to:	TIM FRANCIS	WOODS BROS. 32 & PIONEERS LINCOLN NE 68502	

Signature of Applicant Sheri Lyman Address 3844 So. 20th LINCOLN, NE 68502 Date ___/___/___

HEALTH DEPARTMENT USE ONLY

Date Received 2/13/95 Received $150.00 Check ☑ Cash ☐

PRELIMINARY STATUS--By PAUL DROZDMANN **DATE:** 2/15/95

WATER SYSTEM:	Approved	Disapproved	SEWAGE SYSTEM	Additional Site Visits
Construction	☐	☐	Approved ☑	Date___/___/___by___
Bacteria	☐ _____/ml	☐ _____/ml	Provisional ☐	Date___/___/___by___
Nitrate	☐ _____ppm	☐ _____ppm	Disapproved ☐	Date___/___/___by___

Comments: Septic tank should be pumped if not done in the past two years

See Attached Letter ☐

FINAL STATUS

WATER SYSTEM: Approved: ☒ (Rural water) **SEWAGE DISPOSAL SYSTEM** Approved: ☑ Provisional Approval: ☐

Approved by Paul Drozdmann Date 2/16/95

Approval or disapproval is based on State and local standards for construction, location and water quality. Inspection is based on visible construction and operation at the time of inspection. Approval or provisional approval does not imply or express a guarantee of system operations.

1582

012

Lincoln-Lancaster County Health Department

3140 "N" Street, Lincoln, Nebraska 68510 Phone: 441-8022

REAL ESTATE TRANSFER/LOAN APPROVAL FORM

This form must be completed and returned to request a real estate transfer inspection.

MAKE CHECK PAYABLE TO: Lincoln-Lancaster County Health Department or LLCHD

☒ Enclosed is $150.00. Allow two weeks for processing. Incomplete information will delay processing.

☐ Evaluation of the Individual Water System ☒ Evaluation of the Sewage Disposal System

Legal Description of Property: Street Address 11750 S. 158th, Bennet, NE 68317

Twp 8N Range 8E Section 3 1/4 NE 1/4 Block ___ Lot 49 Addition ___

Directions to Property One half mile North of Bennet, East Side of Road

Location of Well ___ Tap Location: Inside ☐ Outside ☐

Location of Sewage System East of House 100 ft. Year Installed 1980

	NAME	ADDRESS	PHONE
Present Owner:	Paul Kraus / Sheri Lyman	11750 S. 158th Bennet, NE 68317	782-2010
Tenant/Buyer:	Same	" "	782-2010
Return to:	National Bank of Commerce	1248 O Street P.O. Box 82408 Lincoln, NE 68501-2408	434-4321

Signature of Applicant ___ Address 11750 S. 158th Bennet, NE 68317 Date 2/3/96

HEALTH DEPARTMENT USE ONLY

Date Received 2/12/96 Received $150.00 Check ☒ Cash ☐ #1576

PRELIMINARY STATUS--By Gerald C. Hood **DATE:** 2/14/96

RURAL WATER

WATER SYSTEM:	Approved	Disapproved
Construction	☐	☐
Bacteria	☐ ____/ml	☐ ____/ml
Nitrate	☐ ____ppm	☐ ____ppm

SEWAGE SYSTEM	
Approved	☒
Provisional	☐
Disapproved	☐

Additional Site Visits

Date ___/___/___ by ___

Date ___/___/___ by ___

Date ___/___/___ by ___

Comments: SEPTIC TANK APPEARS TO HAVE BEEN DUG UP RECENTLY. IF TANK HASN'T BEEN PUMPED RECENTLY IT SHOULD BE CHECKED TO SEE IF IT IS NEEDED. See Attached Letter ☐

FINAL STATUS

WATER SYSTEM: RURAL WATER Approved: ☐ **SEWAGE DISPOSAL SYSTEM** Approved: ☒ Provisional Approval: ☐

Approved by Gerald C. Hood R.E.H.S. Date 2/14/96

Approval or disapproval is based on State and local standards for construction, location and water quality. Inspection is based on visible construction and operation at the time of inspection. Approval or provisional approval does not imply or express a guarantee of system operations.