Lincoln-Lancaster County Health Department
ENVIRONMENTAL PUBLIC HEALTH DIVISION

011037

3140 N STREET · LINCOLN, NE 68510-1514

(402) 441-8000

Permit: SEWAGE INSTALLATION
LAGOON

Establishment:
DON & PHYLLIS REINWALD
T8N R8E SEC 28 QTR NW
6TH PRIN MERIDIAN LOT 7
18100 S 134 ST-BENNET

Permittee:
DON & PHYLLIS REINWALD
18100 S 134 ST
BENNET NE 68317

Permit # 07380335401

Issued 07/02/07
Expires 07/02/08
Revenue Code 3157

FEES: $290.00

TOTAL: $290.00

Bruce D. Dart

Bruce D. Dart, Health Director

EPH COPY

Lincoln-Lancaster County Health Department
Environmental Public Health Division
3140 N Street • Lincoln NE 68510-1514
Phone: 402-441-8022

A

Permit Number
07380335401 NF

Onsite Wastewater Treatment System
Request for Site Clearance and Permit

Include Form B and C. Submit correct fee with this Application

3 acres or more required for: ❑ Septic System ☒ Lagoon ❑ Other (Refer to Form C)

The undersigned hereby requests site clearance and permit to construct a Wastewater Treatment System in conformance with appropriate regulations.

20.5 acres

PLEASE PRINT OR TYPE

A. Onsite System Location

Address 18100 S. 134th (no rural route) City Bennet, NE Zip 68317

Legal Description LCR 5993 28 8 8 6th Principal Meridian TNW

1/4	1/4	Section	Township	Range	Subdivison	Addition	Block	Lot

Parcel - 21-28-100-007-000

Geographical Location (if known): Longitude: Latitude:

❑ Check if system mail address is not the same as the owner's address Total Acres: 20.5

B. Owner

Name Don & Phyllis Reinwald Signature Phyllis Reinwald

Address 18100 S. 134th City/State/Zip Bennet NE 68317

❑ Check if owner designed system Home Phone 402-450-3004 Work Phone

C. Contractor

Name: Company Name

Address City/State/Zip

❑ Check if contractor designed system Work Phone

D. Engineer/Installer ❑ Check and complete if engineer designed system

Designer Name Firm Work Phone

E. This system will serve a

☒ Residential Dwelling Number of Bedrooms 3 Is there a Whirlpool Bathtub? ☒ Yes ❑ No

❑ Commercial Establishment/Other Facility Specify Design flow in gallons per day

Type of Wastewater ❑ Domestic ❑ Non-Domestic Well Permit Applied for ❑ Yes ❑ No ❑ Not Applicable

DO NOT WRITE BELOW THIS LINE

Approval Process ❑ Municipal Code 24.38 ☒ County Resolution No. 02-30

1. Health Department
Site visits
Date rec'd 7/2/07
Date frwd 7/5/07
ACTION ☒ Approved ❑ Disapproved
Signature

2. Supt. Bldg. Insp. or Village Clerk
Comments
Date rec'd 7/3/07
Date frwd 7/3/07
ACTION ☒ Approved ❑ Disapproved
Signature

3. City or County Engineer
Comments
Date rec'd 7-2-07
Date frwd 7-3-07
ACTION ☒ Approved ❑ Disapproved
Signature

Line Lagoon 11/29/07 DS.

Installation Final Written Approval
By
Date 7/21/08

Business Office Use Only
Date Received 07/02/07 Amount Paid 290 cc
Received By ~~Cash~~/Check No. 1120

White - Health Department Yellow - Engineer Pink - Building & Safety

Form A Updated: 5-07


Lincoln-Lancaster County Health Department
Environmental Health Division
3140 "N" Street • Lincoln, NE 68510-1514
Phone: 402-441-8022

C

Permit Number:

Sewage Disposal System
Preliminary Plan Specifications

Draw a plot plan showing system location, lines, distribution box, tank and laterals, percolation test hole locations, well, residence, compass direction and property lines. Indicate on drawing if residence and well are existing or proposed.



Approximate Scale: _____ ft. = _____ grid line/s

A. System Location (Indicate correct number and street)

Address (no rural route) 18100 S. 134 City Bennet NE, Zip 68317

B. Proposed Septic Tank/s

Tank Material: ☐ Concrete ☐ Plastic ☐ Other _____

C. Proposed Absorption System (See Form B for Percolation Information)

Percolation Rate _____ (min. per inch) Soil Type: _____ Land Slope: _____ %

Type of Absorption System: ☐ Trench ☐ Bed ☐ Other _____

Total Square Feet of Field Required: _____ sq. ft.

Type of Lateral: ☐ Half-Moon ☐ Perforated Pipe ☐ Other Lateral Material: _____

Capacity of Septic Tank _____ gals Number of Absorption Beds: _____ Number of Distribution Laterals per Bed _____

Total Length of Laterals _____ ft. Number of Trenches _____ Trench Width _____

D. Setbacks Check the Boxes Below if the Required Setback has been Satisfied


Distance From	Private Well	Public Well	Surface Water	Gound Water	Pressure Water Lines	Property Lines	Foundations Yours	Foundations Neighbors	All Other Setbacks
Tank (ft)	50 ☐	500 ☐	50 ☐	NA ☐	25 ☐	20 ☐	15 ☐	25 ☐	☐
Field (ft)	100 ☐	500 ☐	50 ☐	4 ☐	30 ☐	20 ☐	30 ☐	40 ☐	☐
Lagoon (ft)	100 ☒	500 ☒	50 ☒	N/A ☐	30 ☒	50 ☒	100 ☒	200 ☒	☒

E. Required Signatures

Home Building Contractor _____ Date _____

Installer Brad Santee 0148 Date 6-27-07

FORM 23-102 10-96


WYMORE SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES
WYMORE SILTY CLAY, 5 TO 9 PERCENT SLOPES, SEVERELY ERODED
JUDSON SILT LOAM, 2 TO 6 PERCENT SLOPES
PAWNEE CLAY LOAM, 7 TO 11 PERCENT SLOPES, ERODED
WATER
WATER
ARENTS, EARTHEN DAM
WYMORE SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES
WYMORE SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES
BURCHARD-NODAWAY COMPLEX, 2 TO 30 PERCENT SLOPES
20-08-08
21-08-08
22-08-08
JUDSON SILT LOAM, 2 TO 6 PERCENT SLOPES
WYMORE SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES
JUDSON SILT LOAM, 2 TO 6 PERCENT SLOPES
PAWNEE CLAY LOAM, 2 TO 7 PERCENT SLOPES, ERODED
MAYBERRY SILTY CLAY LOAM, 2 TO 7 PERCENT SLOPES, ERODED
WATER
WYMORE SILTY CLAY, 5 TO 9 PERCENT SLOPES, SEVERELY ERODED
WYMORE SILTY CLAY, 5 TO 9 PERCENT SLOPES, SEVERELY ERODED
WYMORE SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES
NODAWAY SILT LOAM, 0 TO 2 PERCENT SLOPES
MARTELL
WYMORE SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES
WATER
PAWNEE CLAY LOAM, 7 TO 11 PERCENT SLOPES, ERODED
WATER
PAWNEE CLAY LOAM, 7 TO 11 PERCENT SLOPES, ERODED
JUDSON SILT LOAM, 2 TO 6 PERCENT SLOPES
WYMORE SILTY CLAY, 5 TO 9 PERCENT SLOPES, SEVERELY ERODED
MAYBERRY SILTY CLAY LOAM, 2 TO 7 PERCENT SLOPES, ERODED
COLO-NODAWAY SILTY CLAY LOAMS, 0 TO 2 PERCENT SLOPES
WYMORE SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, ERODED
WYMORE SILTY CLAY, 5 TO 9 PERCENT SLOPES, SEVERELY ERODED
NODAWAY SILT LOAM, CHANNELED
29-08-08
WATER
134TH
28-08-08
WATER
148TH
27-08-08
JUDSON SILT LOAM, 2 TO 6 PERCENT SLOPES
PAWNEE CLAY LOAM, 7 TO 11 PERCENT SLOPES, ERODED
COLO-NODAWAY SILTY CLAY LOAMS, 0 TO 2 PERCENT SLOPES
JUDSON SILT LOAM, 2 TO 6 PERCENT SLOPES
PAWNEE CLAY LOAM, 2 TO 7 PERCENT SLOPES, ERODED
WATER
JUDSON SILT LOAM, 2 TO 6 PERCENT SLOPES
NODAWAY SILT LOAM, 0 TO 2 PERCENT SLOPES
WYMORE SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES
WATER
PAWNEE CLAY LOAM, 7 TO 11 PERCENT SLOPES, ERODED
HICKMAN
WYMORE SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES
WYMORE SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, ERODED
JUDSON SILT LOAM, 2 TO 6 PERCENT SLOPES
JUDSON SILT LOAM, 2 TO 6 PERCENT SLOPES
JUDSON SILT LOAM, 2 TO 6 PERCENT SLOPES
MAYBERRY SILTY CLAY LOAM, 2 TO 7 PERCENT SLOPES, ERODED
WYMORE SILTY CLAY, 5 TO 9 PERCENT SLOPES, SEVERELY ERODED
33-08-08
34-08-08
JUDSON SILT LOAM, 2 TO 6 PERCENT SLOPES
WATER
ARENTS, EARTHEN DAM
PAWNEE CLAY LOAM, 7 TO 11 PERCENT SLOPES, ERODED
WATER
STEINAUER CLAY LOAM, 6 TO 11 PERCENT SLOPES, ERODED
JUDSON SILT LOAM, 2 TO 6 PERCENT SLOPES
Legend
FLOOD
FloodPlain
100 Year
Floodway
500 Year
VillageLimits_Buffer1
streets arc
townships
0
750
1,500
3,000
Feet