FILE # 2708

CITY OF LINCOLN NEBRASKA

DEPARTMENT OF LICENSES AND PERMITS

INDIVIDUAL SEWAGE SYSTEM CONSTRUCTION — TYPE OF LICENSE OR PERMIT

6 MONTHS — THIS LICENSE OR PERMIT EXPIRES

ACTION PLUMBING HEATING & AIR COND. 5608 So. 50TH; LINCOLN, NE 68516 — LICENSEE OR PERMITTEE / ADDRESS

T9N; R7E; Sec 20; Bk 3; Lot 1; Country Acres South Addition — NAME OF ESTABLISHMENT, IF ANY / ADDRESS

REMARKS: NON TRANSFERABLE

NEW CONSTRUCTION

PERMIT	ACCOUNTING NUMBER	TOTAL
$ 60.00	018754	$ 60.00

Valid Receipt Only if Machine Receipted In This Space

Serial No. — Date and Amount

APPLICATION

HEALTH — ISSUING OFFICER OR DEPARTMENT

THIS LICENSE OR PERMIT IS ISSUED SUBJECT TO REVOCATION AS PROVIDED BY LAW

FORM 20103-0477
REQUEST FOR SITE CLEARANCE AND PERMIT
FOR INDIVIDUAL SEWAGE DISPOSAL SYSTEM
City Ordinance No. 9150 ☐
County Resolution No. 2832 ☐

LINCOLN-LANCASTER COUNTY HEALTH DEPARTMENT
Division of Environmental Health
2200 St. Marys Avenue
Lincoln, Nebraska 68502
Phone: 471-7800

A

FILING FEE: $_____

FILE NO. 2708

DATE: August 1 1988

The undersigned hereby requests SITE CLEARANCE and PERMIT to construct an Individual Sewage Disposal System in conformance with appropriate resolution or ordinance, as described herein:

1. Legal description of property: Twp. 9N ; Range 7E ; Section 20 ; Block 3 : Lot 1 : Addition Country Acres South
   Street Address _____

2. Property Use: Residential ☒ ; Commercial ☐ Other Use ☐
   No. of Bedrooms 4 . Describe _____

3. Type of Individual Sewage Disposal System: Septic Tank ☒ ; Other ☐

4. Distance to public sewer: _____ ft.

action plbg + htg
James J Krupka
Signature of Applicant (Owner or Lessee)

5608 S 50 Lincoln NE 68516
Address

(Do not write below this double line)

1. Health Department: Date Rec'd. 8/1/88 . Date Frwd. 8/4/88 . ACTION: Approved ☒ Disapproved ☐ Signature: Jerrold C. Hood

2. Supt. Bldg. Insp.: or Village Clerk Date Rec'd. 8-4-88 . Date Frwd. 8-4-88 . ACTION: Approved ☒ Disapproved ☐ Signature: Paul Boeshe

3. City or County Engineer : Date Rec'd. 8-4-88 . Date Frwd. 8-4-88 . ACTION: Approved ☒ Disapproved ☐ Signature: Dennis Bartels

REMARKS OR REASONS FOR DISAPPROVAL No WELL PERMIT YET

Site Visits:
Date: 10-7-88 by: mm
Date: _____ by: _____
Date: _____ by: _____

White: Health Dept. Copy
Yellow: Engineers Copy
Pink: Bldg. Inspector's Copy

INSTALLATION FINAL WRITTEN APPROVAL
Date: Oct-10-88 By: Ron Mayon

FORM 23-43

FORM 20105-0477
SOIL ABSORPTION TEST DATA REPORT
(Annex to Application)
(Reference: City Ordinance No. 9150 and County Resolution No. 2832)

LINCOLN-LANCASTER COUNTY HEALTH DEPARTMENT
Division of Environmental Health
2200 St. Marys Avenue.
Lincoln, Nebraska 68502
Phone: 471-7800

B

FILE NO. _____

PROPERTY WHERE SOIL TESTED:

Location: Township _____; Range _____; Section & ¼ Section _____.
Property Dimensions: _____ ft. x _____ ft. Area: _____ acres. (Attach Sheet C with sketch of property).
Soil Type: Silty Clay ☐; Silty Clay Loam ■; Sandy Loam ☐; Silt Loam ☐; Clay Loam ☐.
Dates of Tests: 7-1-88 to 7-2-88. Weather: Precip. 0 Temp. 70°.

OWNER: Action Plumbing
Address: 5608 S. 50th Lincoln NE. 423-6960

PERCOLATION TEST DATA TABLE

a.	b.	c.	d.	e.	f.	g.	h.	i.	j.	k.	l.	m.	n.
		Pre-Saturation Period				Percolation Readings						Results	
		Start		End		Start			End				
Hold No.	Hole Depth (in.)	Date (Mo./Day)	Time (Hr./Min.)	Date (Mo./Day)	Time (Hr./Min.)	Date (Mo./Day)	Time (Hr./Min.)	Water Level (in.)	Time (Hr./Day)	Water Level (in.)	Elapsed Time (Min.)	Water Level Drop (in.)	Percolation Rates (Min./in.)
1	36"	7-1	2:00 pm	7-2	11:00 Am	7-2	11:00 Am	6"	3:00 pm	5"	30m	1"	
2	36"	7-1	2:00 pm	7-2	11:00 Am	7-2	11:00 Am	6"	3:00 pm	4 3/8"	"	1 5/8"	
3	36"	7-1	2:00 pm	7-2	11:00 Am	7-2	11:00 Am	6"	3:00 pm	5"	"	1"	
4	36"	7-1	2:00 pm	7-2	11:00 Am	7-2	11:00 Am	6"	3:00 pm	4 3/4"	"	1 1/4"	
5	36"	7-1	2:00 pm	7-2	11:00 Am	7-2	11:00 Am	6"	3:00 pm	4 5/8"	"	1 3/8"	
6	36"	7-1	2:00 pm	7-2	11:00 Am	7-2	11:00 Am	6"	3:00 pm	5"	"	1"	

Mike Hoogland
Signature of Person Conducting Test

Sum of Percolation Rates: _____
Average of Rates: _____
Mean of Rates: _____

Address 2700 Pan Ave Phone 464-0638

(Do not write below this line) Pre-Cast Step Co.

REVIEWING ACTION

Remarks: _____

Soil Type (SCS): Wymore Silty Clay Loam or, Sharpsburg Silty Clay Loam

Date: August 1, 1988

Approved Percolation Rate (a)
A. 25 min./inch
B. _____ min./inch
C. _____ min./inch

Jerrold C. Hock
Signature of Reviewing Official

FORM 20104-0477
PLANS & SPECIFICATIONS FOR SEWAGE DISPOSAL SYSTEM (Annex to Application)
City Ordinance No. 9150 ☐
County Resolution No. 2832 ☐

LINCOLN-LANCASTER COUNTY HEALTH DEPARTMENT
Division of Environmental Health
2200 St. Marys Avenue
Lincoln, Nebraska 68502
Phone: 471-7800

D

DATE: _____

FILE NO. _____


SPECIFICATIONS AS BUILT

A. BUILDING SEWER:
1. Material Class 160; Diameter 4 in.
2. Distance above basement floor _____ in., or below basement floor 16 in.
3. Distance between dwelling and septic tank 65 ft.
4. Number of clean-outs _____.
5. Distances to:
Well or Suction Line _____ ft.; Stream _____ ft.; Pressure Line _____ ft.; Property Line _____ ft.

B. SEPTIC TANK:
1. Material Pre Cast; No. of compartments _____.
2. Capacity 1500 gals.;
3. Factory Built: Yes ☒ No ☐
(Company _____)
4. Manholes: Over Inlet; diam. _____ in.
Over Outlet; diam. _____ in.
Riser Above ☐ Below ☐ Grade ____ in.
5. Inlet: Baffle ☐ ; or Tee ☐
6. Outlet: Baffle ☐ ; or Tee ☐
7. Depth of top of tank below finished grade 14" in.
8. Distances to:
Well or Suction Line _____ ft.; Stream _____ ft.; Pressure Line _____ ft.; Property Line _____ ft.

C. DISTRIBUTION BOX:
1. Material Pre Cast; Number - available outlets _____.
2. Factory Built: Yes ☒ No ☐
(Company _____)
3. Distance from Septic Tank 6' ft.

D. ABSORPTION FIELD: (Provide as built drawings on back of this form)
1. Type: Half Rounds ☒ Perforated Pipe ☐
Diameter of Half Round _____ or Perforated Pipe _____.
Material: fiberglass ☐ ; plastic ☐ ; concrete ☒ ; other _____.
2. Lateral Lines:
Number 3 ; Length of each line 100, 100, 32, _____, 232 ft.;
Total length of laterals _____ ft.;
Distance between lateral lines ____ ft.
3. Trench dimensions: Width _____ ft.; Slope 6 in/100 ft.; Average Depth 36 in.
4. Filter Material: Road Gravel
Depth of Material 22 in.
5. Distances to:
Well or Suction Line _____ ft.; Stream _____ ft.; Pressure Line _____ ft.; Property Line _____ ft.



TYPICAL INDIVIDUAL SEWAGE SYSTEM DESIGN

10-6-88

Larry Schwarck
for action Plbg

