LINCOLN-LANCASTER COUNTY HEALTH DEPARTMENT

FILE NO. 621-C

INDIVIDUAL SEWAGE SYSTEM CONSTRUCTION — TYPE OF PERMIT

November 20, 1975 — THIS PERMIT EXPIRES

Merle E. Wilken — ISSUED TO

Route #4 Lincoln — ADDRESS

TION; R5E; Sec. 5; Lot 6; — LEGAL DESCRIPTION

REMARKS: NON-TRANSFERABLE

PERMIT	INSPECTION FEE	OCCUPATION TAX	TOTAL
$ 30.00	$	$	$ 30.00
ACCOUNTING NO.	ACCOUNTING NO.	ACCOUNTING NO.	CODE
624-1535	110.16	148.14	6-2
RECEIPTED BY	DATE	AMOUNT	

VALID RECEIPT ONLY IF RECEIPTED IN THIS SPACE

ISSUING OFFICER

THIS PERMIT IS ISSUED AS PROVIDED BY COUNTY RESOLUTION NO. 2832

FORM HD-40(73) REQUEST FOR SITE CLEARANCE FOR INDIVIDUAL SEWAGE DISPOSAL SYSTEM

City Ordinance No. 9150 ☐
County Resolution No. 2832 ☒

LINCOLN-LANCASTER COUNTY HEALTH DEPARTMENT
Division of Environmental Health
2200 St. Marys Avenue
Lincoln, Nebraska 68502 (Phone: 475-6221)

FILE NO. 621-C

TO: Division of Environmental Health
Lincoln-Lancaster County Health Dept.

DATE: May 1, 1975

The undersigned hereby requests SITE CLEARANCE to construct an Individual Sewage Disposal System in conformance with appropriate resolution or ordinance, as described herein:

1. Legal description of property: Twp. 10N ; Range 5E ; Section 5
   Block — ; Lot 6 ; Addition —
   Street Address Rt 4, LINCOLN

2. Property Use: Residential 3 ☒ ; Commercial ____ ☐
   No. of Bedrooms 8. Describe: ____
   11 people — 3 homes
   Other Use ____ ☐
   Describe: ____

3. Type of Individual Sewage Disposal System: Septic Tank ☒ (in use now) ; Other ☒

4. Distance to public sewer: none ft.

Merle E Wilkage
Charlyn C. Olson
Merle E Wilkage

Signature of Applicant (Owner or Lessee)

Rt 4 Lincoln

Address

(Do not write below this double line)

REVIEWING ACTION

1. Health Department: Date Rec'd. 5/20/75. Date Frwd. ____. ACTION: Approved ____ ☒ Disapproved ☐ Signature: Jerrold C. Hood

2. Supt. Bldg. Insp.: Date Rec'd. ____. Date Frwd. ____. ACTION: Approved ____ ☐ Disapproved ☐ Signature: By Chas Seale

3. City or County Engineer: Date Rec'd. 5/28/75. Date Frwd. 5/28/75. ACTION: Approved ____ ☒ Disapproved ☐ by MH Signature: Glenn L. Wieskamp

REMARKS OR REASONS FOR DISAPPROVAL ____

White: Health Dept. Copy
Yellow: Engineers Copy
Pink: Bldg. Inspector's Copy

FORM HD-42(73) APPLICATION FOR PERMIT TO CONSTRUCT INDIVIDUAL SEWAGE DISPOSAL SYSTEM

City Ordinance No. 9150 ☐
County Resolution No. 2832 ☒

LINCOLN-LANCASTER COUNTY HEALTH DEPARTMENT
Division of Environmental Health
2200 St. Marys Avenue
Lincoln, Nebraska 68502 (Phone: 475-6221)

FILE NO. 621-C

DATE: May 1, 1975

TO: Director of Health
Lincoln-Lancaster County Health Dept.

The undersigned hereby applies for a permit to construct an Individual Sewage Disposal System in conformance with appropriate Ordinance or Resolution, as described in this application and the annexed forms attached hereto.

1. Legal description of property: Twp. 10 N ; Range 5 E ; Section 5 ; Block — ; Lot 6 ; Addition —.
Street Address Rt 4 LINCOLN.

2. Property Use: Residential 3 ☒ ; Commercial ☐
No. of Bedrooms 8 Describe:
11 people — 3 homes
Other Use
Describe:
in use now

3. Type of Individual Sewage Disposal System: Septic Tank ☐ ; Other ☒ lagoon

4. Plans and Specifications of Proposed System. (See FORM HD-45(73) PLANS & SPECIFICATIONS, SEWAGE DISPOSAL SYSTEM, attached hereto.)

5. Soil Absorption Properties. (See FORM HD-43(73) SOIL ABSORPTION TEST DATA REPORT, attached hereto).

Merle E. Wilkens
Charles E. Wilkens
Merle E. Wilkens
Signature of Applicant (owner or lessee)

Rt 4, Lincoln
Address

(Do not write below double line)

REVIEWING ACTION

1. Date Rec'd;
Filing Fee: $ 30.00

2. Site Visits:
Date: 7-16-75 by: jw
Date: by:
Date: by:

3. Date: Approved ☒ ; Disapproved ☐ 5/20/75
by: Jerrold E. Hoop

4. INSTALLATION FINAL WRITTEN APPROVAL
Date: 7-16-75 by: James Wevelka

3' deep

10 people = 6000 cubic feet
Actually 6188

Round

Bottom 42'
Top 60'
Dike to Dike 72'

12 people = 7200 cubic feet
Actually 7187

Bottom 46'
Top 64'
Dike to Dike 76'

Square

10 people = 6000
Actually 6156

Bottom 36'
Top 54'
Dike to Dike = 68'


12 people = 7200 cubic feet
Actually 7284

Bottom 40'
Top 58'
Dike to Dike 70'

HD-45(73)


West side is 1:1.

SIDE VIEW



7-17-75
JW

Round or Oblong Lagoon




Fence

Inside edge of top of dike

Top

View

Square or Rectangular Lagoon



9903220003.
tdf

Lincoln-Lancaster County Health Department

3140 "N" Street, Lincoln, Nebraska 68510 Phone: 441-8022

REAL ESTATE TRANSFER/LOAN APPROVAL FORM

FOR PROPERTY IN **LANCASTER COUNTY** ONLY

This form must be completed and returned with payment to request a real estate transfer inspection.

MAKE CHECK PAYABLE TO: "Lincoln-Lancaster County Health Department" or "LLCHD"

☐ Enclosed is $150.00. Allow two weeks for processing. Incomplete information will delay processing.

old LCR 683
new LCR 3980

Legal Description of Property: Street Address 5321 NW 112th ST, LINCOLN, NE 68524

Twp 10 Range 5 Section 5 1/4 ___ 1/4 NE Block ___ Lot 6 Addition ___

Directions to Property NORTH OF PAWNEE LAKE ON N.W. 112th (SUBJECT PROPERTY ON MR. FRINKS PROPERTY)

Location of Well NORTH OF SUBJECT PROPERTY Tap Location: Inside ☐ Outside ☐

Location of Sewage System LAGOON TO WEST OF SUBJECT PROPERTY Year Installed APPRX

	NAME	ADDRESS	PHONE
Present Owner:	WILLIAM F. DUFFY		796-2162
Tenant/Buyer:	DAVE & SUE AHMAN	5548 S. 38th LINCOLN, NE 68516	WK 458-5110 HM 420-2169
Return to:	KAREN HART HOME REAL ESTATE	3910 SOUTH ST LINCOLN, NE	430-8230

Signature of Applicant Dave Ahman Address 5548 S. 38th LINCOLN, NE 68516 Date 2/24/99

HEALTH DEPARTMENT USE ONLY

RECEIVED
Date 03/02/99
Initials ___
Amount $ 150 ck
Check No. 272

DATA ENTRY
Date ___/___/___
Case No. ___
Initials ___

PRELIMINARY STATUS--By PAUL DROTZMANN **DATE:** 3/3/99

WATER SYSTEM:	Approved	Disapproved
Construction	☐	☒
Bacteria	☒ 0 /ml	☐ ___ /ml
Nitrate	☒ 3.2 ppm	☐ ___ ppm

SEWAGE SYSTEM
Approved ☐
Provisional ☐
Disapproved ☒

Additional Site Visits
Date 3/17/99 by PD
Date ___/___/___ by ___
Date ___/___/___ by ___

Comments: See attached inspection report. Well construction appears satisfactory. However well is too close to a livestock confinement lot. Lagoons has maintenance problems 3-17-99 Electrical wire installed to limit livestock to 100' ☐ See Attached Letter
Signs up + gate locked on waste lagoon. Vegetation needs removed

FINAL STATUS

WATER SYSTEM: Approved ☒ **SEWAGE DISPOSAL SYSTEM:** Approved ☒ Provisional Approval ☐

Approved by Paul Drotzmann Date 3/19/99

Approval or disapproval is based on State and local standards for construction, location and water quality. Inspection is based on visible construction and operation at the time of inspection. Approval or provisional approval does not imply or express a guarantee of system operations.

White - Applicant after approval Yellow - Environmental Health Pink - Business Office

Revised/Reprint: 10-95

RECEIVED MAR 19 1999

P7617-52 BAC

LINCOLN-LANCASTER COUNTY HEALTH DEPARTMENT

Legal Description 10-5-5 lot 6 Location 5321 NW 112th

Owner/Requestor Duffy / Ahrmann

WELL/SEWAGE SYSTEM INSPECTION FORM

Based on an inspection this day, the items circled below identify the violations in construction or operation. Some items may not apply. Components that could not be located are indicated as "unknown".

well

___ New system, initial
___ New system, followup
___ Existing system, repair
___ Existing system, followup
X Loan approval
___ Consultation
___ Other (Specify)

REMARKS 6.F. - Well is located approximately 54' from livestock confinement area 102' from above ground fuel storage tank Lagoon 8- No warning signs attached to fence (4 needed) excessive vegetation inside fenced area. Cedar trees growing next to lagoon dike, gate not locked

Water System

1. Approved Permit; (Permit not applicable)
2. Sanitary Seal
3. Screened Vent/Conduit Sealed
4. Well Casing Material
5. Well House
6. Distance of Well from
   A. Leach Field
   B. Septic Tank
   C. Sewer Line
   D. Frost-Proof Hydrant
   E. Lagoon
   (F.) Accumulated Manure
   G. Pit or Depression
7. Pressure Line from Sewage System
8. Other Deficiencies (Specify)

Sewage System ___ Septic X Lagoon

1. Approved Permit; (Permit not applicable)
2. Visible Discharge or Seepage
3. Location from Property Line Building
4. Location from Water System Component
5. Lateral Construction, Length, Drop
6. Septic Tank Size + Installation
7. Distribution box
(8.) Lagoon Fencing, Warning Signs, Vegetation, Dike Damage, Locked Gate, Water Depth
9. Constructed According to Sizing
10. Septic Tank: Constructed Properly, Maintained
11. Other Deficiencies (Specify)

Inspected by: PAUL DROTZMANN Received by: William T Duffy

Date: 3-3-99

WA1002

Nitrate sample collected only



P6759-47

LINCOLN-LANCASTER COUNTY HEALTH DEPARTMENT

2200 St. Marys Avenue Phone (402) 471-7800 Lincoln, Nebraska 68502

REAL ESTATE TRANSFER / LOAN APPROVAL

This form must be completed and returned to request a real estate transfer inspection.

MAKE CHECKS PAYABLE TO: Lincoln-Lancaster County Health Department.

☒ Evaluation of the Individual Water System Date: 1-5-90

☒ Evaluation of the Sewage Disposal System ☒ Enclosed is $75.00 ~~$150.~~

Legal Description of Property: TWP. 10N; RANGE 5E; SECTION 5; BLOCK ___

LOT 6; ADDITION _____; Street Address 5321 NW 112th (WAS 5401)

Directions to Property EMERALD - N At Light to Adams - WEST to PROPERTY

Location of Well _____ Tap Location: Inside ☐ Outside ☐

Location of Sewage System _____ Year Installed ____

	NAME	ADDRESS	PHONE
Present Owner:	STEVEN MILLWOOD	5321 NW 112th	796-2451
Tenant/Buyer:	TRANS EQUITY	(CELIA WORK	486-5236)
Return to:	MARLENE GOTTULA	225 North COTNER LINCOLN NE 68505	467-4663

NOTE: Allow two weeks for processing. Incomplete information will delay processing.

Signature of Applicant Marlene Gottula Address 225 N Cotner

==========

HEALTH DEPARTMENT USE ONLY

Date Received JANUARY 10, 1990 Received $75.00 Check ☒ Cash ☐

PRELIMINARY STATUS--DATE 1/10/90

WATER SYSTEM:	Approved	Disapproved	SEWAGE SYSTEM:		SITE VISIT:
Construction	☐	☒	Approved:	☐	Date 1/11/90 by LCH
Bacteria	☒	☐	Provisional:	☐	Date 1/17/90 by LCH
Nitrate	☒	☐	Disapproved:	☒	Date _____ by ____

Comments: COMMUNAL TYPE LAGOON. NEEDS WARNING SIGNS AND LOCK ON GATE. WELL IS ON ANOTHER PROPERTY AND IS WITHIN 100' OF A CLOSE CONFINEMENT HORSE CORRAL. FUEL TANKS WITHIN 100' ALSO. See Attached Letter ☐

All corrected 2/7/90 L.C.H.

FINAL STATUS

WATER SYSTEM:	SEWAGE DISPOSAL SYSTEM:	
Approved: ☐	Approved: ☐	Provisional Approval: ☐

APPROVED BY _____ DATE _____

Approval or disapproval is based on written standards for construction, location and water quality. Inspection is based on visible construction and operation at the time of inspection. Approval or provisional approval does not imply or express a guarantee of system operation. WELLS - Nebraska Safe Drinking Water Act,
- Standards for A Private Well in Nebraska

FG.4120 INDIVIDUAL SEWAGE SYSTEMS - County Resolution #2832