LINCOLN-LANCASTER COUNTY HEALTH DEPARTMENT

2200 ST. MARYS
LINCOLN, NEBRASKA 68502

FILE NO. 1801-C

INDIVIDUAL SEWAGE SYSTEM CONSTRUCTION — TYPE OF PERMIT

December 29, 1981 — THIS PERMIT EXPIRES

Richard Monnier — ISSUED TO

Rural Route 1, Box 138, Raymond NE 68428 — ADDRESS

T11N, R6E, Section SW¼of NW¼ of 14 — LEGAL DESCRIPTION

REMARKS: NONTRANSFERABLE

PERMIT	INSPECTION FEE	OCCUPATION TAX	TOTAL
$ 30.00	$	$	$ 30.00

ACCOUNTING NO.	ACCOUNTING NO.	ACCOUNTING NO.	CODE
	110.16	148.14	6-2

RECEIPTED BY	DATE	AMOUNT
EB	6-29-81	

VALID RECEIPT ONLY IF RECEIPTED IN THIS SPACE

HEALTH
ISSUING OFFICER
2832

THIS PERMIT IS ISSUED AS PROVIDED BY COUNTY RESOLUTION NO. _____

20109-0977

FORM HD-41(73) APPLICATION FOR PERMIT TO ALTER, EXTEND OR REPAIR INDIVIDUAL SEWAGE DISPOSAL SYSTEM

City Ordinance No. 9150 ☐
County Resolution No. 2832 ☒

LINCOLN-LANCASTER COUNTY HEALTH DEPARTMENT
Division of Environmental Health
2200 St. Marys Ave.
Lincoln, Nebraska 68502 (Phone: 475-6221)

FILE NO. 1801-C

TO: Division of Environmental Health
Lincoln-Lancaster County Health Dept.

DATE: 5-29-81

The undersigned hereby applies for a permit to ALTER ☒, EXTEND ☐, or REPAIR ☐ an existing Individual Sewage Disposal System, in conformance with appropriate Ordinance or Resolution, as described in this application and drawings attached hereto.

1. Legal description of property: Twp. 11N ; Range 6E ; Section SW¼ of NW¼ of 14 ;
Block _____ ; Lot _____ ; Addition _____
Street Address _____

2. Property Use: Residential _____ ☒; Commercial _____ ☐
No. Bedrooms 2
Describe _____
Other Use ☐
Describe _____

3. Type of existing Individual Sewage Disposal System: Septic Tank ☒; Other ☐

4. Description of proposed alteration, extension or repair: Abandon 100' Lateral (Leach Field) and install 100' new 4" perforated pipe Lateral

5. Work to be done by: Owner ☐ ; or Contractor ☒ , Strohmyer Exc. Co. Inc.
Contractor's Name

6. Estimated cost of project:

a. Materials	$
b. Labor	$
c. Other	$
TOTAL	$

Richard J. Morris
Signature of Applicant (owner or lessee)

RI Box 138 Raymond, Nebr. 68428
Address

(Do not write below this line)


REVIEWING ACTION

1. Date Rec'd: _____
Filing Fee: $ 30.00

2. Site Visits:
Date: _____ by: _____
Date: _____ by: _____
Date: _____ by: _____

3. Date: Approved ☒ ; Disapproved ☐
by: Jerrold C. Hood

4. INSTALLATION FINAL WRITTEN APPROVAL
Date: 6/29/81 by: J.C. Hood


House
N
4" Pipe
28'
13'
?
Tank
75'
4" Pipe
10'
Dist. Box
100' Lateral
3' wide

Lincoln-Lancaster County Health Department
ENVIRONMENTAL PUBLIC HEALTH DIVISION

011022

3140 N STREET · LINCOLN, NE 68510-1514

(402) 441-8000

Permit

SEWAGE INSTALLATION
LAGOON

Permit # 07380334901

Issued 06/13/07
Expires 06/13/08
Revenue Code 3157

Establishment

RICHARD L MONNIER
T11N R6E SEC 14 QTR NW
S 1/2
11600 N 1ST ST-RAYMOND

FEES: $290.00

ermittee

RICHARD L MONNIER
11600 N 1ST ST
RAYMOND NE 68428

TOTAL: $290.00

Bruce D. Dart

Bruce D. Dart, Health Director

EPH COPY

Lincoln-Lancaster County Health Department
Environmental Health Division
3140 "N" Street • Lincoln, NE 68510-1514
Phone: 402-441-8022

JUN 12 2007

A

Permit Number: 07380334901

Sewage Disposal System
Request for Site Clearance and Permit

Replacing septic system

Include Form B, Form C and Applicable Fees with this Application.

☐ Septic System ☑ Lagoon ☐ Other (Refer to Form C)

The undersigned hereby requests site clearance and permit to construct a Sewage Disposal System in conformance with appropriate resolution or ordinance, as described herein:

PLEASE PRINT OR TYPE

88 acres

A. System Location (Indicate correct number and street)

Address 11600 N 1st St (no rural route) City Raymond NE, Zip 68428

Legal Description LCR 5987 S 1/2, NW 1/4, 14 Section, 11 Township, 6 Range, Oak Subdivision, Addition, Block, Lot

Geographical Location (if known): Longitude _____ Latitude old LCR 549

☐ Check if system mail address is not the same as the owner's address

B. Owner

Name Richard Monnier Signature Richard L Monnier

Address 11650 N 1st St City/State/Zip Raymond, NE 68428

☐ Check if owner designed system Home Phone 402-476-6766 Work Phone _____

C. Contractor

Name Existing Home Company Name _____

Address _____ City/State/Zip _____

☐ Check if contractor designed system Work Phone _____

D. Engineer/Installer ☐ Check and complete if engineer designed system

Designer Name Lloyd Jakubek Firm Raymond Contracting, Inc Work Phone 402-890-6009

E. This System Will Serve a

☒ Residential Dwelling Number of Bedrooms 2 Is there a Whirlpool Bathtub YES (NO)

☐ Commercial Establishment/Other Facility Specify _____

Design flow in gallons per day _____ Type of Wastewater: ☒ Domestic ☐ Non-Domestic.

DO NOT WRITE BELOW THIS LINE

Approval Process ☐ Municipal Code 24.38 ☑ County Resolution No. 2832

1. Health Department	Date rec'd 6/13/07 Date frwd 6/13/07	ACTION ☑ Approved ☐ Disapproved Signature	
2. Supt. Bldg. Insp. or Village Clerk	Date rec'd _____ Date frwd _____	ACTION ☐ Approved ☐ Disapproved Signature _____	
3. City or County Engineer	Date rec'd _____ Date frwd _____	ACTION ☐ Approved ☐ Disapproved Signature _____	

D.S. line + lagoon - need fence 6/20/07

Installation Final Written Approval

By _____

Date 6/5/08

Business Office Use Only
Date Rec'd 6/14/07
Amt Paid 290.00
Rec'd By _____ Cash/Check No. 6450

FORM 23-100 10-96 White - Health Dept. Yellow - Engineer Pink - Bldg. Inspector

Lincoln-Lancaster County Health Department
Environmental Health Division
3140 "N" Street • Lincoln, NE 68510-1514
Phone: 402-441-8022

D

Permit Number:

Sewage Disposal System

As Built Plans & Specifications

Date 6-20-07

System Location (Indicate correct number and street)

Address 11600 N 1st St (no rural route) City Raymond NE, Zip 68428

A. Building Sewer

1. Material: cl/asy/60
   Diameter: 4 in.
2. ~~Distance above basement floor:~~ _____ in.
   or distance below basement floor: 36 in.
3. Distance between dwelling and septic tank: 155 ft.
4. Number of clean-outs: 3
5. Distances to: well or suction line 100+ ft.
   stream 100+ ft.
   pressure line 100+ ft.
   property line 100+ ft.

B. Septic Tank

1. Material: _____
   Number of compartments: _____
2. Capacity: _____ gal.
3. Factory built: ☐ Yes ☐ No
4. Manholes: Over inlet, diameter _____ in.
   Over outlet, diameter _____ in.
   Riser: ☐ above ☐ below grade _____ in.
5. Inlet: ☐ baffle ☐ tee
6. Outlet: ☐ baffle ☐ tee
7. Depth to top of tank, below unfinished grade: _____ in.
8. Distances to: Well or suction line _____ ft.
   Stream _____ ft.
   Pressure line _____ ft.
   Property line _____ ft.

C. Distribution Box

1. Material: _____
   Number available outlets: _____
2. Factory built: ☐ Yes ☐ No
3. Distance from septic tank: _____ ft.

D. Absorption Field


(Provide as-built drawings on back of this form)

1. Type: ☐ Half rounds ☐ Perforated pipe
   Diameter of half round: _____
   or perforated pipe: _____
   Material: ☐ fiberglass ☐ plastic ☐ concrete
   ☐ other _____
2. Lateral lines: Number _____
   Length of each line: _____ ft. _____ ft.
   _____ ft. _____ ft., _____ ft.
3. Trench dimensions: Width _____ ft.
   Slope _____ in/100 ft.
   Average depth _____ in
4. Filter material: _____
   Depth of material _____ in.
5. Distances to: Well or suction line _____ ft.
   Stream _____ ft.
   Pressure line _____ ft.
   Property line _____ ft.


Indicate North with Arrow


Complete "As Built" drawing on back of this form.

Individual Sewage System Design (Example)



As Built Drawing




PAWNEE CLAY, 2 TO 7 PERCENT SLOPES, SEVERELY ERODED
SHARPSBURG SILTY CLAY LOAM, 5 TO 9 PERCENT SLOPES
JUDSON SILT LOAM, 2 TO 6 PERCENT SLOPES
NODAWAY SILT LOAM, 0 TO 2 PERCENT SLOPES
10-11-06
11-11-06
SHARPSBURG SILTY CLAY LOAM, 2 TO 5 PERCENT SLOPES
SHARPSBURG SILTY CLAY LOAM, 5 TO 9 PERCENT SLOPES
SHARPSBURG SILTY CLAY LOAM, 5 TO 9 PERCENT SLOPES
NODAWAY SILT LOAM, CHANNELED
WAVERLY
PAWNEE CLAY LOAM, 2 TO 7 PERCENT SLOPES, ERODED
COLO-NODAWAY SILTY CLAY LOAMS, 0 TO 2 PERCENT SLOPES
SHARPSBURG SILTY CLAY LOAM, 5 TO 9 PERCENT SLOPES
WYMORE SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, ERODEDBURCHARD-NODAWAY COMPLEX, 2 TO 30 PERCENT SLOPES
PAWNEE CLAY LOAM, 7 TO 11 PERCENT SLOPES, ERODED
JUDSON SILT LOAM, 2 TO 6 PERCENT SLOPES
PAWNEE CLAY LOAM, 7 TO 11 PERCENT SLOPES, ERODED
BURCHARD CLAY LOAM, 6 TO 11 PERCENT SLOPES
WYMORE SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, ERODED
1ST
MORRILL CLAY LOAM, 11 TO 15 PERCENT SLOPES
BURCHARD CLAY LOAM, 6 TO 11 PERCENT SLOPES
WYMORE SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, ERODED
WYMORE SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, ERODED
15-11-06
14-11-06
PAWNEE CLAY LOAM, 2 TO 7 PERCENT SLOPES, ERODED
SHARPSBURG SILTY CLAY LOAM, 5 TO 9 PERCENT SLOPES
SHARPSBURG SILTY CLAY LOAM, 5 TO 9 PERCENT SLOPES
PAWNEE CLAY LOAM, 2 TO 7 PERCENT SLOPES, ERODED
ORE SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, ERODED
Legend
FLOOD
FloodPlain
100 Year
Floodway
500 Year
VillageLimits_Buffer1
streets arc
townships
Feet
0
315
630
1,260


04-11-06
03-11-06
02-11-06
01-11-06
MILL
09-11-06
12TH
10-11-06
11-11-06
12-11-06
WAVERLY
16-11-06
15-11-06
13-11-06
BLUFF
21-11-06
22-11-06
23-11-06
24-11-06
12TH
MCKELVIE
28-11-06
27-11-06
26-11-06
14TH
7TH
25-11-06